

BE 6500W PURE SINE WAVE DIGITAL INVERTER GENERATOR



Electric, Remote & 2-Wire Start. High-output, pure-sine wave portable power built for backup, off grid solar, worksites and events. The BE GI65E delivers 6500W of pure-sine power that's safe for sensitive electronics. Electric and remote start make life easy, while the included 2-wire start cable integrates with solar/remote systems for hands-off backup and battery charging.

PRODUCT DETAILS

Make	BE Power Equipment
Model	GI65E
No. Outlets	2 x 15A IP66
Fuel Capacity	12.5L
Weight	59 kg
Dimensions	620 x 498 x 553mm
Engine	312cc

DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

CONTACT DETAILS

New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

465 Maroondah Highway,
Lilydale Vic 3140

Phone: (03) 9739 5006
Fax: (03) 9739 5187

[/agpowerLilydale](https://www.facebook.com/agpowerLilydale)
[/agpower_and_transport_lilydale](https://www.instagram.com/agpower_and_transport_lilydale)



(03) 9739 5006 📍 465 MAROONDAH HWY, LILYDALE VIC 3140

Max Amps	25
App Control	Yes
SKU	BE-123 GI65E

PRODUCT DESCRIPTION

FEATURES

- Pure Sine Wave inverter output (safe for sensitive electronics)
- Electric start — push-button convenience and key FOB
- BE Power APP control for iOS and Android
- Remote/2-wire start ready for solar or remote integration - Cable Included
- On-board battery charger for keeping the generator internal 12 V battery topped up
- Auto Idle (Eco/Smart-throttle) for lower noise and fuel use
- LED panel light & multifunction display (status/runtime info)
- Covered IP66 waterproof outlets + USB adapter (model dependent)
- Parallel-link capable (optional kit)
- Low-oil shutdown with magnet dipstick
- Carburettor with easy drain to purge stale fuel
- NGK spark plug for reliable starts
- Copper PM alternator for stable output
- UV8-resistant body with rain cover included
- Robust, service-friendly design with practical carry points
- Engine oil included (first fill)*

SPECIFICATIONS

- Control Output: 6,000
- Max Output: 6,500
- Industry Rating: 8.1 kVA
- Frequency: 50 Hz
- Voltage: 240 V
- Outlets: 2 x 15A IP66
- 12 V Outlets: 1 x DC 12 V 8A
- Max Amps: 25 A

DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

CONTACT DETAILS

New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

📍 465 Maroondah Highway,
Lilydale Vic 3140

☎ Phone: (03) 9739 5006
📠 Fax: (03) 9739 5187

📘 /agpowerLilydale
📷 /agpower_and_transport_lilydale



(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

- Engine: 312 CC
- Max Engine Speed: 3,600 RPM
- Noise Level @ 7m: 68 dBA
- Fuel Tank: 12.5 L
- Fuel Type: Unleaded Gasoline
- Starting: Recoil/Electric W/Remote FOB
- APP Control: YES
- 2-Wire Start: YES
- Wheel Kit: YES
- Neutral Configuration: Floating
- Gross Weight: 59 kg
- Product Dimensions: L 62 cm x W 49.8 cm x H 55.3 cm
- Packaging Dimensions: L 65 cm x W 54 cm x H 58.3 cm

DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



CONTACT DETAILS



New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale