

## CROPLANDS CROPLINER XV SPRAYER



The perfect solution for larger scale operations. Cropliner XV offers increased tank capacity and pump combinations on a new-heavy duty chassis frame, paired with the industry-leading 1060 dsv fan. It's set to take air-blast sprayer efficiency to a whole new level.

Suits large tree crops, nuts, avocados, citrus

### PRODUCT DETAILS

<b>Make</b>	Croplands
<b>Model</b>	HTP5000
<b>Tank Capacity</b>	5000L
<b>Fan Size</b>	500mm
<b>Pump</b>	AR BHS-200, High pressure (max. 50-bar)
<b>SKU</b>	CROPLANDS-10

### PRODUCT DESCRIPTION

#### TANK

- Impact resistance polyethylene tank with UV-stabilised finish

### DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



### CONTACT DETAILS



**New & Used Machinery:** Brad Storey | Mobile: 0409 138 830 | Email: [administration@agpower.com.au](mailto:administration@agpower.com.au)

**Spare Parts & Accessories:** Trevor Phelan | Mobile: 0458 036 370 | Email: [administration@agpower.com.au](mailto:administration@agpower.com.au)

### Agpower & Transport Pty Ltd

 465 Maroondah Highway,  
Lilydale Vic 3140

 Phone: (03) 9739 5006  
 Fax: (03) 9739 5187

 /agpowerLilydale  
 /agpower\_and\_transport\_lilydale



(03) 9739 5006 📞 465 MAROONDAH HWY, LILYDALE VIC 3140

- Calibrated sight gauge
- Flip open filling lid with large strainer
- Quick fill system and suction probe fitted standard
- 5000 litre main tank with separate 10 litre fresh water tank

#### FAN

- Highly efficient FIENI 1060-DSV fan.
- Stainless steel volute
- Variable pitch, high strength, glass reinforced nylon blades – shaped for maximum air delivery with lowest possible input
- 2-speed heavy duty gearbox and centrifugal clutch
- Dual stainless-steel spray rings with 15 x brass roll-over nozzle bodies per side

#### PUMP

- AR BHS-200, High pressure (max. 50-bar), large capacity (194 L/min) brass head pump
- \* Note – pump output in litres per minute is at zero pressure, open flow

#### DRIVE

- SH5-AG Series PTO shaft supplied
- Heavy duty PTO drive shaft comes with safety covers and quick release pins
- Optional constant velocity (CV) shaft available – see options

#### CONTROLS

Manual remote mounted ARBMH50 controller standard.

Functions include left/right, shut-off, simultaneous shut-off, full bypass, pressurised bypass, manual pressure adjustment with pressure gauge.

#### Options:

- Electric – high pressure solenoid valves, 2-section in-cab control with electric pressure adjustment
- Croplands HV-2400, 2-section auto-rate controller
- HV-4000 auto-rate controller, 2-section (left/right) with optional 4-section control (left/right/upper/lower)
- Bravo 180 auto-rate controller, 2-section (left/right) with optional 4-section control (left/right/upper/lower)

#### AGITATION

Twin Supa-flo agitators.

#### FILTRATION

Full filtration system – tank filling basket, suction filter and optional high-pressure brass filters.

#### DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

#### CONTACT DETAILS

**New & Used Machinery:** Brad Storey | Mobile: 0409 138 830 | Email: [administration@agpower.com.au](mailto:administration@agpower.com.au)

**Spare Parts & Accessories:** Trevor Phelan | Mobile: 0458 036 370 | Email: [administration@agpower.com.au](mailto:administration@agpower.com.au)

#### Agpower & Transport Pty Ltd

📍 465 Maroondah Highway,  
Lilydale Vic 3140

📞 Phone: (03) 9739 5006  
📠 Fax: (03) 9739 5187

📘 /agpowerLilydale  
📷 /agpower\_and\_transport\_lilydale



(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

#### NOZZLES

Standard fitted with one set of (30) stainless-steel disc and brass cores; one set of (30) ALBUZ ceramic hollow cone nozzles - brown and yellow sizes fitted ex-factory.

#### CHASSIS

- » Hot-dipped galvanised 2 x piece chassis frame
- » Standard drawbar
- » 6 x stud wheel hubs
- » Rear bumper comes with leaf guard
- » Single axle with suspension as standard.
- » Optional tandem walking beam axle

#### WHEELS

- » 2 x 400 - 22.5 wheels/tyres fitted as standard on single axle
- » 4 x 400 - 15.5 wheels/tyres fitted on tandem axle

#### DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



#### CONTACT DETAILS



**New & Used Machinery:** Brad Storey | Mobile: 0409 138 830 | Email: [administration@agpower.com.au](mailto:administration@agpower.com.au)

**Spare Parts & Accessories:** Trevor Phelan | Mobile: 0458 036 370 | Email: [administration@agpower.com.au](mailto:administration@agpower.com.au)

#### Agpower & Transport Pty Ltd

 465 Maroondah Highway,  
Lilydale Vic 3140

 Phone: (03) 9739 5006  
 Fax: (03) 9739 5187

 /agpowerLilydale  
 /agpower\_and\_transport\_lilydale