

GRILLO FD 450 MOWER



A professional hydrostatic mower with front-mounted cutter deck with a grass-catcher capacity of 450 Lt. The grass-catcher discharge height is 170 cm with an ejection of 45 cm; the cutting and high performance collection of this model are its best features.

The innovative cutting system "Grillo Overblow" allows tremendous acceleration of the grass/air flow into the discharge chute considerably increasing its collection capability, even in damp, wet conditions whilst at the same time keeping its noise level of the whole cutting/collecting system extremely low.

The front-mounted cutter deck gives the operator excellent visibility of his working area.

PRODUCT DETAILS

Make	Grillo
Model	FD 450
Engine	Briggs & Stratton 7220 Professional Series V-Twin
CC's	656cc
Fuel Capacity	17L
Weight	450kg
Starter	electric

DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

CONTACT DETAILS

New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale

(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

Drive System	HST
Horsepower	18 HP (13.2 kW)
SKU	GRILLO-FD450

PRODUCT DESCRIPTION

Engine: Briggs & Stratton 7220 Professional Series V-Twin, Start electric, with 12 V battery, Supply fuel, Displacement 656 cc, 2 Cylinders, Power 18 HP (13.2 kW) - Gross power 22 HP, Air cooled, Dry air filter

Fuel tank capacity: 17 litres (reserve tank 2,5 litres)

Transmission: Hydrostatic transmission with differential locking

Clutch: Electromagnetic PTO clutch with magnetic blade brake

Cutter deck: Frontal cutting deck with collection. Mulching kit cod. 9M0611 is an optional attachment. Solid wheels. Cutting deck with coupling for washing.

Cutting configuration: 3 rotating blades

Cutting deck width: 1190 mm

Cutting width: 1130 mm

Cutting height: Continuous electric cutting height adjustment from 25 to 90 mm

Grass collector capacity: 450 litres with full grass catcher motorised micro-switch.

Grass collector discharging system: Grass-catcher discharge and lifting hydraulically operated. Movements are activated through electric buttons. The grass-catcher opening is automatically activated.

Maximal discharging height: 170 cm

Rear projection: 45 cm

Differential locking: Mechanical with pedal control

Front tyres: 20x10.00-8 Turf wheels

Rear tyres: 15x6.00-6 Turf wheels

Steering system: With steering wheel, hydraulic drive, forward and reverse gear engaged through pedal

Speed: 0-11 km/h (forward) and 0-6 km/h (reverse) through pedal control device

Inner turning radius: 30 cm

Seat: Dampened seat, adjustable by means of a lever

Parking brake: Disk brake

Mowing capacity per hour (indicative): 8000 m²/h

Standard features: Tow bar and roll bar

DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



CONTACT DETAILS



New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale



(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

Length: 2680 mm

Width: 1190 mm

Height: 1460 mm with lowered roll bar; 1940 mm with raised roll bar

Weight: 450 kg

DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



CONTACT DETAILS



New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale