

GRILLO FD 900 STAGES5 4WD MOWER



Grillo FD 900 is a hydrostatic lawnmower tractor with 4-wheel drive 4-wheel drive, permanent even on a tight turning radius. It has a 126 cm front cutting deck and a grass collection container with a raised discharge 195 cm high and 30 cm overhang. Its small turning radius of 37 cm and compact dimensions make it easy to handle and stable even on slopes. Thanks to its performance and characteristics, this tractor is suitable for the maintenance of large areas and gardens or parks full of plants

PRODUCT DETAILS

Make	Grillo
Model	FD 900
Engine	Yanmar 3TNV80F Stage5
CC's	1267cc
Fuel Capacity	31L
Weight	805kg
Starter	electric
Drive System	HST
Horsepower	25 HP (18.4 kW)

DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

CONTACT DETAILS

New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au
Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

📍 465 Maroondah Highway,
Lilydale Vic 3140

☎ Phone: (03) 9739 5006
📠 Fax: (03) 9739 5187

📘 /agpowerLilydale
📷 /agpower_and_transport_lilydale

(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

SKU

GRILLO-FD900

PRODUCT DESCRIPTION

Engine: Yanmar 3TNV80F Stage5, Start electric, with 12 V battery, Supply diesel, Displacement 1267 cc, 3 Cylinders, Power 25 HP (18.4 kW), Liquid cooled with electric impeller and equipped with automatic radiator cleaning device, Dry air filter with interchangeable filter cartridges, safety filter and prefilter

Fuel tank capacity: 31 L

Hydraulic oil tank: 603 L

Traction: Hydraulic, 4-wheel drive (permanent drive even with a narrow turning radius)

Gearbox: Hydrostatic transmission with 4 hydraulic engines on the 4 wheels

Clutch: Electromagnetic for PTO

Cutter deck: Cutting deck with collection

Cutter deck: 126 cm

Cutting deck width: 133 cm

Cutting height: From 2 to 10 cm, continuously adjustable through hydraulic.

Grass collector capacity: 750 L

Grass catcher charging system: The two main blades are fitted with steel fans of the shaft. Motorised baffle providing full and even grass catcher filling.

Grass collector discharging system: Automatic opening for grass-catcher hydraulic discharge

Maximal discharging height: 195 cm

Rear projection: 30 cm

Differential locking: Automatic differential lock and manual with push button

Front tyres: 23x10.50-12 Turf

Rear tyres: 18x7.50-8 Turf

Steering system: Hydraulic drive with steering wheel

Speed: From 0 to 15 km/h continuously variable

Inner turning radius: 37 cm

Seat: Grammer, super comfort and adjustable sprung seat. With side steel protections.

Service brake: Drum brake

Parking brake Drum brake

Mowing capacity per hour (indicative): 9000 m²/h

Standard features: Automatic disengagement of blades when the grass catcher is full. Hydraulic cutting deck lifting and grass catcher

DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



CONTACT DETAILS



New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale



(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

discharge. Road homologation lights.

Length: 291 cm

Width: 133 cm

Height: 166 cm

Distance between axles: 119 cm

Clear span from the ground: 15 cm

Weight: 805 kg without cutting deck; 980 kg with cutting deck

DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



CONTACT DETAILS



New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale