

KIOTI CK3010 COMPACT TRACTOR



The CK3010 has been equipped with a performance proven, heavy duty HST drive unit to handle the increased horsepower of this stylish new compact Kioti tractor. Single pedal controls make changing between forward and reverse easy without clutching or hand shifting and the operators hands remain free for steering and implement control.

PRODUCT DETAILS

| | |
|----------------------|-----------------------------------|
| Make | Kioti |
| Model | CK3010 |
| Drive System | 4WD |
| Transmission | Single plate clutch / 2 range HST |
| Fuel Capacity | 25L |
| Weight | 1025kg |

DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

CONTACT DETAILS

New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au
Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

📍 465 Maroondah Highway,
Lilydale Vic 3140

📞 Phone: (03) 9739 5006
📠 Fax: (03) 9739 5187

📘 /agpowerLilydale
📷 /agpower_and_transport_lilydale



(03) 9739 5006 📞 465 MAROONDAH HWY, LILYDALE VIC 3140

| | |
|---------------|--------------|
| Loader | Standard |
| SKU | KI-CK3010-4R |

PRODUCT DESCRIPTION

Standard Features:

- Double acting hydraulic valve
- Joystick lever with mid-mount valve for FEL
- Cruise control (HST Model)
- Power Steering

Engine

Kioti-Daedong diesel engines produce low noise, little vibration and meet or exceed EPA regulations. The CK3010 is equipped with a 3-cylinder 30hp water-cooled diesel engine. Traveling speed can be controlled with the hand lever and foot accelerator pedal. The fuel tank capacity is 25 litres.

A heavy duty front axle and standard 4WD guarantee powerful traction. The CK3010 has 2 infinite travelling speeds 17 km/h in forward and 12 km/h when in reverse. It comes with a hydrostatic single dry clutch transmission; standard rear differential lock, wet disc brakes and a standard 540/rpm PTO.

Transmission

The CK3010 has 2 infinite travelling speeds 17 km/h in forward and 12 km/h when in reverse. It comes with a performance proven heavy duty HST drive unit. A single pedal controls traveling speed and direction with clutching or hand shifting, therefore the hands remain free for implement control. Rear differential lock, wet disc brakes and 540 rpm PTO are standard. A heavy duty front axle and 4WD guarantee powerful traction

Hydraulics

A standard joystick lever with a mid-mount double acting valve makes operation of the front-end loader easy, as all operations are performed with a single lever. The lever automatically returns to neutral and the loader stops in place when the joystick is released. The CAT1 3-point linkage has maximum lifting capacity of 546kg. Hydrostatic Power Steering is standard and makes manoeuvring easy for all operators especially when mowing or working with a front-end loader

The CK3010 is equipped with a tandem gear pump which has a pump capacity of 42.9 lpm. The CAT1 3-point linkage has maximum lifting capacity of 546kg.

DISCLAIMER

The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

CONTACT DETAILS

New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au
Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

📍 465 Maroondah Highway,
Lilydale Vic 3140

📞 Phone: (03) 9739 5006
📠 Fax: (03) 9739 5187

📘 /agpowerLilydale
📷 /agpower_and_transport_lilydale



(03) 9739 5006  465 MAROONDAH HWY, LILYDALE VIC 3140

Operators Station

All control levers are easy to reach and allow the operator to work in comfort. The instrument panel is easily visible and the operator can monitor all operations at a glance.

DISCLAIMER


The material and information contained on this website is for general information purposes only. You should not rely upon the material or information on the website as a basis for making business, legal, or any other decisions. Whilst we endeavour to keep the information up to date and correct, Agpower makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability, or availability with respect to the website or the information, products, services, or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.



CONTACT DETAILS



New & Used Machinery: Brad Storey | Mobile: 0409 138 830 | Email: administration@agpower.com.au

Spare Parts & Accessories: Trevor Phelan | Mobile: 0458 036 370 | Email: administration@agpower.com.au

Agpower & Transport Pty Ltd

 465 Maroondah Highway,
Lilydale Vic 3140

 Phone: (03) 9739 5006
 Fax: (03) 9739 5187

 /agpowerLilydale
 /agpower_and_transport_lilydale