

PFG
AUSTRALIA

SAVE BIG
ON **BIG GEAR**

MACHINERY
CATALOGUE
2023 / 2024

**CULTIVATION, SEEDING,
VEGETATION MANAGEMENT
AND **LOADER ATTACHMENTS****

MASCHIO
GASPARDO

AITCHISON

Quicke

HOWARD



MULCHING, SHREDDING & CULTIVATION

In 1964 the Maschio brothers started producing tillers in the barn of their home. Fifty three years later and the company is still managed by the Maschio family but has grown to eight manufacturing plants and 1800 employees worldwide. They are the leading manufacturer of rotary tillage, vegetation maintenance tools and seeding equipment.

www.maschiogaspardo.com.au



SEED DRILLS

Aitchison is a family-owned New Zealand business that produces seeding equipment specifically designed for Australian and New Zealand conditions for both direct drilling and cultivated ground. Aitchison was founded in 1972 in Wanganui, New Zealand, and has introduced numerous innovations over the years, including the now world famous inverted T-slot boot that Peter Aitchison, the company founder, attached to a tine to create a very effective direct seeding system.

www.aitchisonseeding.com.au



VEGETATION MANAGEMENT

To own a Howard slasher is owning a part of Australian farm machinery history. Still proudly owned and distributed by PFG Australia based in Melbourne, Howard slashers and mowers can be found in machinery sheds all over Australia and in all applications. From small hobby farms, to large scale farmers and roadside contractors, there is a size and spec to suit all applications.

CULTIVATION

Milled from hardwood and forged from sulky springs, the first rotor and blades for the rotary hoe were made by Cliff Howard on his father's farm at Gilgandra, NSW. Sweat and toil in this little old workshop on the property, "Mountain View", introduced the first rotary hoe to the world in 1923. One hundred later Howard is still a trusted brand in Australian agriculture and here to stay. Specialising in a range of rotary hoes, slashers, loaders and attachments.

www.howard-australia.com.au



LOADERS & IMPLEMENTS

Quicke is one of the world's leading suppliers in the agricultural machinery industry, developing and manufacturing top-quality front-end loaders and associated implements in Sweden since 1949. With sales companies in seven countries, factories in four countries and customers in more than 50 countries, Quicke accounts for around 30 per cent of the world's market in the segment for tractors with engines more powerful than 50 hp. Around 90 per cent of the total output is exported.

The principal owner since 2020 is the German industrial company JOST.

Quicke in Australia was managed by Howard until both entities came under the direct auspices of PFG in 2013.

www.quicke.com.au



PFG Australia is a third generation family owned and operated business. With offices in Australia, New Zealand and North America, as well as a team of people to support the brands it sells, you can be sure that your new and existing machinery will be in service for many years to come.

Our product portfolio includes brands that are the leaders in their markets.

FINANCE AVAILABLE

MASCHIO
GASPARDO



AITCHISON



SIMPLE APPLICATION
FAST APPROVAL



UP TO
\$250K
NO FINANCIALS NEEDED



TAILORED
PAYMENT
OPTIONS



FIXED
INTEREST
RATE



LOAN SECURED BY
EQUIPMENT
ONLY

QUOTES:

Dealerships can complete online finance quotes at any time via the DLL Portal <https://apacportal.dllgroup.com> or call 1800 734 273 to discuss repayment options and loan structures with our team. Refer to the latest PFG Credit Bulletin for special interest rate offers.

APPLICATIONS:

Complete our easy client data form (available online at www.pfgaustralia.com.au/pfg-credit) and also obtain photo ID copies for each Borrower/Director then email to pfgcredit@pfgaustralia.com.au

SETTLEMENTS:

Our Customer Care team will keep you updated on the transaction status then request a tax invoice when an approval is granted, delivery is coordinated and settlement is required.

In today's marketplace, businesses consider competitive tailored financing options just as important as the equipment features and benefits when they acquire machinery.

PFG Credit offers comprehensive financing programs to meet the individual needs of all our customers. Our lending products are designed to allow clients to conserve their working capital, budget on a fixed rate and select from fixed loan term and personalised repayments to suit their cash flow.

PFGCREDIT

Subject to credit approval by PFG Credit. Lending fees and Government charges may apply.
PFG Credit is a division of De Lage Landen Pty Limited ABN 20 101 692 040.

1800 734 273 [pfgaustralia.com.au/pfg-credit](http://www.pfgaustralia.com.au/pfg-credit)



THE GENERAL PURPOSE COMPACT LEGEND **NUGGET 120/135**

RECOMMENDED FOR TRACTORS UP TO 45HP




The HOWARD Nugget compact range of slashers is designed and built to meet the market requirements for a tough, long-life compact slasher at the right price.

Many of the features from the larger HOWARD slashers are incorporated to ensure long service life and top performance. They can be either centre mounted or offset to meet all your slashing requirements.

THE GENERAL PURPOSE LEGEND **NUGGET 150/180 & 210**

RECOMMENDED FOR TRACTORS UP TO 100HP



For a larger general purpose slasher the Nugget 150, 180 and 210 models are designed and built to seriously compete with any other machines available in the market.

A hot dip galvanised body for corrosion resistance combined with a smooth top for preventing vegetation build up ensure a long service life and top performance.

PRODUCT CODE	MODEL	OH&S COMPLIANT	CUTTING WIDTH	REC. MAX TRACTOR HP	REAR WHEEL(S)	PRICE EX. GST	PRICE INCL. GST
HS-NUG120L3	NUG 120	✓	1.2m	25-45	Optional	\$3,470	\$3,817
HS-NUG135L3	NUG 135	✓	1.37m	28-45	Optional	\$3,990	\$4,389
HS-NUG150S4	NUG 150	✓	1.52m	30-100	Optional	\$6,490	\$7,139
HS-NUG180S4	NUG 180	✓	1.83m	36-100	Optional	\$6,890	\$7,579
HS-NUG210S4	NUG 210	✓	2.13m	42-100	Optional	\$9,500	\$10,450

STANDARD FEATURES


- Complies with the WorkCover Slasher Safety Guide:
 - Extended front & rear apron to protect against foot/blade contact.
 - Front & rear chain debris guarding.
- Heavy, 4mm, gusseted shoulder steel body
- Easy height adjustment (S4)
- Curved skids to reduce scalping (S4)
- Hot dip galvanised body for corrosion resistance
- Friction clutch protection to safeguard both the tractor transmission and Nugget drive train
- Latest design, high clearance two piece blade carrier
- Forged, step-down blades for fine, even mowing
- Pivoting head stock with chain back stays for increased performance
- Smooth top for easy clean and reducing vegetation buildup
- Optional rear wheel kit available



TOUGH ALL ROUNDER

EHD-E 180/210/300

RECOMMENDED FOR TRACTORS UP TO 160HP



HOWARD's EHDE Series is a new model variant utilising the body and blade beam from the EHD series together with a market standard transmission (gearbox and friction clutch) to produce a competitively priced slasher.

The EHDE maintains all the benefits of the EHD Series body with good under-body clearance and the proven multi-leaf alloy spring steel blade beam. You can now have the legendary performance of an EHD with a more price conscious entry level spec.

THE CONTRACTORS CHOICE

EHD 180/210/240

UNLIMITED HP RATING



The EHD slasher is the benchmark for all slashers. Few if any brands could rival our history of rugged reliability and low running costs. Our confidence in the EHD is backed by an unlimited horsepower rating as the gearbox is fully fabricated from steel and fitted with a forged one piece blade beam spindle.

This is all backed up with a TWO YEAR GEARBOX WARRANTY. Howard is the preferred choice for many contractors and municipal users as the EHD is built for optimum safety, performance and service life.

PRODUCT CODE	MODEL	OH&S COMPLIANT	CUTTING WIDTH	REC. MAX TRACTOR HP	REAR WHEEL(S)	PRICE EX. GST	PRICE INCL. GST
HS-EHD180ES2	EHD 180E	✓	1.8m	70-150	Optional	\$11,990	\$13,189
HS-EHD210ES2	EHD 210E	✓	2.1m	85-150	Included	\$15,900	\$17,490
HS-EHD300ES2	EHD 300E	✓	2.97m	100-160	Included	\$25,990	\$28,589
HS-EHD180S2	EHD 180	✓	1.8m	70-UNLIMITED*	Optional	\$14,200	\$15,620
HS-EHD210S2	EHD 210	✓	2.1m	85-UNLIMITED*	Included	\$17,500	\$19,250
HS-EHD240S2	EHD 240	✓	2.4m	90-UNLIMITED*	Included	\$20,300	\$22,330

STANDARD FEATURES

- Complies with the WorkCover Slasher Safety Guide:
 - Extended front and rear apron to protect against foot/blade contact
 - Front chains and rear debris guarding
- Clevis hitch mounting
- 2x pivoting rear wheels are standard on 210, 240 and 300
 - Optional on 180
- Alloy spring-steel blade beam assembly
- Galvanised body
- 5mm body
- Pivoting topmast and chain backstays
- Body is reinforced with full-length tubular gussets on sides
- Adjustable skids with replaceable runner standard on EHD180



THE NEXT GENERATION MOWER FROM HOWARD
RLM ROLLER MOWERS

Designed for general mowing in a wider variety of applications including parks, sports ovals, reserves, roadsides and turf farms.




RLM 350



RLM 237

WHAT MAKES RLM A BETTER MOWER?

- Hot dipped galvanised body
- RLM will handle longer grass than competing mowers
- Convenient transport lock
- Hydraulic SAFETY lock out on wings
- Debris guards front and rear
- Minimal internal residue build-up due to open design



Adjustable rollers provide precision height control. Cutting height indicators for even height settings.



Improved belt engagement on larger drive pulleys to reduce slipping in heavier grass conditions.



RLM's unique and convenient transport lock.



S2 SPINDLES

HIGHER CAPACITY, LONGER LIFE AND STRONGER ALL ROUND.

2 YEAR WARRANTY

PRODUCT CODE	MODEL	OVERALL WIDTH	CUTTING WIDTH	TRANSPORT WIDTH	REC. MAX TRACTOR HP	CUT HEIGHT	WEIGHT	PRICE EXCL. GST	PRICE INCL. GST
HS-RLM178	RLM178	1.91m	1.78m	1.91m	30-110	0-100mm	460kg	\$10,900	\$11,990
HS-RLM237	RLM237	2.5m	2.37m	2.5m	45-110	0-100mm	725kg	\$14,500	\$15,950
HS-RLM350	RLM350	3.61m	3.49m	2.35m	75-110	0-100mm	1095kg	\$23,500	\$25,850

THE CONTRACTORS CHOICE

AH/CH 4000 SERIES

The new range of rotary hoes is designed specifically for Australian conditions. The strong toolbar style design with rubber hull construction substantially reduces soil build up around the rotor that robs horsepower and fuel efficiency. More effective in wetter conditions than other machines, AH/CH rotary hoes allow growers to work the ground earlier, plant earlier and get to market earlier.

AH Series available in 2.5m, 3m, 3.5m & 4m

CH Series available in 4.2m, 4.7m, 5.7m & 6.2m



ALL STANDARD FEATURES

- Chain side drives
- Fabricated toolbar style frame that provides strength and versatility
- Rubber hull and trailing board prevents soil build up and hp consumption
- 248RPM rotor on AH Series and 275RPM on the CH Series
- Optional Extras:
 - Crumble roller
 - Rear wheels
 - Toolbars and attachments such as paraploUGH, sub soiling tines and row furrowers

MODEL	WORKING WIDTH	TRACTOR HP	PRICE EX. GST	PRICE INCL. GST
HO-AH4255	2.55m	100-200hp	\$35,500	\$39,050
HO-AH4305	3.05m	120-200hp	\$37,500	\$41,250
HO-AH4355	3.55m	140-200hp	\$44,500	\$48,950
HO-AH4405	4.05m	160-200hp	\$49,900	\$54,890
HO-CH4420	4.17m	160-300hp	\$83,900	\$92,290
HO-CH4470	4.68m	180-300hp	\$87,000	\$95,700
HO-CH4570	5.7m	225-300hp	\$110,000	\$121,000
HO-CH4620	6.2m	240-300hp	\$113,000	\$124,300

MASCHIO GASPARDO
MULCHING & SHREDDING

2 YEAR WARRANTY
ON ALL MASCHIO GASPARDO
PRODUCTS



FEATURES


Residue mulching is a very important and somewhat tricky phase as it enhances subsequent decomposition processes, helping residues break down into organic matter. The MULCHERS range, catering to the small and large scale needs of farms and farmers, is a winning solution for dealing with grass, brush, crop residue and prunings.

Every MASCHIO GASPARDO machine - from the lightest, compact models to the heavy-duty high-performance workhorses - is the product of the experience we have gained over the years. Reliability and high quality are the result of continuous innovation and ongoing research.

BUFALO

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-BUFALO	3.10m	130-200hp	\$33,400	\$36,740


- Reversible mulcher - 1000 PTO with free wheel
- Double hitch cat 2/3
- Helically disposed tools with anti-damage hammer support
- Hydraulic side shift
- Double skinned frame 5+5 mm



TERMINATOR

MODEL	WORKING WIDTH	HEAD-STOCK	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-TERMINATOR-180	1.72m	Hyd Shift	55-100hp	\$9,100	\$10,010
MG-TERMINATOR-200	1.92m	Hyd Shift	65-100hp	\$9,500	\$10,450
MG-TERMINATOR-250	2.56m	Hyd Shift	70-100hp	\$9,900	\$10,989


- General purpose mulcher
- Rear roller
- Hydraulic side shift on standard
- Counter blades for a finer chop
- Gearbox PTO 540 rpm with free wheel



CHIARA

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-CHIARA-180S	1.85m	50-90hp	\$16,900	\$18,590
MG-CHIARA-200S	2.05m	55-90hp	\$17,700	\$19,470
MG-CHIARA-250S	2.55m	65-90hp	\$19,500	\$21,450


- Wide range of applications: cutting grass, shredding, pruning, etc.
- Double skin body combined with double counter knife for ultimate performance
- Moveable headstock
- **Standard with flails and rear steering wheels**



TIGRE

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-TIGRE-210	2.10m	55-140hp	\$16,800	\$18,480
MG-TIGRE-230	2.26m	60-140hp	\$17,490	\$19,239
MG-TIGRE-250	2.57m	65-140hp	\$18,100	\$19,910
MG-TIGRE-300	2.98m	90-140hp	\$19,450	\$21,395


- Wide range of applications: cutting grass, shredding, pruning, etc.
- Double skin body combined with double counter knife for ultimate performance
- Moveable headstock
- **Standard with hammers and rear roller, optional wheel kit available**



HEAVY DUTY MULCHERS WITH MECHANICAL & OPTIONAL HYDRAULIC OFFSET TORNADO

- High body multi-purpose professional displaceable mulcher
- Standard with flails and rear roller
- Dual drive transmission on Leopard mulcher
- Bonnet openable for maintenance
- **Rear wheel standard for Leopard (Tornado optional)**

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-TORNADO-310	3.10m	90-150hp	\$23,800	\$26,180
MG-LEOPARD-320DT	3.20m	140-200hp	\$32,600	\$35,860



Leopard DT Mulcher pictured

POWER HARROWS

FEATURES




Double-skinned construction: Comprising a double-skinned trough - with a 6mm-thick inner and 5mm-thick outer - MASCHIO GASPARDO harrows feature a stronger, more rigid construction, delivering high performance under all conditions.

Stability: Great clearance between top and bottom bearings, reduced load and less vibration combine to deliver excellent stability.



Smooth flowing and powerful:

The closer rotor spacing of just 246mm (12 rotors in 3m) helps spread the torque better, reducing power draw. The rotors' special timing means the tools dig into the soil to be tilled gradually, making it considerably easier for them to work their way through the soil and limiting vibration significantly. Placing rotors at a distance of 246mm from each other - unlike the competition who use wider spacing - results in much better soil finishing.



DELFINO & DRAGO

- Round blade-holders
- Universal three point hitch
- Rear levelling bar with mechanical central adjuster installed on the roller
- Optional APV seeder available

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
DL-2000C	2.0m	60-100hp	\$18,000	\$19,800
DC-3000C	3.0m	90-150hp	\$24,900	\$27,800
DC-3000P	3.0m	90-150hp	\$27,800	\$30,580



Delfino pictured

DOMINATOR RAPIDO

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-DM-RAPIDO-3000C	3.0m	110-200hp	\$32,650	\$35,915
MG-DM-RAPIDO-3000P	3.0m	110-200hp	\$36,200	\$39,820

- Round blade-holders with quick change blades
- Rear levelling bar with mechanical central adjuster installed on the roller
- Heavy duty gear-tray with double reinforcement
- Rear roller pin adjustment
- Rear PTO
- Optional APV seeder available



HYDRAULIC FOLDING POWER HARROWS

**SAVE BIG
ON BIG GEAR**

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-FALCO-4600C	4.6m	110-220hp	\$51,140	\$56,254
MG-FALCO-4600P	4.6m	110-220hp	\$54,560	\$60,016
MG-GABBIANO-5000P	5.0m	160-260hp	\$69,900	\$60,390
⬆️ *3 ONLY while stocks last			\$49,000*	\$53,900
MG-AQUILA-6000C	6.0m	200-300hp	\$83,500	\$92,350
MG-AQUILA-6000P	6.0m	200-300hp	\$89,900	\$98,890
⬆️ *2 ONLY while stocks last			\$69,000*	\$75,900

- 6mm trough with additional 5mm reinforcement for exceptional strength and reliability
- Convenient hydraulic transport lock, for optimal road safety
- Rotor shaft supported by wide spaced ball bearings
- Standard with cage roller
- Optional APV available on Falco and Gabbiano



* Special price applies to 2021/22 plated units, while stocks last.

ROTARY HOES

VIRAT PRO

- PTO shaft with slip clutch
- Side gears drive in oil bath
- Offset front bar hitches

MODEL	WORKING WIDTH	MIN/MAX HP
MG-VIRAT-185	1.85m	50-80hp
MG-VIRAT-205	2.05m	60-80hp
	PRICE EX. GST	PRICE INCL. GST
MG-VIRAT-185	\$7,220	\$7,942
MG-VIRAT-205	\$7,340	\$8,074



B & C SERIES

- PTO with slip clutch
- High rotor to body clearance
- Multi-speed gearbox - 540/1000 PTO
- Side gears drive in oil bath
- Cat II hitch



MODEL	WORKING WIDTH	MIN/MAX HP
MG-B-180	1.85m	50-100hp
MG-C-205	2.10m	60-130hp
MG-C-230	2.50m	60-130hp
MG-C-250	2.60m	60-130hp
	PRICE EX. GST	PRICE INCL. GST
MG-B-180	\$12,890	\$14,179
MG-C-205	\$15,900	\$17,490
MG-C-230	\$17,200	\$18,920
MG-C-250	\$17,900	\$19,690


SC SERIES

- PTO shaft with cam clutch
- Multi-speed gearbox
- Side gears drive in oil bath
- Heavy-duty spherical roller bearings
- **Optional rear wheels available**

MODEL	WORKING WIDTH	MIN/MAX HP
MG-SC-300	3.10m	130-170hp
	PRICE EX. GST	PRICE INCL. GST
MG-SC-300	\$29,200	\$32,120
MG-SC-300L	\$35,400	\$38,940



SC COBRA



The COBRA ROTOR is used for work in hard, dry condition, following ploughing or on compact soil.

The closely packed blades on the rotor ensure clods are broken down perfectly to a fine tilth, creating an excellent seedbed.

SC CONDOR



The CONDOR ROTOR caters to the requirements of farmers working on stony ground. The special shape of the tools prevents the sort of damage the blades would normally be exposed to, thereby minimising the downtime that comes with replacing broken blades.

PRICE

MODEL	DESCRIPTION	PRICE	PRICE (inc GST)
MG-SC-COBRA/CONDOR-3000	3.1m Rotary hoe, 170hp multispeed gearbox, fitted with Cobra or Condor Rotor	\$33,800	\$37,180
MG-SC-COBRA/CONDOR-3000C	3.1m Rotary hoe, 170hp multispeed gearbox, fitted with 450mm cage roller	\$39,700	\$43,670
MG-SC-COBRA/CONDOR-3000P	3.1m Rotary hoe, 170hp multispeed gearbox, fitted with 500mm packer roller	\$42,700	\$46,970

G SERIES

MODEL	DESCRIPTION	PRICE	PRICE (inc GST)
MG-G-300	3.1m rotary hoe, 270hp 258 rotor rpm gearbox with integrated fan	\$44,750	\$49,225
MG-G-300C	3.1m Rotary hoe, 270hp 258 rotor rpm gearbox with integrated fan & Cage Roller	\$50,490	\$55,539
MG-G-350C	3.6m Rotary hoe, 270hp 258 rotor rpm gearbox with integrated fan & Cage Roller	\$58,900	\$64,790

- Single-speed gearbox 100 rpm PTO with cooling fan
- Rotor revolutions (RPM) 258
- Central direct PTO shaft
- Cam clutch side PTO
- Rollers hydraulically adjusted
- **Optional rear wheels available**



PANTERA L

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-PANTERA-420L	4.2m	190-320hp	\$82,900	\$91,190

The Pantera L series of rotary hoes is designed as an entry level rotary hoe suitable for all farming practices. It uses many of the design features of the already proven heavy duty Pantera and refined these for a more basic spec folding hoe. With road transport an issue, the Pantera L is ideal for the farmer wanting to upgrade to a wider hoe and still be road legal. Optional anti-clogging kits are available to help with the more challenging conditions the hoes can sometimes operate in. With a gearbox rated at 320HP it is well placed to suit most tractor sizes.



- Central fix PTO shaft and cam clutch side PTOs
- Double side gear drive in oil bath
- Heavy duty spherical roller bearings
- **Optional anti clogging liner available**
- **Optional rear wheels available**

PANTERA

SAVE BIG ON BIG GEAR

- Duo cone seals
- Gear lateral drives in oil bath
- High clearance between rotor and top of cover
- Standard cage roller/optional spiral or packer available
- **Optional anti clogging liner available**
- **Optional rear wheels available**

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-PANTERA-470C	4.78m	220-380hp	\$102,500 \$88,000*	\$112,750 \$94,600
MG-PANTERA-520C	5.28m	240-380hp	\$109,500	\$120,450
MG-PANTERA-570C	5.78m	260-380hp	\$117,500	\$129,250
MG-PANTERA-620C	6.28m	280-380hp	\$123,850 \$99,000*	\$136,235 \$108,900

* Special price applies to 2021/22/23 plated units, while stocks last.



SPEED DISCS

VELOCE

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-VELOCE-200C	2.0m	60-80hp	\$24,250	\$26,675
MG-VELOCE-250C	2.50m	80-90hp	\$28,500	\$31,350
MG-VELOCE-300C	3.00m	100-110hp	\$31,800	\$34,980
MG-VELOCE-350C	3.50m	120-130hp	\$35,900	\$39,490
MG-VELOCE-400C	4.00m	140-150hp	\$41,000	\$45,100

- Maintenance free, grease filled Agri hub bearings
- Adjustable side deflectors and discs ensure a perfect finish in all conditions
- 510mm individually rubber mounted discs
- Standard cage roller
- Optional APV seeder platform available



VELOCE HYDRAULIC FOLDING

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-VELOCE-400C	4.0m	140-150hp	\$59,800	\$65,780
MG-VELOCE-500C	5.0m	150-200hp	\$69,000	\$75,900
MG-VELOCE-600C	6.0m	180-240hp	\$77,900	\$85,690

- 3 point hitch CAT 3N ISO
- Hydraulic folding frame
- Rear roller mechanical adjustment
- 510mm individually rubber mounted discs
- Lighting and warning board kit
- Optional APV seeder platform available



VELOCE TRAILING

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-VELOCE-T-500C	5.0m	160-220hp	\$102,600	\$112,860
MG-VELOCE-T-600C	6.0m	200-260hp	\$109,250	\$120,175
MG-VELOCE-T-700C	7.0m	240-320hp	\$129,800	\$142,780
MG-VELOCE-T-1000C	10.0m	300-400hp	\$220,000	\$242,000
⬆️ *3 ONLY Introductory			\$199,000	\$218,900

- **New 10m ISOBUS model**
- Hydraulic folding frame
- CAT.3 Ø 50mm towing eye
- Rear roller hydraulic depth adjustment
- Wide gang spacing (800 mm) reduces clogging
- Double cage roller



*7m with optional front wheels



HEAVY DUTY DISCS

UFO

MODEL	WORKING WIDTH	MIN/MAX HP	PRICE EX. GST	PRICE INCL. GST
MG-UFO-250C	2.5m	110-140hp	\$46,850	\$51,535
MG-UFO-300C	3.0m	150-170hp	\$53,700	\$59,070
MG-UFO-350C	3.4m	170-190hp	\$58,300	\$64,130
MG-UFO-400C	4.0m	180-200hp	\$65,235	\$71,759

- 2 rows of independent Ø 610 mm discs, dampened on vibrating C tine
- Adjustable side limiting boards (left and right)
- Maintenance free "cultihubs"
 - bearings with double rank of opposed spheres
 - oil lubrication
 - waterproofed mechanical bearings



APV SEEDERS


- Pneumatic seeder with centralised distributor
- Electric or hydraulic fan drive
- Counter plate, calibration bag, scale for seed
- Hopper agitator
- Dosing roller for large seeds
- Dosing roller for small seeds
- Platforms available to suit Maschio models

MODEL	WORKING WIDTH	MIN/MAX HP
APV 300L	3-6m	n/a
APV 500L Electric	3-6m	n/a
APV 500L Hydraulic Fan	3-7m	n/a

	PRICE EX. GST	PRICE INCL. GST
APV 300L	\$10,200	\$11,220
APV 500L Electric	\$12,400	\$13,640
APV 500L Hydraulic Fan	\$16,990	\$18,689



Control Box 5.2



GIGANTE PRESSURE


ORDER EARLY
AND
SAVE

MODEL	WORKING WIDTH	MIN HP	PRICE EX. GST	PRICE INCL. GST
MG-GA-GIGTE400-ED26	3.78m	150hp	\$187,990 \$174,000*	\$206,789 \$191,400
MG-GA-GIGTE600-ED40	6.09m	200hp	\$275,800 \$246,000*	\$303,380 \$270,600

*Early order pricing ends 31/12/23

The Gigante Pressure direct drill is designed to sow in more challenging conditions. Be it dry/wet or high residue, the seed placement will ensure optimum germination with minimal ground disturbance. This is particularly noticeable when direct drilling grass paddocks.


- Individual row units for constant sowing depth in undulating ground
- 6 inch row spacing, single disc with sowing coulter



Single shot seed and fertiliser distribution system



Central greasing allows for faster and easier maintenance.



Single shot seed and fertiliser distribution system.



New depth gauge wheel for both open and closed operation depending on soil types, etc.



Press wheel has independent mount so always improves seed to soil contact.

**ENGINEERED
TO EXCEED!**

The UNIQUE Aitchison T-Boot is scientifically designed to create a humidity and moisture trapping 'germination cocoon'. This gives seeds the best possible start.

**3000 SERIES GRASSFARMER**

- 150mm row spacing
- Unique Aitchison slim line castings and inverted T-boot or single disc
- Large 350mm front disc coulters (Tine model)
- Rodent Stop slide mechanism fitted
- Sowing widths of 1.2m - 2.7m



MODEL	SEEDING WIDTH	CAPACITY	# TINES	PRICE EX. GST	PRICE INCL. GST
3014C	2.1m	280lt	14	\$24,360	\$26,796
3018C	2.7m	365lt	18	\$28,950	\$31,845
3008D	1.2m	130lt	8 (Disc)	\$18,870	\$20,757
3014D	2.1m	280lt	14 (Disc)	\$24,630	\$27,093
3018D	2.7m	365lt	18 (Disc)	\$28,950	\$31,845

4000 SERIES SEEDMATIC

- 125mm row spacing
- Unique Aitchison slim line castings and inverted T-boot or single disc
- Large 350mm front disc coulters (Tine models)
- Rodent Stop slide mechanism fitted
- Sowing widths of 2.5m, 3.0m and 3.5m
- Seed or seed/fertiliser configurations available
- Available in 3-point linkage or trailing



MODEL	SEEDING WIDTH	SEED CAPACITY	FERT CAPACITY	# TINES	PRICE EX. GST	PRICE INCL. GST
4020C	2.5m	625 lt	-	20	\$36,500	\$40,150
4024CT*	3m	780 lt	-	24	\$48,380	\$53,210
4028CT*	3.5m	875 lt	-	28	\$51,800	\$56,980
4120C	2.5m	450 lt	450 lt	20	\$41,100	\$45,210
4124CT*	3m	540 lt	540 lt	24	\$53,600	\$58,960
4128CT*	3.5m	630 lt	630 lt	28	\$59,800	\$65,780
4124DT*	3m	540 lt	540 lt	24 (Disc)	\$51,800	\$56,980
Trailing Kit					\$6000	\$6,600

*T indicates trailing kit as standard.

SEEDMATIC AIR PRO MKIII

- Electric drive for auto rate and easy calibration
- Superior contour following ability
- 4.8m & 6m sowing widths and 2.8m transport width
- 150mm row spacing
- Seed, fertiliser and optional 3rd box
- A selection of disc openers, tines and rubber rollers ensure excellent germination



MODEL	SEEDING WIDTH	SEED CAPACITY	FERT CAPACITY	# TINES	PRICE EX. GST	PRICE INCL. GST
8132E	4.8m	1000 lt	1500 lt	32	\$159,300 \$134,000*	\$175,230 \$147,000
8140E	6m	1000 lt	1500 lt	40	\$173,690 \$152,000*	\$191,059 \$167,000

*Early order pricing ends 31/12/23

ISOBUS

ISOBUS control option is now available. Talk to your dealer today to discuss the best option for your operation.

4.8M





DESCRIPTION	REFERENCE	WIDTH (MM)	\$ EX. GST	\$ INC. GST
STONE FORK M+	QU-11251558Q	2000	\$4,990	\$5,389
MULTIBENNE M+	QU-11250858Q	2100	\$6,680	\$7,348
	QU-11255976Q	2300	\$7,095	\$7,805
	QU-11250878Q	2500	\$7,510	\$8,261
SILOGRAB M+	QU-11250908Q	1700	\$5,560	\$6,116
	QU-11250918Q	1900	\$5,840	\$6,424
SILOCUT M+	QU-11254232Q	175	\$9,900	\$10,890
PALLET FORKS	1000kg	QU-11252708Q	\$1,990	\$2,189
	1600kg	QU-11252738Q	\$2,350	\$2,585
	2500kg	QU-11252748Q	\$2,990	\$3,289
SINGLE BIG BAG LIFTER	1000kg	QU-11254541Q	\$1,900	\$2,090
UNIGRIP	QU-11250788Q	1600	\$3,800	\$4,180
FLEXIGRIP	QU-11250798Q	1600	\$3,800	\$4,180

All other Quicke implements on website available ex-factory. Please refer to www.quicke.com.au for more information on all other Quicke implements available ex-factory.



BALE FORKS				
ROUND BALE FORK - S+ 115	QU-11255957Q		\$1,400	\$1,540
SQUARE BALE FORK - M 180	QU-11255958Q		\$1,980	\$2,178
TWIN ROUND BALE FORK - L 200	QU-11255959Q		\$2,750	\$3,025

*Twin round bale fork features both Euro hitch and 3 point linkage connection.



DESCRIPTION	PRODUCT REFERENCE	WIDTH (MM)	VOLUME M ³	WEIGHT KG	\$ EX. GST	\$ INC. GST
UTILITY BUCKET	QU-11251948Q	1850	0.57	173	\$1,520	\$1,672
	QU-11251958Q	2100	0.68	196	\$1,650	\$1,815
GENERAL PURPOSE	QU-11255563Q	1850	0.72	205	\$2,200	\$2,420
GP HEAVY	QU-11255867Q	2100	0.82	252	\$2,400	\$2,640
	QU-11255514Q	2450	0.95	295	\$2,690	\$2,959
4 IN 1 (UTILITY MULTI PURPOSE)	QU-11252128L	1850	0.47	291	\$3,885	\$4,274
	QU-11252138L	2100	0.53	318	\$4,120	\$4,532
	QU-4IN1-2400D	2400	1.05	474	\$5,300	\$5,830
High Volume	QU-11255894Q	2450	1.70	466	\$4,770	\$5,247

All other buckets as seen on Quicke website available on indent order.



QUICKE MP 4 in 1 (HD)

QU-11252158Q	1850	0.79	400	\$5,190	\$5,709
QU-11252168Q	2100	0.91	433	\$5,500	\$6,050

*NOTE. All bucket volumes are heaped

HOWARD BACKHOE

CONNECT 3 POINT LINKAGE AND HYDRAULIC HOSES AND IT'S READY TO DIG

BACK IN STOCK



MODEL	HA-BH66F	HA-BH76F
	Suit tractors 30-40hp	Suit tractors 40-60hp
Digging depth (mm)	1980	2280
Reach from swing pivot (mm)	2600	2840
Loading height (mm)	1800	2000
Swing arc (mm)	180 deg	180 deg
Bucket rotation	180 deg	180 deg
Stabiliser spread (raised) (mm)	1420	1420
Stabiliser spread (down) (mm)	2180	2180
Bucket size/teeth (mm)	330/3T	400/4T
Recommend tractor size	< 45hp	< 60hp
	\$9,650	\$13,250
+ GST	\$10,615	\$14,575

TRACTORS REQUIRE 3PT LINKAGE, 1 PAIR OF REAR REMOTES WITH DETENT.

CONTACT US

PFG AUSTRALIA

Address: 199 Australis Drive, Derrimut, Victoria 3026
Telephone: (03) 8353 3600
Website: www.pfgaustralia.com.au

CUSTOMER CARE & SALES ENQUIRIES

Telephone: 1800 888 359
Email: customercare@pfgaustralia.com.au



PFG CREDIT

Telephone: 1800 734 273
Email: pfgcredit@pfgaustralia.com.au

SALES DEPARTMENT

Bill Pocklington

Regional Sales Manager - New South Wales &
Western Australia
Mobile: 0427 433 473
Email: bpocklington@pfgaustralia.com.au

Craig Climo

Regional Sales Manager - Queensland & Northern Territory
Mobile: 0439 588 962
Email: cclimo@pfgaustralia.com.au

Paul Liistro

Regional Sales Manager - Victoria, South Australia, Tasmania
Mobile: 0474 355 215
Email: paul.liistro@pfgaustralia.com.au

Your local dealer

*PFG Australia reserves the right to change specifications and recommended price incl. GST without notice. All product images are for illustrative purposes only and may show optional accessories not included in the price incl. GST.

Pricing in this catalogue does not include pre-delivery costs and freight and is valid until 31/3/2024 or while stocks last.