2025-26
Rural Lifestyle Guide

PRICES EFFECTIVE FROM 1st SEPTEMBER 2025



silvan.com.au

SELECTA

Silvan



Established in 1962. Silvan Australia is a family-owned business recognized as an industry leader in agricultural machinery and rural lifestyle.

Silvan Australia is devoted to those connected to the land and throughout our history have always pioneered superior technology and durability via our products.

Our dedicated customer service support team are here to respond to all product enquiries and your technical service needs.

The Silvan website is at the centre of our business for all the latest news. Join our mailing list today to ensure you're kept up to date with our latest product releases and promotional activities

Like, Follow and Subscribe to Silvan's Social Media channels. Silvan's YouTube channel highlights our latest products in video form and serves as a regular step by step guide and instructional tool for operators of all levels. Silvan's Facebook page focuses on regular





content features in association with news and stories provided and shared from our partners. And Silvan's Instagram is our fastest growing social media platform and includes incredible content from our growing database of Silvan followers.

Silvan's RED Connect is available for your registration by clicking on the dealer login on the main page at www.silvan.com.au


RED Connect allows you to:

- Order online
- Enquire about your order status, open orders, backorders, dispatched orders
- Enquire about your invoices & credit notes online
- Access the Silvan spare parts portal for parts identification

For more details and to receive your login details, phone Customer Service on:
1300 SILVAN (1300 745 826)

Or email Customer Service at:
info@silvanaust.com





Connect with us


Your local Silvan expert. Here to help, wherever you are.



Peter Hele
Western Australia
M: 0418 390 131
E: phele@silvanaust.com

Alastair Ramsay
Western Australia
M: 0429 444 088
E: aramsay@silvanaust.com

Paula Stafford
South Australia & Sunraysia
M: 0413 622 636
E: pstafford@silvanaust.com


Frank Torrisi
Far North QLD & NT
M: 0425 748 925
E: ftorrisi@silvanaust.com
Wade Scherer
South East QLD
& Northern Rivers
M: 0425 748 933
E: wscherer@silvanaust.com
Michael Hand
Northern NSW
M: 0413 622 638
E: mhand@silvanaust.com
Paul Payne
Southern NSW & Northern VIC
M: 0425 748 946
E: ppayne@silvanaust.com
Steve Lynch
Southern Victoria & Tasmania
M: 0425 748 945
E: slynch@silvanaust.com

Contents

Hand, Backpack & Trolley Sprayers



Essentials Sprayers	11
Professional Sprayers	16
Rechargeable Sprayers	24

12 Volt Sprayers



12 Volt Lifestyle Sprayers	33
Quad Bike & Rakpak Sprayers	40
12 Volt Professional Sprayers	41
Rakpak Sprayers	43
Utepak/Trukpak Sprayers	44-47
Squatpak Sprayers	49-51

Motorised & Remote Control Sprayers



200L Easyroll Motorised Sled Sprayer	54
300L Skid Sprayer with Reel Tuff Remote Reel	57
400L Skid Sprayer with Reel Tuff Remote Reel	60
600L Skid Sprayer with Reel Tuff Remote Reel	61

Trailed Sprayers



55L Redline Trailed Sprayer	63
100L Redline Trailed Sprayer	64
200L Lightfoot Trailed Sprayers	65
300L Lightfoot Trailed Sprayers	66-70

Booms & Hose Reels



Accessory Fitment Chart	72
Boomless Nozzle Kits & Booms	73-84
Hose Reels	86-91

Guidance, Monitors & Foam Markers



GPS Guidance	93
Foam Markers & Accessories	94-95

Contents

Spray Guns, Nozzles & Accessories



Spray Guns, Nozzles & Accessories	**96-104**
Spray Shield & T-Boom	**105**

Pumps, Tanks, Controllers, Valves & Hoses



Pumps 12V	**107-112**
Regulators, Pump Fittings, Controllers & Service Parts	**113-117**
Solenoids	**118**
Comet Pumps, Control Valves & Motorised Units	**120-123**
Silvamatic Electric Spray Control Kit	**124**
Comet Pumps Service Kits	**125**
Hoses	**126-127**
Tanks	**128-131**

Safety Equipment & Chemical Transfer



Respirator Kits, Coveralls & Gloves	**133**
Spray Helmet, Wind Meter & Measuring Jugs	**134**
Chemical Transfer	**135**

Nozzles & Accessories



Nozzle Selection Guide	**137-140**
Nozzles & Caps	**141-154, 156-157**
Nozzle Holders & Adapters	**155, 164-167**
Nozzle Filtration	**158**
Boomless Nozzles	**159-163**

Firefighters



Firefighting Units	**168-176**
Trailed Firefighting Units	**177**
Firefighting Accessories	**178-180**

Plumbings, Filtration & Tank Accessories



Filtration	**181-187**
Tank Lids & Fitting	**188-189**
Hose Fittings	**190-194**

Contents

Diesel Tanks & Accessories



Diesel Transfer Units	**195-204**
Diesel Pumps & Kits	**205-208**
Diesel Hose Reels, Filters, Meters & Guns	**209-211**

Selecta Blue (Adblue®) Tanks & Accessories



Selecta Blue Pumps, Kits & Accessories	**212-213**

Lights



Terrabright Rechargeable Flashlight & Spotlight	**214-216**
Motion Sensor Light & Flashing Beacon	**217**

Security Cameras



Security Cameras & Accessories	**218-220**

Workshop & Maintenance



Multi-Purpose Jump Start	**222-223**
Tyre Inflator	**224**
Oil Change & Solar Charger	**225**
Snake Repeller & Weather Station	**226**
Evaporative Cooler	**227**
Animal Enclosure & Ramps	**228-230**

Property Maintenance



Spreaders	**231-238**
Carryalls	**238**
Lawn Aerator & Sweeper	**239**
Wheelbarrows & Water Roller	**240**
Load Carts	**241**
Steel & Poly Dump Carts	**242**

NEW PRODUCTS



55L RECHARGEABLE
REDLINE SPRAYER
WITH REMOTE CONTROL

PAGE 38



400L
SQUATPAK SPRAYER
WITH 30M MANUAL REEL

PAGE 51




55L RECHARGEABLE
REDLINE TRAILED SPRAYER
WITH REMOTE CONTROL

PAGE 63



12 VOLT
PUMP KITS
WITH PRESSURE REGULATOR

PAGE 110



SQUATPAK 250
STEEL FORK SKIDS

PAGES 49, 55, 56, 130



1100L
TRAILED DIESELPRO
DIESEL TRANSFER TANK

PAGE 204



850 AMP
JUMP STARTER
MULTI-FUNCTION

PAGE 223



20L
CRESCO
TRAILED SPREADER

PAGE 234



30L
CRESCO
TRAILED SPREADER

PAGE 235

SQUATPAK 250

DESIGNED FOR UTV AND SIDE-BY-SIDE VEHICLES.



12 VOLT **SQUATPAK 250**
WITH 30M MANUAL REEL

PAGE 49



12 VOLT
SQUATPAK 250
WITH 15M RETRACTABLE REEL

PAGE 49



MOTORISED
SQUATPAK 250
WITH 30M MANUAL REEL

PAGE 55



MOTORISED
SQUATPAK 250
WITH 50M REMOTE REEL

PAGE 56

Essentials Sprayers





WP8



382-076-1



WP2-T

8L PORTABLE HAND SPRAYER

The Silvan "Essentials" range of portable sprayers have been specifically designed for general weed management, insect and pest control around the garden, home, or small property.

- UV stabilised translucent poly tank for clear through view
- Gun holder for storage of lance when not in use
- Non-spill filling lid
- Convenient carry strap
- Piston type pump for smooth and easy pressurising by hand lever
- Chemical resistant Nitrile O-rings and pump seal
- Maximum operating pressure: 3 Bar/45psi
- Safety pressure blow off valve
- Convenient on/off trigger lock
- 1100mm delivery hose
- 660mm fibreglass lance and poly nozzle
- Adjustable nozzle produces a course straight stream to a fine mist
- Filter inside handle to reduce nozzle blockage



WP8

CODE	DESCRIPTION	HEIGHT	WIDTH	WEIGHT	LIST EX	LIST INC	CAT
WP8	8L Portable Hand Sprayer	525mm	195mm	1.94kg	$40.91	$45.00	B
WP8-6	8L Portable Hand Sprayer (6 Pack)				$245.46	$270.00	D
382-076-1	Optional Spray Shield (Suit WP8)				$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom (Suit WP8)				$38.18	$42.00	B



KN15D-2



382-076-1



WP2-T

15L BACKPACK SPRAYER

Silvan sprayers are professional quality pressure sprayers. Designed for accurate application of chemicals using either the adjustable nozzle that produces a fine mist to a course pencil stream and by using the flat fan nozzle you can achieve more precise spraying performance

- Large capacity 15L UV stabilised poly tank
- Translucent tank with graduated fill markings
- Large lid and strainer for quick filling with carry handle when empty
- Thick padded shoulder straps for user comfort
- Piston pump with left and right-handed operation and ergonomic hand grip
- Poly lockable trigger with 500mm stainless steel lance
- Supplied with flat fan nozzle for precision spraying applications
- Supplied with adjustable nozzle for distance spraying or cone spraying for greater coverage.
- Chemical resistant O-rings and piston diaphragm
- Minimum order qty 5 units



Includes a flat fan, adjustable nozzle, and replacement O-ring kit.



KN15D-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
KN15D-2	Silvan 15L Backpack Sprayer	360mm	210mm	520mm	4kg	$109.09	$120.00	B
KN15D-2-5	Silvan 15L Backpack Sprayer (5 pack)					$545.45	$600.00	D
KN15-1-1	Service Kit to suit KN15D-2 (Incl. diaphragm, nozzles & O-rings)					$17.27	$19.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



WP12-1



382-121



382-076-1



WP2-T

12L RECHARGEABLE BACKPACK SPRAYER

Ideal for weed control around the house or the property, fenceline spraying, nurseries, parks & gardens.

- 12L capacity UV stabilised polyethylene tank
- Diaphragm pump with "on-demand" pressure sensing switch that starts the pump when pressure drops below 30-35 psi and stops the pump at 40-45 psi
- Contoured for comfort against your back
- Wide shoulder straps with thick fabric material
- 2 stage filtration system, one in the tank and another in the trigger
- Spray gun locks into the filling lid for storage
- Long reach spray gun with lockable trigger, extendable from 780mm to 1150mm and adjustable nozzle.
- Adjustable nozzle that allows for a conical fine mist to a pencil straight stream for distance spraying applications
- A flat fan nozzle and air induction nozzle included for drift reduction
- 3 Bar/45 psi maximum pressure
- Chemical resistant O-rings and seals
- Lithium-ion battery & battery life indicator
- Charge time: 4 hours from flat
- 240V AC charger included
- Run time: up to 2 hours continuous





Includes a flat fan, adjustable nozzle, and measuring jug.

WP12-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
WP12-1	12L Rechargeable Sprayer	310mm	160mm	500mm	3.1kg	$190.91	$210.00	A
382-121	Optional Replacement Battery					$80.00	$88.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B




382-076-1


WP2-T

13L TROLLEY SPRAYER

Viton equipped professional quality pressure sprayer for accurate application of herbicide, pesticide, fertiliser, degreaser & cleaning products.

- Viton equipped professional quality sprayer
- Trolley wheels for easy carting
- Large adjustable loop handle with comfort grip
- 3 Bar max pressure with relief valve
- Extendable aluminum spray lance 780mm to 1150mm


TR13-1

13L RECHARGEABLE TROLLEY SPRAYER

The Silvan 13L Rechargeable Trolley Sprayer is an effortless way of spraying, ideal to use around the garden, spraying herbicides, pesticides or fertilisers inside or outside the home.

- 13L blow moulded poly UV stabilised and impact resistant with calibrated fill mark moulded into the tank
- Wide wheelbase for maximum maneuverability
- Rechargeable battery-operated air pump with on/off switch
- Maximum pressure 1.8 Bar/26psi
- Viton seals for extended life
- Extendable aluminum spray lance 780mm to 1150mm
- Trigger jet assembly with lockable on/off trigger
- Poly adjustable nozzle to achieve a straight stream to a conical mist
- 3-hour battery charge time

UP TO 3 TANKS OF SPRAYING PER CHARGE


TR13-B

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR13-1	13L Trolley Sprayer	330mm	260mm	980mm	3.5kg	$108.18	$119.00	B
TR13-B	13L Rechargeable Trolley Sprayer	330mm	260mm	980mm	3.9kg	$210.91	$232.00	A
TR13-22	Service Kit to suit TR13-1					$17.27	$19.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

Professional Sprayers





190713

PROGRADE HAND SPRAYER

- Thick walled heavy duty tank with 5-year warranty
- Large internal piston, easy operation with maximum performance
- Chemical resistant seals, long lasting
- Suitable for liquid and powdered agricultural chemicals and disinfectant
- Internal filtration to reduce clogging
- Easy to operate and maintain
- Poly pump assembly with weighted flexible suction filter
- Pressure relief valve to depressurise the sprayer before refilling
- Ergonomic handle with on/off button
- Adjustable nozzle that can deliver a straight stream or conical mist



190713

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190713-6	1.5L ProGrade Hand Sprayer (6 Pack)	120mm	120mm	305mm	600g	$177.27	$195.00	B



190548



382-076-1



WP2-T

PROGRADE HAND SPRAYERS - 5L & 8L

- Thick walled heavy duty tanks with 5-year warranty
- Sprayers can be operated up to 120psi ideal for distance spraying applications
- Suitable for liquid and powdered agricultural chemicals and disinfectant
- Stainless steel spray lance with lockable professional trigger
- Large internal piston, easy operation with maximum performance
- Chemical resistant seals, long lasting
- 6 different spray nozzles, suitable for a variety of applications
- Internal filtration to reduce clogging
- Easy to operate and maintain
- Wide base for extra stability
- Drip tray to store the spray lance and protect the nozzle
- Shoulder strap
- Pressure relief valve





190549

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190548	5L ProGrade Hand Sprayer	200mm	190mm	535mm	1.5 kg	$77.27	$85.00	B
190548-5	5L ProGrade Hand Sprayer (5 Pack)					$386.36	$425.00	D
190549	8L ProGrade Hand Sprayer	220mm	225mm	570mm	1.8 kg	$95.45	$105.00	B
190549-5	8L ProGrade Hand Sprayer (5 Pack)					$477.27	$525.00	D
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



190712



382-076-1



WP2-T

8L PROGRADE PUMP ZERO RECHARGEABLE SPRAYER

Silvan 8L Pump Zero rechargeable sprayer has been designed for effortless "No more pumping" from a portable sprayer. Specifically designed for general weed management, insect, and pest control around the garden, home, or small property.

- Thick walled 8L translucent tank with litre graduations
- Air pump with operating pressure 1.4 Bar (Approx. 21 psi)
- 500mm stainless steel spray lance
- Spray lance clip for easy & neat storage
- Protective nozzle storage & drip tray
- Professional lockable shut-off handle with comfort grip and internal filter
- Durable reinforced hose (1200mm)
- Shoulder strap included
- Pressure relief valve for depressurising when refilling
- 240V Battery charger included
- 6 different spray nozzles, suitable for a variety of applications





190712

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190712	8L ProGrade Pump Zero Rechargeable Sprayer	220mm	220mm	590mm	2.2kg	$208.18	$229.00	A
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



190550



382-076-1



WP2-T

15L PROGRADE BACKPACK SPRAYER

- Thick walled heavy duty tank with 5-year warranty
- Sprayer can be operated up to 120psi, ideal for distance spraying applications
- Large internal piston, easy operation with maximum performance
- Chemical resistant seals, long lasting
- Suitable for liquid and powdered agricultural chemicals and disinfectant
- Stainless steel spray lance with lockable professional trigger
- 6 different spray nozzles, suitable for a variety of applications
- Internal filtration to reduce clogging
- Easy to operate and maintain
- Ergonomic tank with padded shoulder straps
- Handle can be fitted left or right hand side and folded away for storage
- No-leak seal under the lid, no chemical spilling down your back
- Additional constant pressure valve for low pressure spraying
- Internal paddle for continuous agitation





190550

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190550	15L ProGrade Backpack Sprayer	380mm	250mm	570mm	4.5 kg	$180.91	$199.00	B
190550-2	15L ProGrade Backpack Sprayer (2 Pack)					$361.81	$398.00	D
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



190714



382-076-1



WP2-T

15L PROGRADE RECHARGEABLE BACKPACK SPRAYER

Silvan 15L 18V Lithium-ion power rechargeable sprayer has been designed for effortless "No more pumping" from a backpack sprayer. Specifically designed for general weed management, insect, and pest control around the garden, inside or outside the home, or small to medium rural properties.

- UV stabilised translucent poly tank, with leak prevention cap and built-in carry handle.
- Powder coated steel frame for chemical resistance with padded shoulder harness and waist belt
- Pre-set pressure spraying 40psi, 1.36 L/Min for typical landscape applications (with 8002 nozzle)
- 6 different spray nozzles, suitable for a variety of applications
- Maximum pressure 2.69 Bar/ 40psi
- Up to 4-hour spray time on a single charge
- Ergonomic poly handle with on/off trigger
- 530mm stainless steel lance
- Rechargeable 18 Volt Lithium-ion 2.1-amp battery is neatly concealed inside the unit
- Battery life indicator
- 240V 3–5-hour. Charger included





190714

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190714	15L Prograde Rechargeable Backpack Sprayer	355mm	240mm	565mm	5.48kg	$408.18	$449.00	A
183411	Optional Replacement Battery	115mm	75mm	50mm	340g	$180.90	$199.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

PROGRADE STORE IN STORE DISPLAY STAND

Silvan store in store concept is a proven tool to increase sales in store by showcasing key spraying products and spare parts kits in easily idetifiable and neatly arranged displays.





183868



183871



183862



183859



WP2-T



382-076-1

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
183868	Service kit for 15L Prograde Backpack Sprayers	$11.82	$13.00	B
183871	Service kit for 5L & 8L Prograde Hand Sprayers	$20.00	$22.00	B
183862	Nozzle kit suits all Prograde Sprayers (Excluding 1.5L)	$11.82	$13.00	B
183859	Shut-off Trigger suit all Prograde Sprayers (Excluding 1.5L)	$24.54	$27.00	B
WP2-T	Optional 2 Jet T-Boom	$16.36	$18.00	B
382-076-1	Optional Spray Shield	$38.18	$42.00	B
070-SISH2200S	In store display stand 2200m x 900mm			

TO QUALIFY FOR A FREE STORE-IN-STORE SHELVING DISPLAY:

A minimum stock order (value dependant on display size) is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on 1300 745 826.



14L BACKPACK MISTER

- 14L Translucent, UV stabilised poly tank
- 2 stroke engine, 33.5 cc, that is low noise & lower emission
- Powerful and fuel-efficient
- Recoil starter & non-contact ignition
- Highly efficient fan, large air volume and high speed, thus longer spray range
- Joystick controller that offers on/off switch & fan speed adjustment
- Anti-vibration system to reduce operator fatigue



NBB-3W650

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
NBB-3W650	14L Backpack Mister	510mm	380mm	640mm	11kg	$400.00	$440.00	A



Silvan's range of rechargeable sprayers eliminates the need for manual pumping, offering a more effortless spraying experience. Available in sizes from 8 to 55 litres, these sprayers are perfect for home gardeners, small acreage owners, landscape professionals, or pest control operators, making them a valuable addition to your property maintenance equipment.



WP12-1



382-121



382-076-1



WP2-T

12L RECHARGEABLE BACKPACK SPRAYER

Ideal for weed control around the house or the property, fenceline spraying, nurseries, parks & gardens.

- 12L capacity UV stabilised polyethylene tank
- Diaphragm pump with on-demand pressure sensing switch that starts the pump when pressure drops below 30-35 psi and stops the pump at 40-45 psi
- Contoured for comfort against your back
- Wide shoulder straps with thick fabric material
- 2 stage filtration system, one in the tank and another in the trigger
- Spray gun locks into the filling lid for storage
- Long reach spray gun with lockable trigger, extendable from 780mm to 1150mm and adjustable nozzle.
- Adjustable nozzle that allows for a conical fine mist to a pencil straight stream for distance spraying applications
- A flat fan nozzle and air induction nozzle included for drift reduction
- 3 Bar/45 psi maximum pressure
- Chemical resistant O-rings and seals
- Lithium-ion battery & battery life indicator
- Charge time: 4 hours from flat
- 240V AC charger included
- Run time: up to 2 hours continuous



Includes a flat fan, adjustable nozzle, and measuring jug.



WP12-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
WP12-1	12L Rechargeable Sprayer	310mm	160mm	500mm	3.1kg	$190.91	$210.00	A
382-121	Optional Replacement Battery					$80.00	$88.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



TR13-B



382-076-1



WP2-T

13L RECHARGEABLE TROLLEY SPRAYER

The Silvan 13L Rechargeable Trolley Sprayer is an effortless way of spraying, ideal to use around the garden, spraying herbicides, pesticides or fertilisers inside or outside the home.

- 13L blow moulded poly UV stabilised and impact resistant with calibrated fill mark moulded into the tank
- Relief valve for air discharge from tank when refilling
- Wide wheelbase for maximum maneuverability
- Rechargeable battery-operated air pump
- Maximum pressure 1.8 Bar/26psi
- Pump stops once the tank is compressed of air, starts up as your spraying
- Viton seals for extended life and on/off switch
- Extendable aluminum spray lance 780mm to 1150mm
- Trigger jet assembly with lockable on/off trigger
- Filter in spray lance handle
- Poly adjustable nozzle to achieve a straight stream to a conical mist
- 2.5m delivery hose
- Rechargeable 12V Lithium-ion battery 2550mAh
- Charger input 100-240V, 50/60Hz, 0.4A Max
- 3 hour battery charge time



TR13-B

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR13-B	13L Rechargeable Trolley Sprayer	330mm	260mm	980mm	3.9kg	$210.91	$232.00	A
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B




382-076-1


WP2-T

8L PROGRADE PUMP ZERO RECHARGEABLE SPRAYER

Silvan 8L Pump Zero rechargeable sprayer has been designed for effortless "No more pumping" from a portable sprayer. Specifically designed for general weed management, insect, and pest control around the garden, home, or small property.

- Thick walled 8L translucent tank with litre graduations
- Air pump with operating pressure 1.4 Bar (Approx. 21 psi)
- 500mm stainless steel spray lance
- Spray lance clip for easy & neat storage
- Protective nozzle storage & drip tray
- Professional lockable shut-off handle with comfort grip and internal filter
- Durable reinforced hose (1200mm)
- Shoulder strap included
- Pressure relief valve for depressurising when refilling
- 240V Battery charger included
- 6 different spray nozzles, suitable for a variety of applications





190712

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190712	8L ProGrade Pump Zero Rechargeable Sprayer	220mm	220mm	590mm	2.2kg	$208.18	$229.00	A
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



190714



382-076-1



WP2-T

15L PROGRADE RECHARGEABLE BACKPACK SPRAYER

Silvan 15L 18V Lithium-ion power rechargeable sprayer has been designed for effortless "No more pumping" from a backpack sprayer. Specifically designed for general weed management, insect, and pest control around the garden, inside or outside the home, or small to medium rural properties.

- UV stabilised translucent poly tank, with leak prevention cap and built-in carry handle.
- Powder coated steel frame for chemical resistance with padded shoulder harness and waist belt
- Pre-set pressure spraying 40psi, 1.36 L/Min for typical landscape applications (with 8002 nozzle)
- 6 different spray nozzles, suitable for a variety of applications
- Maximum pressure 2.69 Bar/ 40psi
- Up to 4-hour spray time on a single charge
- Ergonomic poly handle with on/off trigger
- 530mm stainless steel lance
- Rechargeable 18 Volt Lithium-ion 2.1-amp battery is neatly concealed inside the unit
- Battery life indicator
- 240V 3–5-hour. Charger included





190714

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
190714	15L Prograde Rechargeable Backpack Sprayer	355mm	240mm	565mm	5.48kg	$408.18	$449.00	A
183411	Optional Replacement Battery	115mm	75mm	50mm	340g	$180.90	$199.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B



TR25-2

20L RECHARGEABLE UPRIGHT TROLLEY SPRAYER

- 20L rotomolded, impact resistant poly UV stabilised tank
- Calibrated fill mark and large filling lid
- Large anti-spill screw-on lid
- 25mm drain outlet for flushing
- Powder coated steel heavy duty frame
- Solid steel axle with steel rims & large 250mm pneumatic tyres
- Wide wheelbase for maximum maneuverability
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure
- Viton valves and Santoprene diaphragm to ensure a longer life
- Excess flow from the spray nozzle returns to tank for agitation
- Pressure regulator and gauge to adjust pressure
- Easy access on/off power switch and charging socket
- Spotjet spray gun with holder & 600mm stainless steel lance
- Poly adjustable nozzle to achieve a straight stream to a conical mist
- 6m x 10mm I.D. delivery hose
- Rechargeable 12V, 7 Amp battery
- Charger, 240V AC to 12V DC
- Approximately 3 hours battery charge time

IDEAL FOR PEST CONTROL





Pressure regulator factory fitted

TR25-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TR25-2	20L Rechargeable Upright Trolley Sprayer	310mm	510mm	980mm	17 kg	$920.00	$1,012.00	A



SP25-B2



382-121



382-076-1



WP2-T

25L RECHARGEABLE REDLINE SPRAYER

The Rechargeable 25L Redline Sprayer is an ideal size weed or insect control sprayer for small size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side by sides or ride-on mowers with the optional trailer kit.

- UV stabilised polyethylene tank with 1" drain plug
- Screw-on lid with anchor strap and anti-spill breather, 25mm drain plug, M6 threaded mounting inserts in base
- 2.6L/Min open flow, Max 3 Bar (45psi) on-demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi. On/Off power switch.
- 12.6V Battery Lithium-ion, 2500mAh
- 240V Charger, charging time approximately 6 hours
- Trigger spray gun assembly with 550mm long stainless steel lance with adjustable nozzle
- 6m x 8mm I.D. hose

UP TO 3 TANKS OF SPRAYING PER CHARGE



SP25-B2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-B2	25L Rechargeable Redline Sprayer	620mm	330mm	300mm	4.6kg	$290.91	$320.00	A
382-121	Optional Replacement Battery					$80.00	$88.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*







55L RECHARGEABLE REDLINE SPRAYER

The Rechargeable 55L Redline Sprayer is a portable, cordless solution for garden and rural spraying, featuring a 55L tank and a remote-controlled 12V pump for easy operation. Its rechargeable Lithium-Ion battery eliminates the hassle of wiring, making it ideal for applying herbicides, insecticides, pesticides, and fertilisers with minimal effort.

- UV stabilised polyethylene tank with 1" drain plug
- 2.6L/Min open flow, Max 3 Bar (45psi) on-demand electric pressure switch pump with handheld remote control for on/off operation from a distance, enhancing convenience
- Up to 2 tanks of spraying per charge
- Rechargeable Lithium-Ion battery, no wiring harness required
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi.
- 240V Charger, charging time approximately 6 hours
- Trigger spray gun assembly with 550mm long stainless steel lance with adjustable nozzle
- Suitable for both professional and home use
- 6m x 8mm I.D. hose
- Supplied with spray shield





SP55-B2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP55-B2	55L Rechargeable Redline Sprayer	620mm	330mm	300mm	4.6kg	$335.45	$369.00	A
382-121	Optional Replacement Battery					$80.00	$88.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



SP25-TR3



TR55-13C



TR55-14



WP2-T

25L RECHARGEABLE REDLINE TROLLEY SPRAYER

This trolley sprayer has been designed and manufactured primarily for applying agricultural and horticultural herbicides and insecticides to plants and weeds along driveways, around sheds and general weed control throughout the property.

- UV stabilised polyethylene tank with 1" drain plug
- Screw-on lid with anchor strap and anti-spill breather, 25mm drain plug, M6 threaded mounting inserts in base
- Powder coated steel frame with parking stand
- 265mm poly wheels
- 2.6 L/min open flow, Max 3 Bar (45psi) on-demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi. On/Off power switch.
- 12.6V Battery lithium-ion, 2500mAh
- 240V Charger, charging time approximately 6 hours
- Trigger spray gun assembly with 550mm long stainless steel lance with adjustable nozzle
- Spray gun fits into handle on the upright frame (no tank clips supplied)
- Supplied with spray shield
- 6m x 8mm I.D. hose



Shown with optional boomless nozzle kit

SP25-TR3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-TR3	25L Rechargeable Redline Trolley Sprayer	1160mm	465mm	660mm	8.6kg	$370.00	**$407.00**	A
TR55-13C	3 Nozzle Spray Boom Kit					$104.54	**$115.00**	A
TR55-14	Optional Boomless Nozzle Kit					$151.82	**$167.00**	A
WP2-T	Optional 2 Jet T-Boom					$38.18	**$42.00**	B
382-121	Optional Replacement Battery					$80.00	**$88.00**	B

12 Volt Lifestyle Sprayers



12 Volt Lifestyle Sprayers



WP40-1



382-076-1



WP2-T



WP40-1

40L ESSENTIAL SPRAYER

This sprayer has been designed and manufactured primarily for applying pesticides, agricultural and horticultural herbicides for weeds and insecticides to plants.

- Blow-moulded impact resistant polyethylene
- Screw-on lid with anti-spill breather and lance holder
- Translucent for clear view of level indicator
- Provision on the top the use ratchet straps
- 25mm drain plug
- 2.6L/min open flow, 3.3 Bar/50 psi pump
- 50psi on-demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 50 psi
- Viton valves & chemical resistant TPU (Thermoplastic Polyurethane) diaphragm
- Suction line foot filter inside tank and spray gun handle
- 3m quick release wiring loom with alligator clips
- Cab controlled inline on/off switch
- 10A inline fuse
- Trigger spray gun assembly with 450mm long lance and adjustable cone nozzle. Spray lance clips to lid.
- Adjustable from a pencil straight stream to conical mist
- 6m x 8mm I.D. hose

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
WP40-1	40L Essentials Sprayer	670mm	320mm	320mm	4.4kg	$172.73	$190.00	A
WP40-1-4	40L Essentials Sprayer (4 Pack)					$690.91	$760.00	C
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



SP25-R1



382-076-1



WP2-T

25L REDLINE SPRAYER

The 25L Redline sprayer is an ideal size weed control or insect sprayer for small properties, spot spraying, driveways and fenceline applications. Easily mounted on ATVs, side-by-sides or ride on mower trailers.

- UV stabilised polyethylene tank with 1" drain plug
- Spray gun with 550mm stainless steel lance and adjustable nozzle, clips easily to tank
- Lid retaining ring to prevent accidental loss
- Mounted pump On/Off switch and fuse
- Bottom tank mount inserts (4x M6) for strapless mounting to trailer or skid
- 2.6L/min open flow, 3.3 Bar/50psi pump
- 3m of battery cable with alligator clips
- 6m x 8mm I.D. hose



SP25-R1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-R1	25L Redline Sprayer	580mm	330mm	280mm	4.4 kg	$240.00	$264.00	A
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

12 Volt Lifestyle Sprayers



SP25-B2



382-121



382-076-1



WP2-T

25L RECHARGEABLE REDLINE SPRAYER

25L is an ideal size weed or insect control sprayer for small size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side by sides or ride-on mowers with the optional trailer kit.

- 25L impact resistant polyethylene tank
- Screw-on lid with anchor strap and anti-spill breather, 25mm drain plug, M6 threaded mounting inserts in base
- 2.6 L/min open flow, Max 3 Bar (45psi) on-demand electric pressure switch
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi. On/Off power switch.
- 12.6V Battery Lithium-ion, 2500mAh
- 240V Charger, charging time approximately 6 hours
- Trigger spray gun assembly with 550mm long stainless steel lance with adjustable nozzle
- 6m x 8mm I.D. hose

UP TO 3 TANKS OF SPRAYING PER CHARGE



SP25-B2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP25-B2	25L Rechargeable Redline Sprayer	620mm	330mm	300mm	4.6kg	$290.91	$320.00	A
382-121	Optional Replacement Battery					$80.00	$88.00	B
382-076-1	Optional Spray Shield					$16.36	$18.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B


WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*




TR55


TR55-10


WP2-T


TR55-13C

55L REDLINE SPRAYER

55L is an ideal size weed or insect control sprayer for small to medium size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side-by-sides or ride on mowers with the optional trailer kit.

- UV stabilised polyethylene tank with 1" drain plug
- 170mm lid & retaining ring to prevent accidental loss
- Spray shield to reduce drift, chemical measuring jug, spray lance holder clips & Internal suction filter
- Bottom tank mount inserts for strapless mounting
- Silvan 12V chemical resistant diaphragm pump (381-35)
- 2.6L/min open flow, 3.3 Bar/50psi maximum pressure
- Mounted On/Off switch
- 3m of battery cable with alligator clips & inline fuse
- Trigger spray gun with on/off lock, 550mm stainless steel lance & adjustable nozzle
- 6m x 8mm I.D. hose



SP55-R1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP55-R1	55L Redline 12V Sprayer	715mm	425mm	360mm	5.4 kg	$281.82	$310.00	A
TR55	Trailer Kit for 55L Redline (Less connecting pin)					$180.91	$199.00	B
TR55-10	Boomless Nozzle Kit					$171.82	$189.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B
TR55-13C	3 Nozzle Spray Boom Kit					$104.54	$115.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

12 Volt Lifestyle Sprayers



SP55-B2



TR55



WP2-T

55L RECHARGEABLE REDLINE SPRAYER

The Rechargeable 55L Redline Sprayer is a portable, cordless solution for garden and rural spraying, featuring a 55L tank and a remote-controlled 12V pump for easy operation. Its rechargeable Lithium-Ion battery eliminates the hassle of wiring, making it ideal for applying herbicides, insecticides, pesticides, and fertilisers with minimal effort.

- UV stabilised polyethylene tank with 1" drain plug
- 2.6L/Min open flow, Max 3 Bar (45psi) on-demand electric pressure switch pump with handheld remote control for on/off operation from a distance, enhancing convenience
- Up to 2 tanks of spraying per charge
- Rechargeable Lithium-Ion battery, no wiring harness required
- The demand switch automatically starts the pump when the pressure falls below 40 psi and stops the pump when the pressure reaches 45 psi.
- 240V Charger, charging time approximately 6 hours
- Trigger spray gun assembly with 550mm long stainless steel lance with adjustable nozzle
- Suitable for both professional and home use
- 6m x 8mm I.D. hose
- Supplied with spray shield



SP55-B2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP55-B2	55L Rechargeable Redline Sprayer	620mm	330mm	300mm	4.6kg	$335.45	$369.00	A
TR55	Optional Trailer Kit					$180.91	$199.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B
382-121	Optional Replacement Battery					$80.00	$88.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*




TR100


TR55-10


WP2-T

100L REDLINE SPRAYER

100L is an ideal size weed or insect control sprayer for medium size properties, spot spraying, driveway and fenceline applications. Easily mounted on ATVs, side-by-sides or ride on mowers with the optional trailer kit.

- UV stabilised polyethylene tank with 1" drain plug
- 170mm lid & retaining ring to prevent accidental loss
- Spray shield to reduce spray drift, chemical measuring jug included, spray lance holder clips & internal suction filter
- Bottom tank mount inserts for strapless mounting
- Silvan 12V chemical resistant diaphragm pump (382-168)
- 5.3L/min open flow, 4 Bar/60psi maximum pressure
- Mounted on/off switch
- 3m of battery cable with alligator clips & inline fuse
- Trigger spray gun with on/off lock, 550mm stainless steel lance & adjustable nozzle
- 6m x 8mm I.D. hose


SP100-R2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP100-R2	100L Redline Sprayer	885mm	470mm	435mm	9kg	$471.82	$519.00	A
TR100	Trailer Kit for 100L Redline (Less connecting pin)					$317.27	$349.00	B
TR55-10	Boomless Nozzle Kit					$171.82	$189.00	B
WP2-T	Optional 2 Jet T-Boom					$38.18	$42.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



RP50-P1



M99-65

50L 12V QUAD BIKE SPRAYER

Silvan Quad Bike and Rakpak sprayers are designed to fit neatly on quad bikes and meet the strict weight requirement of these vehicles. The wrap-around design allows for a lower centre of gravity, essential for improved quad bike safety.

- UV Stabilised Polytuff tank
- 5.3L/min open flow, 4 Bar/60psi maximum pressure
- Spotjet spray gun with 600mm stainless steel lance and adjustable nozzle
- Chemical resistant Viton valves & thermoplastic polyurethane diaphragms
- 6m of 8mm delivery hose
- 3m battery cable with alligator clips
- Ratchet straps to secure to quad (pair included)
- Anti-spill barrier around lid to protect rider



RP50-P1

CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP50-P1	50L Quad Bike Sprayer	5.3L/min	775mm	850mm	250mm	10 kg	$613.64	$675.00	A
M99-65	Boomless Nozzle						$190.00	$209.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

12 Volt Professional Sprayers



12 Volt Professional Sprayers



SP100-S7


RP1-34


RP1-35

SMOOTHFLO SPOTPAK SPRAYERS - 50L, 100L & 200L

Ideal for weed control, spot & fence line spraying applications. The Smoothflo Spotpak Sprayer series delivers constant flow, no pulsation and the highest pressure for distance spraying. Suitable for use with side-by-sides, utes, trays & trailers, with UV stabilised Polytuff tanks to ensure long life.

- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump
- Spotjet spray gun with 600mm stainless steel lance & adjustable nozzle
- Tank clips for neat and easy spray gun storage
- 6m of 8mm delivery hose
- Ideal for use with up to 30m of 10mm hose


SP50-S7


SP100-S7



SP200-S7

CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP50-S7	50L Smoothflo SpotPak	7L/min	700mm	400mm	300mm	6 kg	$650.00	$715.00	A
SP100-S7	100L Smoothflo SpotPak	7L/min	800mm	475mm	395mm	10 kg	$750.00	$825.00	A
SP200-S7	200L Smoothflo SpotPak	7L/min	1000mm	540mm	550mm	14 kg	$863.64	$950.00	A
RP1-34	7.6m Boomless Nozzle Towbar Boom						$295.46	$325.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)						$745.45	$820.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*




M99-65


M99-75B **(S10 ONLY)**


RP1-35


RP1-24-3 **(S10 ONLY)**

70L RAKPAK PLUS

- UV stablised polytuff tank 70L capacity with internal baffle
- Pumps with Viton valves & Santoprene diaphragm
- 6m of 8mm delivery hose
- Spotjet spray gun with 600mm stainless steel lance and adjustable nozzle
- Gun holder to secure spray gun when travelling
- Anti-spill barrier around lid to protect rider
- 3m battery cable with alligator clips
- Ratchet straps to secure to Quad (pair included)
- Provision to fit drain tap

SPOT SPRAY PUMPS:

- **RP70N-S7** features a Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump

BOOM SPRAY PUMPS:

The higher flow is ideal for boom spraying. A pressure regulator is recommended for low flow spot and boom spraying

- **RP70N-S10** incorporates a 14L/min open flow pump 4 Bar/60 psi


RP70N-S7


RP70N-S10

CODE	DESCRIPTION	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP70N-S7	70L RakPak Plus - Smoothflo	7L/min	800mm	850mm	390mm	12 kg	$945.45	$1,040.00	A
RP70N-S10	70L RakPak Plus - High Capacity	14L/min	800mm	850mm	390mm	12 kg	$1,190.91	$1,310.00	A
M99-65	Boomless Nozzle Kit with Single or Double Sided Swath (suit S7)						$190.00	$209.00	B
M99-75B	Twin Boomless Nozzle with Single or Double Sided Swath (suit S10)						$168.18	$185.00	B
RP1-35	7m GP Towbar Boom (5 Independent nozzles)						$745.45	$820.00	A
RP1-24-3	Pressure Regulator Kit						$332.73	$366.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

12 Volt Professional Sprayers



UP100-S7-2


RP1-34


RP1-35

100L UTEPAK SPRAYER

Professional self contained sprayer favoured for their flexible range of options and rugged industrial design to fit to either utilities, trailers, carryalls, UTV or side-by-sides.

- UV stabilised polytuff tank with 8mm brass inserts at base for easy mounting
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump
- Large 1 ¼" drain outlet for easy empty and clean
- 255mm screw-on lid and filter basket
- Inline filter with viewing bowl
- Retractable spring loaded hose reel, 15m x10mm I.D. hose with swiveling body and Spotjet spray gun
- 3m wiring harness and alligator clips for connection to battery


UP100-S7


UP100-S7-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
UP100-S7	100L Professional Utepak Sprayer	660mm	580mm	490mm	14 kg	$890.91	$980.00	A
UP100-S7-2	100L Professional Utepak Sprayer - 15m Retractable hose reel	660mm	580mm	970mm	21 kg	$1,236.36	$1,360.00	A
CODE	**TOWBAR BOOM DESCRIPTION**	**LENGTH**	**MAX SPRAY SWATH**	**NOZZLES**	**WEIGHT**	**LIST EX**	**LIST INC**	**CAT**
RP1-34	7.6m Boomless Nozzle Towbar Boom	150mm	7.6m	6560-01	3 kg	$295.46	$325.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)	1.5m	7m	3 x AIXR11002-VP & 2 x OC-04	-	$745.45	$820.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



TK200-S7C-1


RP1-34


RP1-35


TK200-S7C


TK200-S7C-1


TK200-S7C-2

200L SMOOTHFLO TRUKPAK SPRAYERS

Professional Smoothflo self-contained sprayers, ideal for many spraying applications around the property. Whether using the spray gun or an optional boom. Ideal for spot spraying, fence lines, driveways, horse arenas and general weed management around the property.

- UV Stabilised polytuff tank with 8mm brass insert in the base for permanent mounting to a tray
- 255mm screw in lid with strainer basket and large 1 ¼" drain outlet
- 6m x 10mm I.D. hose & adjustable Spotjet spray gun
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump with inline suction filter to protect the pump & minimise nozzle blockages
- 3m wiring harness with alligator clips for connection to battery.

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S7C	6m Hose	1050mm	580mm	535mm	18 kg	$1,199.09	$1,319.00	A
TK200-S7C-1	30m Manual hose reel	1050mm	580mm	925mm	28 kg	$1,377.27	$1,515.00	A
TK200-S7C-2	15m Retractable hose reel	1050mm	580mm	990mm	25 kg	$1,377.27	$1,515.00	A

CODE	TOWBAR BOOM DESCRIPTION	LENGTH	MAX SPRAY SWATH	WEIGHT	LIST EX	LIST INC	CAT
RP1-34	7.6m Boomless Nozzle Towbar Boom	150mm	7.6m	3 kg	$295.46	$325.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)	1500mm	7m	-	$745.45	$820.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

12 Volt Professional Sprayers



TK200-S10R-2



RP1-33



RP1-35



RP1-37



TK200-S10R



TK200-S10R-1



TK200-S10R-2

200L HIGH FLOW TRUKPAK SPRAYERS

Professional high flow self-contained sprayers, ideal for spraying applications where pressure and flow adjustment is critical to achieve an accurate spray performance.

- UV Stabilised polytuff tank with 8mm brass insert in the base for permanent mounting to a tray
- 255mm screw-in lid with strainer basket and large 1 ¼" drain outlet
- 14L/min (open flow) 4 Bar/60psi max pressure, suitable for interminent use
- Pressure regulator to adjust the pressure and flow and an inline suction filter to protect the pump and minimise nozzle blockage
- 6m x 10mm I.D. hose and adjustable Varijet spray gun & D8 size nozzle
- 3m wiring harness with alligator clips

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S10R	6m Hose	1050mm	580mm	535mm	18kg	$1,422.73	$1,565.00	A
TK200-S10R-1	30m Manual hose reel	1050mm	580mm	925mm	28kg	$1,722.73	$1,895.00	A
TK200-S10R-2	15m Retractable hose reel	1050mm	580mm	990mm	25kg	$1,722.73	$1,895.00	A
CODE	**TOWBAR BOOM DESCRIPTION**	**LENGTH**	**MAX SPRAY SWATH**	**NOZZLES**	**WEIGHT**	**LIST EX**	**LIST INC**	**CAT**
RP1-33	4m Cross-fold boom	3600mm	4m	8 x AIXR11002-VP	14kg	$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)	1500mm	7m	3 x AIXR11002-VP & 2 x OC-04	18kg	$745.45	$820.00	A
RP1-37	14m Boomless Nozzle Towbar Boom	150mm	14m	6561-01	3kg	$280.00	$308.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



TK200-S9-1



TK200-S9



TK200-S9-1



TK200-S9-2

200L HIGH PRESSURE SMOOTHFLO TRUKPAK SPRAYERS

Professional high pressure Smoothflo self-contained sprayers, ideal for many spraying applications around the property where the additional pump pressure will offer greater distance or fine droplet spraying applications where required. Ideal for spot spraying, fence lines, driveways, horse arenas, nurseries, many tree crops and general weed management around the property.

- UV Stabilised polytuff tank with 8mm brass insert in the base for permanent mounting to a tray
- 255mm screw-in lid with strainer basket & large 1 ¼" drain outlet
- 12v Aquatec high pressure pump, 5L/min open flow or max 13bar/200psi with inline suction filter to protect the pump & minimise nozzle blockage
- 6m x 10mm I.D. delivery hose & adjustable Jetpro spray gun
- 3m wiring harness with alligator clips for connection to battery
- **NOTE**: Not suitable to use with any optional spray booms

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TK200-S9	6m Hose	1050mm	580mm	535mm	18kg	$1,500.00	$1,650.00	A
TK200-S9-1	30m Manual hose reel	1050mm	580mm	925mm	28kg	$1,681.82	$1,850.00	A
TK200-S9-2	15m Retractable hose reel	1050mm	580mm	990mm	25kg	$1,681.82	$1,850.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



K02A

200L TRAYLINK SPRAYER

The Traylink sprayer eliminates the need for a PTO connection for small to medium boom spraying. The frame (CAT1) can be fitted to small HP tractors, utilities, side-by-sides and trailers by only requiring a 12 volt connection for the high capacity pump.

- UV stabilised polytuff tank with sump
- Powder coated steel TPL frame (CAT1 pins)
- High flow 20L/min (open flow) 4 Bar/60psi max pressure pump, Viton valves & Santoprene diaphragms
- Pressure regulator with pressure gauge for control and agitation
- Spotjet spray gun with adjustable nozzle and 6m of 10mm I.D. delivery hose
- In-cab on/off switch





K02A

CODE	DESCRIPTION	FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
K02A	200L Traylink Sprayer	20 L/min	1040mm	460mm	745mm	55 kg	$2,028.18	**$2,231.00**	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*




RP1-33


RP1-35


RP1-37

SQUATPAK 250 SPRAYERS

The Squatpak 250 Professional Sprayer offers versatile spot spraying with a 250L tank and your choice of hose reel: a 30m manual Eco version for extended reach or a 15m retractable reel for effortless rewinding. Powered by an Aquatec pump and equipped with a Jetpro spray gun, it's the perfect solution for fence lines, roadsides, and more from your UTV or utility.

- 250L UV stabilised Polytuff tank with sump that allows the tank to be fully drained
- Twin internal baffles to reduce liquid surge during travel
- 14L/min (open flow) 4 Bar/60psi max pressure, suitable for interminent use
- Choice of hose reel: 30m manual Eco (powder-coated, lockable hub) or 15m retractable (spring rewind, swiveling mount)
- Three-outlet manifold with pressure gauge, bypass valve and spare outlet for towbar booms
- Jetpro spray gun with adjustable spray pattern and lockable trigger (D8 nozzle included)
- Three-stage filtration system to protect the pump and minimise blockages
- 10mm bottom inserts for fixing the tray or optional forklift skids (DIY fitment in North/South or East/West orientation)
- Ideal for UTVs, buggies, or utilities
- 3m battery cable with alligator clips for easy 12V connection


TP250-S10R-1


TP250-S10R-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TP250-S10R-1	Squatpak 250 with 30m Manual hose reel	1010mm	835mm	770mm	38kg	$2,350.00	$2,585.00	A
TP250-S10R-2	Squatpak 250 with 15m Retractable hose reel	1010mm	835mm	830mm	35kg	$2,350.00	$2,585.00	A
RP1-33	4m Cross-fold boom					$1,590.00	$1,749.00	A
RP1-35	7m General Purpose Towbar Boom					$745.45	$820.00	A
RP1-37	7m Boomless Nozzle Towbar Boom					$280.00	$308.00	A
430-115	Optional Galvanised Steel Fork Skids (Pair - includes bolts)					$350.00	$385.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

12 Volt Professional Sprayers



SQ300-S7-2



RP1-34



RP1-35



SQ300-S7-1



SQ300-S7-2



SQ400-S7-1

SMOOTHFLO SQUATPAK SPRAYERS

Silvan Squatpaks are equipped with pulsation-free Smoothflo pumps are available in large 300L & 400L tank sizes. Their lower height and internal baffle make them ideal for use with UTV's, while ensuring they meet all safety requirements when transporting larger quantities of liquid.

- UV Stabilised polytuff tank with internal baffle to reduce surge when travelling
- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump
- Inline suction filter
- Deep Tie-down locating channels for ratchet strap mounting
- Adjustable Atomiser spray gun (300L) or PA spray gun (400L)

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQ300-S7-1	300L, Smoothflo pump. 30m Manual hose reel	1060mm	940mm	880mm	37kg	$1,681.82	$1,850.00	A
SQ300-S7-2	300L, Smoothflo pump, 15m Retractable hose reel	1060mm	940mm	940mm	36kg	$1,681.82	$1,850.00	A
SQ400-S7-1	400L, Smoothflo pump. 30m Manual hose reel	1060mm	940mm	1000mm	41kg	$1,718.18	$1,890.00	A
RP1-34	7.6m Boomless Nozzle Towbar Boom					$295.46	$325.00	A
RP1-35	7m General Purpose Towbar Boom					$745.45	$820.00	A

***WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*




RP1-33


RP1-35


RP1-37

400L HIGH FLOW SQUATPAK SPRAYER

The 400L Squatpak Sprayer combines a large 400L UV-stabilized Polytuff tank with a 30m Eco hose reel, delivering top-notch performance for fence line and roadside spraying from your UTV or utility. Equipped with an Aquatec 14L/min pump and a professional Jetpro spray gun, it ensures precise application and durability for all your spot spraying tasks.

- 400L UV stabilised Polytuff tank with calibrated fill markings and drain outlet
- Internal baffle to minimise liquid surge during travel
- 14L/min (open flow) 4 Bar/60psi max pressure, suitable for interminent use
- 30m Eco hose reel with manual rewind, powder-coated metal construction, and lockable hub
- Three-outlet manifold with pressure gauge, spare outlet for towbar booms, and bypass valve
- Jetpro spray gun with adjustable spray pattern and lockable trigger (D8 nozzle included)
- Three-stage filtration system to protect the pump and reduce blockages
- Bottom inserts for permanent fixing or top recesses for ratchet strap securing
- Carry points on each side for easy handling
- Ideal for UTVs, buggies, or utilities with a spray distance up to 10m





SQ400-S10R-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQ400-S10R-1	400L High Flow Squatpak. 30m Manual hose reel	1060mm	940mm	1000mm	43kg	$2,063.64	$2,270.00	A
RP1-33	4m Cross-fold boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-37	14m Boomless Nozzle Towbar Boom					$280.00	$308.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

Motorised & Remote Control Sprayers






RP1-33


RP1-35


RP1-36


RP1-37

200L VERSATILE MOTORISED SLED SPRAYER

The Silvan 200L motorised sled sprayer has been specifically designed for owners of side-by-sides, where operators require a compact yet powerful all round sprayer. Whether it is spot spraying or boom spraying the 200L sled unit delivers great performance and is ideal for spraying all agricultural chemicals such as insecticides, pesticides and herbicides for weed management.

- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Impact resistant UV stabilised Polytuff tank with calibrated fill markings
- Honda 3.5Hp, GX120 engine unleaded petrol (4 stroke) with reduction gearbox
- Pressure regulator with pressure adjustment and bypass, gauge and 2 outlets, 1 for the hose reel & 1 for an optional boom
- 240mm screw-in filling lid filter basket
- Angled sump to assist in spraying whilst on undulating ground and cornering
- Compact galvanised steel frame
- 2 stage filtration to protect the pump & minimise nozzle blockages in the spray gun and/or boom



L02H2-34-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L02H2-34-1	200L Versatile Motorised Sled Sprayer	940mm	980mm	740mm	88kg	$4,544.55	$4,999.00	A*
RP1-33	4m Cross-fold boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					$304.54	$335.00	A
RP1-37	14m Boomless Nozzle Towbar Boom					$280.00	$308.00	A

***WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

** Refer to Terms & Conditions on page 254 or more information*



L02H2-34-2


RP1-33


RP1-35


RP1-36



RP1-37

200L EASYROLL MOTORISED SLED SPRAYER

Australian made 200L motorised sprayer with EASYROLL remote control hose reel with stainless steel frame construction and electric drive motor for enhanced durability. Ideal for most weed management solutions around the property.

- 200L UV stabilised Polytuff tank with sump that allows the tank to be fully drained
- Steel skid frame, hot dipped galvanised for extra durability and superior corrosion resistance
- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox
- Pressure regulator with pressure adjustment and automatic bypass, pressure gauge with a spare outlet for an optional boom
- 2 stage filtration to protect the pump & minimise blockages
- Atomiser spray gun, adjustable from a straight stream that delivers up to 15m to a conical mist
- Hose reel is fitted with an electric drive system assembly that is more reliable and safer than a chain or belt drive system
- 12V DC brushless high torque electric motor
- 50m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun
- 20 Bar/290psi working pressure
- Control box has an override function

50m REMOTE CONTROL HOSE REEL



L02H2-34-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L02H2-34-2	200L Easyroll Motorised Sled Sprayer	940mm	980mm	720mm	103 kg	$8,090.91	$8,900.00	A*
RP1-33	4m Cross-fold boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					$304.54	$335.00	A
RP1-37	14m Boomless Nozzle Towbar Boom					$280.00	$308.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



TP250-34-1



RP1-33



RP1-35



RP1-36

MOTORISED SQUATPAK 250 SPRAYER

The Motorised Squatpak 250 is a compact, powerful sprayer designed for use on UTVs, trailers, or utilities, delivering exceptional performance for spot spraying, fence lines, and roadside maintenance. With a 250L UV stabilised tank, twin baffles for stability, and a 30m eco hose reel, it's built for efficiency and durability in tough conditions.

- 250L UV stabilised Polytuff tank with sump that allows the tank to be fully drained
- Twin internal baffles to reduce liquid surge during travel
- Honda GX120 (3.5hp) engine with low-level oil alert and 6:1 reduction gearbox
- Comet MC20/20 pump with 18.5L/min flow and 20Bar/290psi max pressure
- 30m eco hose reel with a lockable hub and 10mm I.D. ag hose
- Atomiser spray gun with adjustable spray settings and 1.5mm/2.0mm ceramic nozzles
- Pressure regulator with gauge, two outlets, and automatic bypass
- Three-stage filtration system to protect the pump and minimise blockages
- 10mm bottom inserts for fixing the tray or optional forklift skids (DIY fitment in North/South or East/West orientation)
- Ideal for UTVs, buggies, or utilities



TP250-34-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TP250-34-1	Motorised Squatpak 250 with 30m Hose Reel	1010mm	835mm	770mm	46kg	$4,900.00	$5,390.00	A*
430-115	Optional Galvanised Steel Fork Skids (Pair - includes bolts)					$350.00	$385.00	A
RP1-33	7m Boomless Nozzle Towbar Boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					$304.54	$335.00	A

***WARNING:** Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

** Refer to Terms & Conditions on page 254 or more information*




RP1-33


RP1-35


RP1-36

MOTORISED SQUATPAK 250 SPRAYER
WITH EASYROLL REMOTE CONTROL REEL

Elevate your spraying game with the Squatpak 250 with EASYROLL hose reel, featuring a remote-controlled 50m retractable hose reel for effortless operation across rugged terrain. This robust, compact sprayer pairs a 250L tank with a powerful Honda engine, making it perfect for tackling weeds and maintenance tasks from side-by-sides, buggies, or utilities.

- 250L UV stabilised Polytuff tank with sump that allows the tank to be fully drained
- Twin internal baffles to reduce liquid surge during travel
- Honda GX120 engine with low-level oil alert and 6:1 reduction gearbox
- Comet MC20/20 pump delivering 18.5L/min flow and 20Bar/290psi max pressure
- 50m Easyroll 12V hose reel with remote-controlled rewind for effortless use
- Atomiser spray gun with adjustable spray and 1.5mm/2.0mm ceramic nozzles
- Pressure regulator with gauge, two outlets, and automatic bypass
- Three-stage filtration system to protect the pump and minimise blockages
- Compact design tailored for side-by-sides, buggies, and utilities
- Optional forklift channels (DIY fitment in North/South or East/West orientation)



TP250-34-3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TP250-34-3	Motorised Squatpak 250 with 50m Remote Hose Reel	1010mm	835mm	900mm	59kg	$7,727.27	$8,500.00	A*
430-115	Optional Galvanised Steel Fork Skids (Pair - includes bolts)					$350.00	$385.00	A
RP1-33	7m Boomless Nozzle Towbar Boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					$304.54	$335.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



LONG RANGE REMOTE SYSTEM

AUSTRALIAN OWNED
AUSTRALIAN MADE

L03H4-42R147

300L SKID SPRAYER WITH REEL TUFF REMOTE REEL

- Australian made REEL TUFF remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism
- 300L Polytuff tank with sump
- Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, change or storage
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- Lockable hub for transportation

MODEL: L03H4-42R147*

- 100m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun

MODEL: L03H4-42R147EH

- 150m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun



L03H4-42R147

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L03H4-42R147	300L Single reel 100m Hose	1020mm	1340mm	970mm	182 kg	$11,330.00	$12,463.00	A*
L03H4-42R147EH	300L Single reel 150m Hose	1020mm	1340mm	970mm	185 kg	$12,300.00	$13,530.00	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



L03H2-34-1 Shown with optional 4m cross fold boom (RP1-33)



RP1-33



RP1-35



RP1-36

MOTORISED SQUATPAK SPRAYERS - 300L & 400L

Professional motorised self-contained sprayers, ideal for spraying applications where pressure and flow adjustment is critical to achieve an accurate spray performance and application rates. Whether using the spray gun or an optional boom. Ideal for spot spraying, fence lines, driveways, horse arenas and general weed management around the property.

- UV Stabilised polytuff tank with an INTERNAL BAFFLE to reduce surge when travelling.
- Deep tie-down locating channels for ratchet strap mounting
- 240mm screw-on lid with strainer basket and large 1 ¼" drain outlet
- Honda 3.5Hp, GX120 engine unleaded petrol (4 stroke) with reduction gearbox
- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Pressure regulator with pressure adjustment and bypass, gauge and 2 outlets, 1 for the hose reel & 1 for an optional boom
- Inline suction filter to protect the pump and minimise nozzle blockage
- 30m x 10mm I.D. delivery hose, eco reel and adjustable Atomiser spray gun



L03H2-34-1



L04H2-34-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L03H2-34-1	300L Squatpak sprayer	1060mm	940mm	880mm	47kg	$4,386.36	$4,825.00	A*
L04H2-34-1	400L Squatpak sprayer	1060mm	940mm	1045mm	51kg	$4,443.64	$4,888.00	A*
RP1-33	4m Cross-fold boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					$304.54	$335.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*




RP1-33


RP1-35


RP1-36

400L HIGH PRESSURE MOTORISED SQUATPAK SPRAYER

Professional motorised high pressure self-contained sprayers are ideally suited towards small to medium acreage properties, great for general spot spraying, distance spraying applications such as blackberry spraying, boomless nozzle and boom spraying – industrially designed and robust enough to easily fit into side-by-sides, utilities, & trailers.

- UV Stabilised polytuff tank with an INTERNAL BAFFLE to reduce surge when travelling & large 1 ¼" drain outlet
- Deep tie-down locating channels for ratchet strap mounting
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator that allows operators to adjust pressure and flow when spot or boom spraying
- Large inline suction filter to protect the pump and minimise nozzle blockages
- 20m x 10mm I.D. delivery hose, economy reel and adjustable Jetpro spray gun
- 240mm screw-on lid with strainer basket



L04H4-42

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
L04H4-42	400L High Pressure Squatpak Sprayer	1080mm	930mm	1045mm	47kg	$5,786.36	$6,365.00	A*
RP1-33	4m Cross-fold boom					$1,590.00	$1,749.00	A
RP1-35	7m GP Towbar Boom (5 Independent nozzles)					$745.45	$820.00	A
RP1-36	7.4m Boomless Nozzle Towbar Boom					$304.54	$335.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



400L SKID SPRAYERS WITH REEL TUFF REMOTE REEL

- 400L baffled tank with sump, fitted to galvanised skid
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- 100m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun

ADDITIONAL MODEL OPTIONS:

- Twin Reels: Add a second hose reel to allow two operators to spray independently at the same time
- Electric start with battery
- 150m hose



L04H4-42R147



L04H4-42R147T

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
L04H4-42R147	400 Single Reel	1850mm	1200mm	750mm	215 kg	$11,450.00	**$12,595.00**	A*
L04H4-42R147T	400 Twin Reel	1850mm	1200mm	750mm	265 kg	$17,000.00	**$18,700.00**	A*
L04H4-42R147E	400L Single reel, Electric start c/w Battery	1850mm	1200mm	750mm	221 kg	$13,500.00	**$14,850.00**	A*
L04H4-42R147EH	400L Single Reel, 150m Hose	1850mm	1200mm	750mm	218 kg	$12,400.00	**$13,640.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



L06H4-42R147

600L SKID SPRAYER WITH REEL TUFF REMOTE REEL

- Australian made REEL TUFF Remote hose reel with galvanised steel construction for enhanced durability, direct drive gearbox, long range interference-free remote control and hub position lock with spring loaded mechanism
- 600L Polytuff barrel tank with internal sump
- Motorised 38L/min (open flow) 40 Bar/580psi max pressure pump with pressure regulator
- Honda 5.5HP, GX160 unleaded petrol (4 stroke) engine with reduction gearbox
- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Lockable hub for transportation
- 100m of 1/2" O.D Smoothline kink-resistant nylon hose
- Turbo 400 spray gun and liquid shutoff snap coupling for easy removal, storage or change

ADDITIONAL MODEL OPTIONS:

- Twin reels: Add a second hose reel to allow two operators to spray independently at the same time
- Electric start with battery
- 150m hose



AUSTRALIAN OWNED AUSTRALIAN MADE

L06H4-42R147T

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
L06H4-42R147	600 Single Reel	1850mm	1200mm	750mm	225 kg	$11,550.00	**$12,705.00**	A*
L06H4-42R147T	600 Twin Reel	1850mm	1200mm	750mm	275 kg	$17,100.00	**$18,810.00**	A*
L06H4-42R147E	600L Single reel, Electric start c/w Battery	1850mm	1200mm	750mm	230 kg	$13,600.00	**$14,960.00**	A*
L06H4-42R147EH	600L Single Reel, 150m Hose	1850mm	1200mm	750mm	228 kg	$12,500.00	**$13,750.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*

Trailed Sprayers





55L RECHARGEABLE REDLINE TRAILED SPRAYER WITH BOOMLESS NOZZLE

The 55L Trailed Redline Sprayer offers a cordless, hassle-free solution for garden and rural spraying, complete with a rechargeable battery and a trailer for easy mobility. Control it remotely to effortlessly apply herbicides, pesticides, or fertilizers with precision, thanks to its boomless nozzle and adjustable spray gun.

- UV stabilised polyethylene tank with 1" drain plug
- 2.6L/Min open flow, Max 3 Bar (45psi) on demand electric pressure switch pump with handheld remote control for on/off operation from a distance, enhancing convenience
- Rechargeable 12V 1.2Ah Lithium-Ion battery with up to 2 full tanks per charge
- Handheld remote control to turn the pump and boomless nozzle on/off
- 6m x 8mm ID delivery hose with a 550mm stainless steel spray lance
- Boomless nozzle with 2m spray swath and adjustable direction
- Integrated pump and battery cover for protection against damage
- Spray shield included for precise application
- Battery life indicator and 240V charger with max 6-hour charge time
- DIY assembly (sprayer, trailer kit and boomless nozzle kit)



SP55-B2TR4

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP55-B2TR4	55L Rechargeable Redline Trailed Sprayer	1300mm	680mm	600mm	14.6kg	$617.27	$679.00	A
382-121	Optional Replacement Battery					$80.00	$88.00	B

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



SP100-TR4

100L REDLINE TRAILED SPRAYER WITH BOOMLESS NOZZLE

The 100L Trailed Redline Sprayer is your go-to solution for efficient spot spraying, featuring a robust 100L tank and a powerful 12V PAK pump that connects easily with alligator clips. Designed for convenience, it includes a lid retaining ring and a clever hose wrap-up system to keep everything tidy and ready for action.

- 100L tank with easy hose wrap-up system and lid retaining ring
- 5.3L/min open flow, 4 Bar/60psi maximum pressure
- Simple connection to 12V power via supplied alligator clips
- Ideal for spot spraying applications on small to medium properties
- Measuring jug conveniently stored under the lid
- Durable design built for practical everyday use
- Lightweight and portable for easy handling
- Efficient pump size tailored for precise spraying tasks
- Quick setup with minimal assembly required
- Reliable performance for consistent results
- DIY assembly (Sprayer, Trailer kit and Boomless nozzle kit)



SP100-TR4

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP100-TR4	100 Redline Trailed Sprayer	1400mm	800mm	640mm	30kg	$809.09	**$890.00**	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*



200L LIGHTFOOT TRAILED SPRAYER

Professional trailed sprayers designed to be attached to side-by-sides, ATV or utility. Ideal for spot spraying, fire breaks, fence lines and general boom spraying applications.

- Impact resistant UV stabilised polytuff tank with calibrated fill markings & 1¼" drain plug assembly
- 255mm screw-on lid with filter basket and external suction filter for easy maintenance
- Heavy duty and powder coated
- Extendable drawbar 0 - 400mm and parking stand
- 50mm ball lockable coupling
- Solid steel 25mm axle with steel rims & 4 ply pneumatic tyres 18 x 8.50-8
- Eco hose reel with 30m x 10m delivery hose with drum lock



MODEL: LT20-S7C-3 (SMOOTHFLO PUMP & GP BOOM)

- Smoothflo 7L/min (open flow) 8 Bar/120psi max pressure pump
- On/Off switch, 3m of battery cable with alligator clips
- Spotjet spray gun with adjustable nozzle
- General purpose spray boom (4m to 7m spray swath)
- All nozzles can be independently turned "on/off"

MODEL: LT20-S10R-4 (HGH FLOW PUMP & 4m CROSS-FOLD BOOM)

- 14L/min (open flow) 4 Bar/60psi max pressure pump with pressure regulator
- On/Off switch, 3m of battery cable with alligator clips
- Varijet spray gun with adjustable nozzle
- 4m Cross-fold boom



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
LT20-S7C-3	200L Lighfoot Smoothflo pump, GP Boom (4 to 7m spray swath)	1480mm	1000mm (outside of wheels)	1355mm (Top of hose reel)	$3,950.00	$4,345.00	A*
LT20-S10R-4	200L Lightfoot Hi Flow pump, 4m Cross-fold boom	1480mm	1000mm (outside of wheels)	1355mm (Top of hose reel)	$4,500.00	$4,950.00	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



LT30-S8-1


EXTENDABLE DRAWBAR 0-400MM


MUD PUPPY TYRES


SPOTJET SPRAY GUN


BOOMLESS NOZZLE

300L LIGHTFOOT TRAILED SPRAYER with BOOMLESS NOZZLE

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

- UV stabilised polytuff tank 255mm screw-on lid and filter basket
- Drain outlet for easy empty and clean
- Mud puppy tyres and solid steel axle for strength and extra stability
- Extendable drawbar, 0-400mm
- High flow 20L/min (open flow) 4 Bar/60psi max pressure pump
- Pressure regulator and gauge, that allows operator to adjust pressures when spot spraying or boom spraying
- Inline suction filter
- On/off control box with 4m loom to the sprayer and a 2m loom with alligator clips for 12v battery connection
- Spray swath single nozzle up to 3.7m, twin nozzle up to 7.6m
- Ultra course droplets to assist in drift reduction
- Operation via the On/Off control box
- Spotjet spray gun with 6m of 8mm ID hose

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-S8-1	300L Lightfoot Trailed Sprayer, Boomless nozzle & Spray gun	1800mm	1155mm	1080mm	125kg	$4,163.64	**$4,580.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



300L LIGHTFOOT TRAILED SPRAYER with 4m CROSS-FOLD BOOM

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm.

- UV stabilised polytuff tank 255mm screw-on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle strength for extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm

PUMP AND CONTROLS

- High flow 20L/min (open flow) 4 Bar/60psi max pressure pump
- Pressure regulator and gauge, that allows operators to adjust pressures when spot spraying or boom spraying
- Inline suction filter

BOOM

- 4m spray swath, total boom width 3.6m
- Anodised boom arms and centre section
- Break-back boom arms to assist if obstacles are met
- Stainless steel spray bars and non-drip nozzle bodies for fast ON/OFF spraying
- Yellow 02 air induction nozzles for excellent drift reduction

HOSE REEL & CONTROL BOX

- Eco hose reel with 30m x 10mm delivery hose with drum lock and Atomiser spray gun
- On/off control box with 4m loom to the sprayer and a 2m loom with alligator clips for 12v battery connection

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-S8-2	300L Lightfoot Trailed Sprayer, 4m Boom & 30m hose reel	1800mm	1155mm	1480mm	135kg	$4,635.45	**$5,099.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



LT30-34-2



LT30-34



LT30-34-2

300L LIGHTFOOT MOTORISED HIGH PRESSURE TRAILED SPRAYER

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for precise spraying applications and general weed spraying management around the property and farm. Operators can increase the size of nozzles to increase application rates, excellent for distance spraying and atomiser applications i.e. blackberry control.

- UV stabilised polytuff tank 255mm screw-on lid and filter basket
- Large 1 1/4" drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle for strength and extra stability
- 50mm tow ball hitch and parking stand
- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox
- Pressure regulator and gauge
- Automatic bypass for 'on the go' agitation
- Allows operators to adjust pressure and flow when spot spraying or boom spraying

MODEL: LT30-34-2
4m SWATH BOOM & 15m RETRACTABLE HOSE REEL

- As above unit LT30-34 fitted with the following extras:
- 4m anodised cross-fold boom, stainless steel spray bar, non-drip nozzle bodies fitted with yellow 02 air induction nozzles to assist in drift reduction
- 4m spray swath – boom width 3.6m
- Break-back facility to assists if obstacles are met
- Retractable hose reel with 15m of 10mm hose and Atomiser spray gun
- Water and dust resistant On/Off control box & solenoid
- 3m wiring harness and alligator clips for connection to 12 volt battery

CODE	DESCRIPTION	PRESSURE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34	300L Motorised Trailed Sprayer	20Bar/290psi	1930mm	1155mm	1270mm	116kg	$5,436.36	**$5,980.00**	A*
LT30-34-2	300L Motorised Trailed unit 4m Boom, 15m Retractable Hose reel	20Bar/290psi	2200mm	1155mm	1540mm	153kg	$7,279.09	**$8,007.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*





300L LIGHTFOOT MOTORISED HIGH PRESSURE TRAILED SPRAYER

Professional trailed sprayer designed to be attached to the rear of a utility, ATV or a side-by-side vehicle. Ideal for precise spraying applications, general weed spraying including any distance spraying applications around the property. With the 6m boom it is ideal for the operator that wants to cover a large area quickly.

- UV stabilised polytuff tank 255mm screw-on lid and filter basket
- Drain outlet for easy empty and clean
- Mud puppy tyres and solid steel axle strength and extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm
- Vertical boom channel for fitment of accessories

PUMP AND CONTROLS

- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox
- Pressure regulator and gauge
- Excess flow that the pump produces automatically bypasses back to the tank for agitation
- Allows operators to adjust pressure and flow when spot spraying or boom spraying

BOOM AND HOSE REEL

- 6m galvanised boom, stainless steel spraybars, non-drip modules & yellow 02 air induction nozzles to assist in drift reduction
- 30m Eco hose reel with 30m of 10mm ID agricultural hose and adjustable Atomiser spray gun

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34-3	300L Motorised Trailed Sprayer, 6m boom & 30m hose reel	1800mm	2040mm	1300mm	147kg	$7,562.73	**$8,319.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



LT30-34-H


EXTENDABLE DRAWBAR 0-400MM


EASY TO REACH FILTER


FILLER LID WITH BASKET STRAINER


ADJUSTABLE NOZZLE SHUT-OFF

300L LIGHTFOOT MOTORISED VINE SPRAYER

Professional trailed sprayer designed to be attached to the rear of a utility, ATV, UTV or a side-by-side vehicle. Ideal for spraying small vineyards and other trellis crop types.

- UV stabilised polytuff tank 255mm screw-on lid and filter basket
- Drain outlet for easy empty and clean
- Mud Puppy tyres and solid steel axle strength and extra stability
- 50mm tow ball hitch and parking stand
- Extendable drawbar, 0-400mm

PUMP AND CONTROLS

- Motorised 18.5L/min (open flow) 20 Bar/290psi max pressure pump
- Honda 3.5HP, GX120 unleaded petrol (4 stroke) engine with reduction gearbox
- Pressure regulator and gauge, automatic bypass for on-the-go agitation
- Allows the operator to adjust pressure and flow when spraying
- Optional in-cab electric controls (GT-SOL7) allows the operator to turn each side On/Off and the start and finish of each row

BOOM

- Galvanised boom with adjustable stainless steel spray bar position
- 10 brass adjustable nozzles with manual shut-off
- Adjustable boom height and width

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LT30-34-H	300L Motorised Lightfoot Vine Sprayer	2200mm	1170mm	1540mm	153kg	$6,544.55	**$7,199.00**	A*
GT-SOL7	Factory fitted in-cab electric controls					$1,090.00	**$1,199.00**	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*

Booms



Silvan
GENUINE ACCESSORIES

Accessory Fitment Chart

PRODUCT	TOWBAR BOOMS & BOOMLESS NOZZLES				REDLINE SPRAY BOOMS		PAK BOOMS		CROSS-FOLD BOOMS	
	PRESSURE REGULATOR RP1-24-3 RP1-24-4 RP1-24-5 RP1-24-6	SPRAY SHIELD	RP1-20 RP1-35 RP1-34 RP1-37 M99-65 M99-66	RP1-33 RP1-36 M99-75B	TR55-14	TR55-10 WP2-T TR55-13C	L99-09	L99-08	RP1-25	RP1-26
40L ESSENTIALS SPRAYER										
WP40-1						WP2-T				
LIGHTFOOT - 300L TRAILED										
LT30-34				M99-75B						
MOTORISED SLED SPRAYER - 200L										
LO2H2-34-1										
MOTORISED SLED SPRAYERS - 300L/400L										
LO3H2-34-1, LO4H2-34-1, LO4H4-42										
QUADPAK - 50L & 70L										
RP50-P1	RP1-24-3,4									
RAKPAK -70L										
RP70N-S7	RP1-24-3,4									
RP70N-S10	RP1-24-5									
REDLINE SPRAYERS - 25L TO 100L										
SP25-B2/SP25-R1						WP2-T				
SP55-R1,SP55-B2, SP55-B2TR4						WP2-T				
SP100-R2, SP100-TR4			M99-65			WP2-T				
SPOTPAK - 50L TO 200L										
SP50-S7, SP100-S7, SP200-S7	RP1-24-3,4		*				*	*		
SQUATPAK - 250L										
TP250-S10R-1, TP250-S10R-2				RP1-33						
TP250-34-1, TP250-34-2							*	*	*	*
SQUATPAK - 300L/400L										
SQ300-S7-1 & 2, SQ400-S7-1	RP1-24-3,4		*							
SQ400-S10R-1			*	RP1-33						
TROLLEY SPRAYERS - 20L/25L										
TR25-2										
SP25-TR3										
TRUKPAK-200L										
TK200-S7C-1, TK200-S7C-2										
TK200-S9-1, TK200-S9-2										
TK200-S10R-1, TK200-S10R-2										
UTEPAK - 100L										
UP100-S7, UP100-S72										
12 VOLT PUMPS										
DDP-552A, 361-8000,361-2088	RP1-24-3,4		*				*	*		
DDP-550,DDP-555	RP1-24-5,6									
381-35, 381-38, 361-SLV10-AA40										
381-2000,382-168			*				*	*		
381-125	RP1-24-5,6									
DDP-554										

Available option * Available option, may require extra hose Fitted standard/supplied




RP1-35

7m GENERAL PURPOSE TOWBAR BOOM

The 7m General Purpose Towbar Boom enhances your spraying efficiency with a durable 4m galvanised steel frame, designed to pair seamlessly with sprayers equipped with the DDP-552A (7L/min) Smoothflo pump. Featuring adjustable nozzles and five height settings, it's perfect for precise, wide-coverage spraying from your UTV or utility vehicle.

- Steel 50 x 50mm frame for long-lasting durability
- Five adjustable height settings for versatile spraying applications
- All nozzles can be independently turned on and off for customised coverage
- Three AIXR11002-VP air-induction nozzles fitted to non-drip nozzle bodies
- Two OC-04 off-centre end nozzles for extended spray reach
- Compatible with sprayers using the DDP-552A (7L/min) Smoothflo pump
- Ideal for wide-area spraying on fence lines, roadsides, or fields
- Robust construction ensures stability during operation
- Easy attachment to towbar for quick setup
- Adjustable nozzle configurations for tailored spray patterns

POPULAR NOZZLE CONFIGURATIONS





RP1-35

CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK AWAY	MIN BOOM HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP1-35	5	115cm	4m to 7m	0.5m (centre)	Yes	500mm	8.1 kg	$745.45	$820.00	A




RP1-33

4m TOWBAR BOOM
WITH ELECTRONIC ON/OFF SWITCH

The 4m Towbar Boom with electric on/off Switch offers a robust cross-fold design with a 4m galvanised boom, perfect for wide-area spraying with sprayers using Aquatec pumps like the DDP-555 or DDP-550. Featuring stainless steel spray bar, non-drip nozzles, and an inline on/off switch, it ensures precise application and durability for rural spraying tasks.

- 4m cross-fold anodised boom with break-back facility for easy storage
- Stainless steel spray bars for enhanced durability and corrosion resistance
- Non-drip nozzles to minimise drips when the spray boom is turned off
- CFA11002 air-induction nozzles (yellow 02) to assist in drift reduction
- Five adjustable height settings for versatile spraying applications
- 3m wiring loom with inline on/off switch to activate the Goyen solenoid
- Compatible with Aquatec pumps: DDP-555 (14L/min) and DDP-550 (20L/min) with pressure regulator
- Ideal for wide-coverage spraying on rural properties or large fields
- Easy towbar attachment for quick setup on UTVs or utilities
- Designed for efficient and precise chemical application
- In-cab on/off control switch, solenoid and wiring harness supplied





RP1-33

CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
RP1-33	8	3.6m	4m	0.5m	Yes	500mm	Cross	14 kg	$1,590.00	**$1,749.00**	A



TOWBAR BOOMS

- Galvanised steel 50mm x 50mm frame suitable for many side-by-sides & utilities
- 2m of 3/8" delivery hose
- On/off tap & stainless steel clamps
- ½" connecting elbow suits Spotpaks, Trukpaks (7C & S10R & S10) & Squatpaks (S7C & S10R & S8)

LOW FLOW TOWBAR BOOM (7L/MIN PUMP)

- Durable brass nozzle produces a medium droplet size, ideal for many broadcast applications
- Delivers 90- or 180-degree spray pattern by simply swapping the position of the discs
- In the 90-degree setting, liquid is directed to the right-hand side from the rear of the Vehicle
- Fitted with M99-65 (6560-01) nozzle, for flow rates - refer to the chart on page 77
- Suitable for sprayers fitted with the DDP-552A (7L/min) Smoothflo pump


RP1-34

MEDIUM FLOW TOWBAR BOOM (14L/MIN PUMP)

- Durable brass nozzle produces a medium droplet size, ideal for many broadcast applications
- Delivers 90- or 180-degree spray pattern by simply swapping the position of the discs
- In the 90-degree setting, liquid is directed to the right-hand side from the rear of the vehicle
- Fitted with M99-66 (6561-01) nozzle - for flow rates, refer to the chart on page 77
- Suitable for sprayers fitted with the DDP-555 (14L/min) Aquatec pump and pressure regulator


RP1-37

CODE	DESCRIPTION	SPRAY WIDTH 90 DEGREES	SPRAY WIDTH 180 DEGREES	WEIGHT	LIST EX	LIST INC	CAT
RP1-34	Low flow tow bar boom	3.5m	7m	3 kg	$295.46	$325.00	A
RP1-37	Medium flow tow bar boom	7m	14m	3 kg	$280.00	$308.00	A



RP1-36


HIGH FLOW TOWBAR BOOM (20L/MIN PUMP)

Silvan has a range of towbar booms suitable for most side-by-sides, ATV's and vehicles with a 50mm square towbar socket. Boomless nozzle towbar booms offer broadcast spraying, 90 or 180 degrees which are ideal for applications around obstacles that could damage a traditional boom such as fences, guardrails and power poles.

- Galvanised steel 50mm x 50mm frame suitable for many side-by-sides & utilities
- 2m of ½" delivery hose
- On/off tap & stainless steel clamps
- Durable twin poly nozzles produce an ultra course droplet size, ideal for many herbicide and liquid fertiliser spraying applications
- Delivers 90- or 180-degree spray swath by swapping one of the nozzles with the blanking cap supplied
- The swivel nozzle body offers horizontal spray swath adjustment
- Fitted with M99-75B (M99-75B-1) nozzle - for flow rates refer to the chart on page 78
- Suitable for sprayers fitted with either a DDP-550 20L/min pump or a motorised diap



Includes blanking cap for single side spray applications



RP1-36

CODE	DESCRIPTION	SPRAY WIDTH 90 DEGREES	SPRAY WIDTH 180 DEGREES	NOZZLE COLOUR	WEIGHT	LIST EX	LIST INC	CAT
RP1-36	High flow towbar boomless nozzle	3.7m	7.4m		3 kg	$304.54	$335.00	A
M99-75B-1	Replacement nozzle & cap					$38.18	$42.00	B



BRASS BOOMLESS NOZZLE KIT

FOR RIGHT HAND REAR OR 180 DEGREE SPRAYING APPLICATIONS

These compact kits offer broadcast spraying, ideal for applications around obstacles that could damage a traditional boom such as fences, guardrails and power poles.

- Attaches to to an ATV rack, UTV or side-by-side by using the bracket or round clamp supplied
- Supplied with 90cm of 12mm I.D hose with inline tap to turn isolate flow or turn on/off
- Delivers 90- or 180-degree spray pattern simply by swapping the position of the discs
- In the 90-degree setting, liquid is directed to the right-hand side from the rear of the vehicle
- Compatible with a broad range of Silvan spray equipment



6560-01 (M99-65)
6561-01 (M99-66)

M99-65 (SIZE 02)

- Suitable for sprayers fitted with the DDP-552A (7L/min) Smoothflo pump
- Spray swath single up to 3.8m or double up to 7.6m

M99-66 (SIZE 05)

- Pump flow suitable is 11 -14L/min (381-125, 361-2088 or DDP-555)
- Spray swath single up to 7.6m or double up to 15.2m

Operating Information for 180-degree Brass Nozzles

				LITRES PER HECTARE – (Speed Km per hour)				
Product Code	Bar	L/min	Swath (m)	4.8 Km/h	6.4 Km/h	8 Km/h	12.8 Km/h	16 Km/h
M99-65	2	3.22	6.7	60	45	36	22.5	18
	2.75	3.8	7	67.8	50.8	40.7	25.4	20.4
	3.4	4.18	7.3	71.5	53.7	42.9	26.8	21.5
	4.1	4.56	7.6	75	56.3	45	28.1	22.5
M99-66	2	6.44	13.4	60	45	36	22.5	18
	2.75	7.6	14	67.8	50.8	40.7	25.4	20.4
	3.4	8.36	14.6	71.5	53.7	42.9	26.8	21.5
	4.1	9.12	15.2	75	56.3	45	28.1	22.5

Please note: 90-degree nozzles have the same litres per hectare but half the litres per minute and spray swath

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-65	Boomless Nozzle (Size 02)	4 Bar/60psi	4.56	7.6	$190.00	**$209.00**	B
M99-66	Boomless Nozzle (Size 05)	4 Bar/60psi	9.12	15.2	$199.09	**$219.00**	B
6560-01	Nozzle only (suit M99-65)				$99.09	**$109.00**	B
6561-01	Nozzle only (suit M99-66)				$100.00	**$110.00**	B




M99-75B

ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.

- Attaches to ATV rack and runs off your 12V pump/Rakpak
- Fitted with 30cm of hose with clamp to attach to quad bike carry frame
- **M99-75B:** Double sided output suits 14 - 20L/min (60psi) pumps
- Features adjustable nozzle spray angle to allow for directional 'in-close' spraying if required
- Suitable for sprayers fitted with the DDP-550 (20L/min) Aquatec pump and pressure regulator



Includes blanking cap for single side spray applications



M99-75B

Application Rate Chart for M99-75B									
Application Rate L/ha at km/hr									
DESCRIPTION	**Swath**	**Bar**	**L/min**	**4 km/hr**	**5 km/hr**	**6 km/hr**	**8 km/hr**	**10 km/hr**	**12 km/hr**
Single Side 1 Nozzle Pumps 7-14L/min		2	3.2	130	104	86	65	52	43
	3.7m	3	3.9	158	126	105	79	63	53
		4	4.6	186	149	124	93	75	62
DESCRIPTION	**Swath**	**Bar**	**L/min**	**4 km/hr**	**5 km/hr**	**6 km/hr**	**8 km/hr**	**10 km/hr**	**12 km/hr**
Double Side 2 Nozzle Pumps 14-20L/min		2	6.4	130	104	86	65	52	43
	7.4m	3	7.8	158	126	105	79	63	53
		4	9.2	186	149	124	93	75	62

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	NOZZLE COLOUR	LIST EX	LIST INC	CAT
M99-75B	Boomless Nozzle Kit 2 Nozzle	2 Bar/30 psi	7.6	7.4		$168.18	$185.00	B
M99-75B-1	Replacement Nozzle & cap					$38.18	$42.00	B



M99-80

3 POINT LINKAGE BOOMLESS NOZZLE

Designed for three point linkage sprayers running between 30 and 60psi spraying pressure. An economical way to spray up to 17.7m wide and is supplied with a mounting bracket that fits between the upright bars on Silvan linkage units.

- Galvanised steel mounting frame
- 2.5m of 12.5mm delivery hose
- # 20 brass boomless nozzle (6542-01)
- Delivers 90- or 180-degree spray pattern simply by swapping the position of the discs
- In the 90-degree setting, liquid is directed to the right-hand side from the rear of the sprayer
- Suitable for CBP06020 (58L/min open flow)



M99-80

					LITRES PER HECTARE – (Speed Km per hour)				
Product Code	Psi	Bar	L/min	Swath (m)	4.8 Km/h	6.4 Km/h	8 Km/h	12.8 Km/h	16 Km/h
M99-80	30	2	19.3	16.46	145.92	108.5	87	54.25	44
	40	2.75	22.33	16.46	168.37	126.27	101	63.6	50.51
	50	3.4	25.36	17.06	184.27	138.43	110.37	69.2	55.18
	60	4.1	26.87	17.67	189	141.24	113.18	71.09	57.05
Please note: 90-degree nozzles have the same litres per hectare but half the litres per minute and spray swath									

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-80	Boomless nozzle with mounting bracket (suit MKII linkage units with C channel frame)	4 Bar/60psi	26.9	17.7m	$544.55	$599.00	B
6542-01	Replacement boomless nozzle only				$129.09	$142.00	B



RP1-26

CROSS-FOLD BOOMS - 3m & 4m

- Anodised steel frame
- Break-back mechanism on outer boom arms that protects boom if an obstruction is hit
- Multi-functional mounting brackets to assist in mounting to many sprayers
- Height adjustable
- Folds to a cross position to get through gates easier
- Stainless steel spray lines and non-drip nozzle bodies
- Yellow (02) Air Induction nozzles to assist in drift reduction
- Suitable for sprayers fitted pumps DDP-555 (14L/min open flow) and DDP-550 (20L/min open flow) pump in conjunction with a pressure regulator

RP1-25 (3M CROSS-FOLD BOOM)

- 6 x CFA11002 Air Induction nozzles

RP1-26 (4M CROSS-FOLD BOOM)

- 8 x CFA11002 Air Induction nozzles



RP1-25



RP1-26

CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
RP1-25	6	2.6m	3m	0.5m	Yes	500mm	Cross	8.1 kg	$1,060.00	**$1,166.00**	A
RP1-26	8	3.6m	4m	0.5m	Yes	500mm	Cross	9.6 kg	$1,260.00	**$1,386.00**	A



FIELD BOOMS - 6m & 8m

Medium-duty corrosion resistant hot dip galvanised frame in 6m or 8m spraying width. Features break-back device that protects boom if an obstruction is hit.

- Fully folding arms with stainless steel spray lines & non-drip nozzle assembly
- Ideal for linkage or trailer type sprayers
- Nozzles fully shielded from damage (excl. ZZ032-19A) and supplied with air induction nozzles
- Suitable for sprayers fitted with the Comet PTO pump: CBP06020 (58L/min open flow) or CBP13020 (132L/min open flow)



Folded width - 2040mm

032-044-6



ZZ032-19A

CODE	NOZ QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
032-044-6	12	5.8m	6m	0.5m	Yes	500mm	Horizontal	39 kg	$1,850.00	**$2,035.00**	A #
032-044-8	16	7.5m	8m	0.5m	Yes	500mm	Horizontal	47 kg	$2,500.00	**$2,750.00**	A #
032-044-10	20	9.5m	10m	0.5m	Yes	500mm	Horizontal	55 kg	$2,850.00	**$3,135.00**	A #
ZZ032-19A	12	5.5m	6m	0.5m	Yes	500mm	Horizontal	35 kg	$1,230.00	**$1,353.00**	A #

 # Refer to Terms & Conditions on page 254 or more information

DOUBLE-SIDED UNDER VINE SHIELDED BOOM

An adjustable shielded boom for spraying along fences, under tree lines and vine rows.

- Boom with extendable width adjustment from 2.3m to 3.2m total width
- Spring loaded breakaways to protect the boom if an obstacle is struck
- Durable boom shields to minimise spray drift and avoid snagging
- 1/2" delivery hose (nut and tails to be ordered separately)
- Suitable for sprayers fitted with the DDP-552A (7L/min open flow) Smoothflo pump, DDP-555 (14L/min open flow) Aquatec pump and pressure regulator or DDP-550 (20L/min open flow) Aquatec pump and pressure regulator

G8292045KIT




CODE	DESCRIPTION	ADJUSTMENT	LIST EX	LIST INC	CAT
G8292045KIT	Double-sided under vine shield boom	2.3m to 3.2m	$908.18	**$999.00**	A

PAK BOOMS - 1m & 2m

Stainless steel construction. 1 & 2 metre width, non-drip nozzle assemblies.

- Supplied with connecting hose, on/off tap and mounting clamps
- LC-15 Anvil deflector nozzles @ 2 bar 0.97L/min
- Includes breakaway clips boom unclips if an obstruction is hit



L99-09



L99-08

CODE	NOZZLE QTY	BOOM WIDTH	SPRAY WIDTH	NOZZLE SPACING	BREAK BACK	MIN BOOM HEIGHT	FOLDING POSITION	WEIGHT	LIST EX	LIST INC	CAT
L99-09	2	1.05m	2m	1m	No	1000mm	None	2 kg	$280.91	**$309.00**	A
L99-08	3	2.05m	3m	1m	No	1000mm	None	2.5 kg	$354.55	**$390.00**	A

WICK APPLICATOR

Wick Applicator is great for precision or drift free direct contact application, eliminating mist spray around valued plants or obstacles.

GARDEN WICK STICK

One wipe does it all! The successful wick wiping method has also been adapted to general garden use in an easy to handle, rake-size applicator. Its simple design allows liquid to flow from a long refillable PVC handle into a pistachio wick head that in turn applies a lethal dose to weeds.



489

CODE	BOOM CAPACITY	WICKS	LENGTH	WIDTH	WEIGHT	LIST EX	LIST INC	CAT
489	0.6L	1	1260mm	280mm	0.42 kg	$180.91	**$199.00**	B



REDLINE SPRAY BOOM 1M (TR55-13C)

- Suits 25L trolley sprayer SP25-TR3, 55L & 100L Redline sprayers
- Poly spray tube with flat fan spray nozzles
- 1m boom width, 1.5m spray swath
- Supplied with mounting & plumbing kit



REDLINE BOOMLESS NOZZLE (TR55-10)

- Suits 55Lor 100L Redline Trailed sprayer or 25L Trolley sprayer (SP25-TR3)
- Supplied with wiring harness and On/Off switch
- Swivel holder to adjust spray angle
- 55L Redline uses a white nozzle to achieve a 2m spray swath
- 100L Redline uses a green nozzle to achieve a 3m spray swath




REDLINE BOOMLESS NOZZLE (TR55-14)

- Suits 25L Trolley sprayer (SP25-TR3) &
  55L Rechargeable Trailer sprayer (SP55-B2TR4)
- Swivel holder to adjust spray angle
- 2m spray swath



CODE	DESCRIPTION	LIST EX	LIST INC	CAT
TR55-13C	Redline Spray boom 1.5m spray swath	$104.54	$115.00	A
TR55-10	Redline Boomless nozzle 2m or 3m spray swath	$171.82	$189.00	B
TR55-14	Redline Boomless nozzle 2m spray swath	$151.82	$167.00	A




M99-73

Silvan fence line kits are an ideal accessory to assist with fence line spraying, fire breaks along property boundaries and general weed management around rural sheds and driveways. The Silvan fence line kits can be adapted to many different spraying manufacturer's booms in Australia.

FENCE LINE KIT - M99-73 (TWIN PACK)


- Suitable to fit spray tube with a ½" BSP male or female thread
- ½" brass adaptor, on/off tap and rotating body to direct the spray up to 360 degrees
- Air induction off-centre 02 nozzle for drift reduction (AOC02)
- 80-degree angle
- Suitable for the L99-08, L99-09 and RP1-33 towbar booms



Application Rate and droplet chart for M99-73									
				Application Rate L/ha at km/hr					
Description	Swath	Droplet	Bar	L/min	4 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Single Side 02 1 Nozzle	0.50m	UC	2	0.65	195	130	98	78	65
	0.58m	XC	3	0.8	207	138	103	83	69
	0.62m	XC	4	0.92	222	148	111	89	74

FENCE LINE KIT - M99-72 (TWIN PACK)


- Suitable to fit spray tube with a ½" BSP female thread
- ½" brass adaptor, on/off tap and swivel to direct the spray
- Fits L99-08. L99-09. 032-044-6. 032-044-8, 032-044-10 (i.e. Field booms)
- Air induction off-centre 02 nozzle for drift reduction (AOC02)
- 80-degree angle




CODE	DESCRIPTION	NOZZLE	LIST EX	LIST INC	CAT
M99-73	Fenceline kit (Twin Pack)	AOC02 Air Induction	$190.00	$209.00	B
M99-72	Fenceline kit (Twin Pack)	AOC02 Air Induction	$177.27	$195.00	B

Hose Reels









10m RETRACTABLE HOSE REEL

- 10m of 8mm delivery hose & hose stop
- 1.5m inlet hose with ¼" BSP M connectors
- Swiveling steel mount bracket
- Spring rewind with multi position latching
- Ideal to use with 25L/55L Redline sprayers
- To fit to a sprayer, simply cut off the brass fittings on the inlet and outlet of the hose reel and attach to the pump outlet hose tail



180L01008A

15m RETRACTABLE HOSE REEL

- 15m of 10mm PVC delivery hose & hose stop
- 1m inlet hose with ¼" BSP M connectors
- Swiveling steel mount bracket
- Spring rewind with multi position latching
- Ideal to use with 100L Redline & Smoothflo Spotpak or Trukpak sprayers
- To fit to a sprayer, simply cut off the brass fittings on the inlet and outlet of the hose reel and attach to the pump outlet hose tail



180J1510A

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	HOSE LENGTH /I.D.	MAX PRESS	LIST EX	LIST INC	CAT
180L01008A	10m Retractable	360mm	140mm	290mm	4.1kg	10m/8mm	16 Bar/240 psi	$170.91	**$188.00**	A
180J1510A	15m Retractable	400mm	160mm	450mm	7kg	15m/10mm	20 Bar/290 psi	$226.36	**$249.00**	A



30m MANUAL ECO HOSE REEL

- Powder coated metal construction
- Lockable hub with locking pin
- Supplied with 30m of 10mm I.D. ag hose (no spray gun)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180G03010B

30m MANUAL ECO HOSE REEL
WITH ATOMISER SPRAY GUN

- Powder coated metal construction
- Lockable hub with locking pin
- Supplied with 30m of 10mm I.D. ag hose & Atomiser spray gun (410-52)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180G03010C

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	HOSE LENGTH /I.D.	MAX PRESS	LIST EX	LIST INC	CAT
180G03010B	30m Eco hose reel	330mm	375mm	390mm	10kg	30m/10mm	20 Bar/290 psi	$327.27	$360.00	A
180G03010C	30m Eco hose reel & Atomiser spray gun	330mm	375mm	390mm	12kg	30m/10mm	20 Bar/290psi	$372.73	$410.00	A




180E02012CT

Silvan Economy hose reels are an ideal accessory for your sprayer when wanting to use longer hose lengths. Premium quality and made in a world class factory in Italy.

BARE ECONOMY HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Suitable for 20m x 12.5mm ID or 30m of 10mm I.D. hose
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



181

20M ECONOMY MANUAL HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Supplied with 20m of 12.5mm I.D. ag hose & Jetpro spray gun (410-53)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180E02012CT

30M ECONOMY MANUAL HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Supplied with 30m of 10mm I.D. ag hose & PA spray gun (410-34)
- Common footprint that suits 300L Lightfoot & Squatpak sprayers



180E03010C

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	MAX PRESS	LIST EX	LIST INC	CAT
181	Bare Economy hose reel	450mm	350mm	370mm	4kg	20 Bar/290psi	$400.00	$440.00	A
180E02012CT	Economy h/reel c/w Jetpro spray gun	450mm	350mm	370mm	12kg	20 Bar/290psi	$750.00	$825.00	A
180E03010C	Economy h/reel c/w PA spray gun	450mm	350mm	370mm	12kg	20 Bar/290psi	$726.36	$799.00	A



180F03019E

30m MANUAL FIREFIGHTING/ WATER HOSE REEL

- Premium powder coated metal construction
- Made in Italy
- Fitted with 30m of ¾" ID delivery hose
- Adjustable poly nozzle
- Supplied with mounting brackets to suit 400L,600L & 800L Squatpak tanks
- Ideal for watering trees, dust suppression, washdown and cleaning applications



180F03019E

30m MANUAL HEAVY DUTY FIREFIGHTING/ DIESEL/WATERING HOSE REEL

- Premium powder coated metal construction
- Hose guide rollers and hose stop
- Fitted with 30m of ¾" ID delivery hose
- Inlet/outlet ¾" BSP
- Ideal for watering trees, dust suppression, washdown and cleaning applications



JA-1402021

FIREFIGHTING/WATER NOZZLE

- High density plastic outer and inner body
- Adjustable spray from straight to conical pattern
- ¾" BSP female thread
- Ideal for watering trees, dust suppression, washdown and cleaning applications



422-502

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
180F03019E	30m Firefighting/Watering hose reel	525mm	460mm	545mm	18 kg	$972.72	$1,070.00	A
JA-1402021	30m Heavy Duty Firefighting/Diesel/ Watering hose reel	660mm	490mm	680mm	44.5 kg	$972.72	$1,070.00	A
422-502	Firefighting/Watering nozzle	115mm	50mm	50mm	0.08 kg	$71.82	$79.00	B



180NL






50m EASYROLL 12V REMOTE HOSE REEL

The Silvan EASYROLL retractable hose reel has been designed and built in Australia; it is a simple, effective solution for operators to spray effortlessly compared to standard manual rewind hose reels. Ideal when spraying noxious weeds along fence lines, roadsides, undulating scrub, parks & gardens, golf courses etc. Other popular applications are for nurseries and greenhouses.

- The EASYROLL hose reel has been designed to retrofit onto many sprayers with a flat surface that can hold the weight of the reel (20kg)
- The predrilled holes in the mounting frame are 175mm x 175mm
- Lightweight and compact
- Heavy duty thick gauge stainless steel construction
- Stainless steel finish is for ultimate resistance to corrosion and scratches
- 12V brushless, high torque electric drive system assembly eliminates the use of chains, belts or pulleys for a more reliable and safer operation
- Central hub motor mechanism is free of pinch points and is effictively maintenance free
- Single channel remote control with adaptive frequency hopping to prevent interference and ensure reliable performance on undulating terrain
- On/off power switch with overide rewind switch
- 50m of 1/2" O.D Smoothline kink-resistant nylon hose with Turbo 400 spray gun
- 20 Bar/290psi working pressure
- Atomiser spray gun, up to 15m spray performance

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
180NL	50m EASYROLL hose reel	527mm	277mm	547mm	20 kg	20 Bar/290psi	$3,250.00	**$3,575.00**	A*

** Refer to Terms & Conditions on page 254 or more information*



147R10012

REEL TUFF 12V
HEAVY DUTY REMOTE REEL

The professional tool for spot spraying convenience, ideal for contract spraying or on-farm use. This reel can be used for roadside spraying, through undulating scrub, poultry sheds or glasshouses.

- Heavy duty high torque direct drive gear box and electric motor
- Galvanised steel construction for corrosion & scratch resistance
- Long range remote system with automatic frequency hopping technology for interference-free use (915mhz)
- 100m of 1/2" nylon tubing
- Optional Turbo 400 spray gun, see below. Snap-lock connectors for neat storage, ratcheting pin lock for transport, keeps hose on the spool
- No belts, chains or sprockets to maintain



LONG RANGE REMOTE SYSTEM



RATCHETING PIN LOCK ELIMINATES ACCIDENTAL UNSPOOLING

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	MAX PRESS	LIST EX	LIST INC	CAT
147R10012	Reel Tuff 12V Remote Reel	750mm	500mm	850mm	50 kg	40 Bar/580 psi	$5,750.00	**$6,325.00**	A*
401-26BRQS	Optional Turbo 400 spray gun	440mm			.7 kg	50 Bar/725 psi	$200.91	**$221.00**	B

* *Refer to Terms & Conditions on page 254 or more information*

Guidance, Monitors & Foam Markers





GD430-GLO-P-L

GPS GUIDANCE SYSTEMS

The Matrix uses GPS technology to help guide tractors and machinery when boom spraying to minimise spray overlap/ underlap and ensure optimal application. This is ideal for use with a boomspray, fertiliser spreader or when raking hay to keep you on track and in a straight line replacing and enhancing the function of a foam marker.


- Guidance modes include: Straight AB, Curved AB, Circle Pivot and Last Pass
- High-contrast, full colour, 4.3" / 110mm graphic touchscreen display provides superior visibility in bright light conditions
- Versatile GNSS guidance in a compact, portable package
- Applied alert provides operator with audible alarm when entering into previously applied areas
- Area counter measures and displays applied area throughout application
- Elapsed time counter measures amount of time spent on current job
- Standard patch antenna supplied

GD430-GLO-P-L



Matrix 430 Kit, GLONASS, Patch Antenna, Lighter Connector also has a USB port. also uses free SBAS signal

MATRIX GUIDANCE FUNCTIONS



CODE	DESCRIPTION	LIST EX	LIST INC	CAT
GD430-GLO-P-L	Matrix 430, GLONASS, Patch Antenna, Lighter Connector	$3,800.00	$4,180.00	A*

* *Refer to Terms & Conditions on page 254 or more information*

FOAM MARKERS

Designed for the spray operator to have a visual reference of the areas sprayed with a boom, eliminating expensive under or over lapping of chemicals.

- UV stabilised poly tanks
- 12 volt fully sealed, dust-free diaphragm compressor with breather
- In-cab remote mounted control box with wiring loom
- Valve for foam output adjustment
- 1L foam marker concentrate supplied with 042M only.



042M

14L MODEL - 042M

- 10m wire-reinforced delivery hose and single-foam dropper
- Ideal for ATV bikes and side-by-sides

16L MODEL - 042D-16S

- 16m delivery hose and double-foam droppers
- In-cab remote with on/off & left/right control
- Ideal for tanks up to 800L



042D-16S

57L MODEL - 042D-57

- 36m delivery hose and double-foam droppers
- In-cab remote with on/off & left/right control
- Ideal for linkage sprayers over 800L and trailed sprayers



042D-57

Shown with 600L Linkage Sprayer and optional mounting kit

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
042M	14L Foam Marker	570mm	195mm	340mm	12 kg	$990.91	$1,090.00	A
042D-16S	16L Foam Marker	570mm	210mm	460mm	14.5 kg	$1,100.00	$1,210.00	A #
042D-57	57L Paddock Foam Marker	850mm	300mm	570mm	21 kg	$1,600.00	$1,760.00	A #

 # Refer to Terms & Conditions on page 254 or more information

1L FOAM CONCENTRATE

Makes 100L of high density foam. Provides excellent visibility and long life on the ground.



071-1D

12V COMPRESSOR

As used on Silvan 14L foam marker. Ideal for high volume, low pressure foam making application.

- 1/8" BSP outlet
- 37L/min @ 32kPa/4.6psi
- 60W



042C-6

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
071-1D	1L Foam Concentrate				$36.36	$40.00	B
042C-6	12V Compressor - 37L/min	200mm	110mm	140mm	$362.73	$399.00	B

Spray Guns



Silvan
GENUINE ACCESSORIES



TRIGGER SPRAY GUN

This lightweight durable spray gun is a replacement gun for our 25 and 55 litre Redline sprayers. Also suitable for many hand sprayers, backpack sprayers and 12 volt sprayers.

- Adjustable nozzle that produce a straight stream or a conical spray pattern
- The poly hand piece has a lock on/off feature
- Fitted with chemical resistant O-ring
- Stainless steel lance
- Brass 6mm hose tail supplied (382-167)



382-167



1.5mm opening




382-052

CODE	DESCRIPTION	HOSE I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
382-052	Spray Gun suits 25/55L Redline & backpack sprayers	8mm	6.6 Bar/100 psi	770mm	0.42 kg	$27.27	$30.00	B
382-167	Brass hose tail	8mm				$4.55	$5.00	B
187-MH04	Hose clamp suit 8mm hose					$2.73	$3.00	B

EXTENDABLE LANCE SPRAY GUN

- Aluminium lance extends from 780mm to 1150mm
- Adjustable spray nozzle, from fine conical mist for excellent (leaf) coverage to pencil stream for distance spraying
- Sturdy poly handle with trigger lock
- Maximum pressure 7 Bar / 100psi
- Can be fitted to a range of spray equipment



382-097


CODE	DESCRIPTION	HOSE I.D.	LENGTH	WEIGHT	MAX. PRESSURE	LIST EX	LIST INC	CAT
382-097	Extendable Lance Spray Gun	8mm	780mm	0.38kg	7 Bar/100 psi	$31.82	$35.00	B



SPOTJET SPRAY GUN (JOLLY)

The Spotjet spray gun is a standard gun on many Silvan sprayers. The nozzle is adjustable from a straight stream to a conical spray pattern producing a course droplet which minimises potential drift.

- Adjustable X26 cone jet nozzle with 30° offset from horizontal
- Viton seals for maximum chemical resistance
- Sturdy Spotjet hand piece with trigger lock and 500mm stainless steel lance





38720-PPB-X26


CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-51	Spotjet Spray Gun	8mm	7 Bar/100psi	840mm	0.42kg	$56.36	$62.00	B
38720-PPB-X26	Replacement adjustable nozzle 8 & 10mm					$20.91	$23.00	B
SERVICE KIT CODE	4019900009 Repair kit suit Spotjet Spray Gun					$35.45	$39.00	B

TRIGJET SPRAY GUNS

Features a very strong and sturdy handgun with on/off trigger and locking device. Extremely lightweight and comfortable. Supplied with a brass adjustable nozzle, ideal for close spot spraying and distance spraying applications.

- Constructed from stainless steel, brass, high density polypropylene with Viton gaskets
- Adjustable spray nozzle (1.5mm orifice size)
- Stainless steel lance (150mm or 500mm)
- Polypropylene reinforced fiberglass body
- Supplied with a 10mm and 12.5mm brass hose tail and clamp
- ½" BSP male inlet






CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-60	Trigjet Spray Gun 150mm Lance	10/12.5mm	30 Bar/435psi	370mm	0.36kg	$77.27	$85.00	B
410-61	Trigjet Spray Gun 500mm Lance	10/12.5mm	30 Bar/435psi	730mm	0.38kg	$80.91	$89.00	B
SERVICE KIT CODE	410-61-01 Repair kit suit Trigjet Spray Gun					$4.54	$5.00	B



GE057 SPRAY GUN

Robust polypropylene hand gun construction and comfortable ergonomic trigger grip action minimises fatigue.

- Adjustable brass cone jet nozzle
- Strong corrosion resistant 500mm stainless steel lance
- Suits pumps up to 20 Bar/290psi
- Ideal for 12V sprayers




CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-57	Geo57 Spray Gun	10mm & 12.5mm	20 Bar/290 psi	710mm	0.54 kg	$80.91	**$89.00**	B

PA SPRAY GUN (RL-16)

Silvan spray guns are designed to help reduce fatigue whilst hand spraying. Popular with farmers, orchardists and contractors - they are manufactured in a range of materials from stainless steel, brass and polypropylene.

- On/off trigger grip action with lock off position
- Fibreglass reinforced body
- 1/4" BSP F inlet supplied with 10mm and 12.5mm hose tails
- Pressure 20 Bar/290psi





CODE	DESCRIPTION	HOSE I.D.	LENGTH	WEIGHT	MAX. PRESSURE	LIST EX	LIST INC	CAT
410-30	200mm Poly Lance & Adj. Brass Nozzle	10mm/12.5	430mm	0.32 kg	20 Bar/290 psi	$138.18	**$152.00**	B
410-34	500mm S/S Lance, Cone & Fan Nozzle	10mm/12.5	700mm	0.42 kg	20 Bar/290 psi	$162.73	**$179.00**	B
SERVICE KIT CODE	410-30000224 Repair kit suit PA Spray Guns					$27.27	**$30.00**	B



JETPRO SPRAY GUN

Ergonomic design for comfortable grip to reduce fatigue


- Strong corrosion resistant lance with non-drip shut-off at nozzle
- Max pressure 40 Bar / 600psi to support atomising spray for greater coverage
- Supplied with hose swivel, 10mm & 12.5mm hose tails
- Professional spray gun, that has the ability to deliver a straight stream to a cone spray pattern by easily adjusting the trigger. The spray gun has a locking device that allows the operator to set a desired spray pattern for easier constant spraying requirements



FINE CONE PATTERN IS IDEAL FOR SPRAYING PESTICIDE



PENCIL STREAM IS IDEAL FOR HERBICIDE AND DISTANCE SPRAYING



CODE	DESCRIPTION	HOSE SIZES I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
410-53	JetPro Spray Gun	10mm, 12.5mm	380mm	.755 kg	40 Bar/580 psi	$146.36	$161.00	B
405-M27-**	Nozzle to suit Jetpro Spray Gun - available in sizes 10,12,18,20,23					$7.27	$8.00	B
SERVICE KIT CODE	382-077 Repair kit to suit Jetpro Spray Gun					$2.72	$3.00	B

VARIJET SPRAY GUN (RL-16)

Lightweight, corrosion resistant ergonomical design, sprays from straight stream to conical mist.

- Spray pattern changes by rotating gun barrel
- On/off trigger grip action with lock off position
- Designed to reduce fatigue while spraying
- 1/2" BSP M inlet with hose tail to fit 10/12.5mm hose




410-43

CODE	DESCRIPTION	HOSE SIZES I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
410-43	Varijet Spray Gun	10/12.5mm	293mm	0.500 kg	40 Bar/600 psi	$253.64	$279.00	B
405-M27-**	Nozzle to suit Varijet Spray Gun - available in sizes 10,12,18,20,23					$7.27	$8.00	B
SERVICE KIT CODE	410-30000224 Repair kit to suit Varijet Spray Gun					$27.27	$30.00	B

TRIAM SPRAY GUN

Ideal for high pressure applications with a trigger adjustable spray pattern for straight stream for distance or wide cone for atomising with non-drip shut-off at nozzle. A sturdy stainless steel/brass barrel and a polypropylene handgun construction to help reduce fatigue.

- Supplied with 1.5 ceramic nozzle and 10mm hose tail
- Supplied unboxed and no swivel



410-11-1

CODE	DESCRIPTION	HOSE SIZES I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
410-11-1	Triam 44 Spray Gun	10mm	305mm	0.650 kg	40 Bar/600 psi	$135.45	$149.00	B
405-M27-**	Nozzle to suit Triam 44 Spray Gun - available in sizes 10,12,18,20,23					$7.27	$8.00	B
SERVICE KIT CODE	401-45BR Service Kit to Suit Triam 44 Spray Gun					$31.82	$35.00	B

ATOMISER SPRAY GUN

A heavy duty spray gun designed for professional and general spraying with an ergonomic handle to maintain comfort of use. An adjustable spray lever changes spray from straight stream to conical mist.

- Heavy duty polypropylene construction with stainless steel/brass barrel
- Airvac nozzle shroud atomiser ensures a very fine mist for excellent leaf coverage and reduction of droplet leakage
- 1/2" BSP male with hose tails to suit 10mm & 12.5mm ID hose
- Max pressure 40 Bar/580psi
- Supplied with 1.5 mm & 2.5 mm nozzle
- Other nozzle sizes available, see chart below MA7-**



410-52

CODE	DESCRIPTION	HOSE SIZES I.D.	MAX PRESSURE	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
410-52	Atomiser Spray gun	10/12.5mm	40 Bar/580psi	400mm	0.70kg	$113.64	$125.00	B
SERVICE KIT CODE	410-52-01 Repair kit suit Atomiser Spray Gun					$18.19	$20.00	B

TURBO 400 SPRAY GUN

Constructed from high impact chemical resistant plastic with stainless steel and brass components. Features include spring loaded adjustable spray lever with variable spray control from misting to spot spraying and a trigger locking device. The Airvac nozzle shroud atomiser ensures a very fine mist with excellent leaf coverage and reduction of droplet leakage when operating from 150 psi upwards.

- Minimum operating pressure for misting is 150 psi
- 1/2" BSP M inlet and hose swivel
- Supplied with 10mm and 12.5mm hose tails only for 411-22
- Max pressure 50 Bar/725psi
- **No hose tails or carton supplied (401-26BRQS)**



411-22
Polypropylene hand piece



401-26BRQS
Aluminium hand piece with trigger guard

NOZZLE OPTIONS	SIZE	LIST EX	LIST INC	CAT
MA7-10	1.0	$21.82	$24.00	B
MA7-12	1.2	$21.82	$24.00	B
MA7-15	1.5	$21.82	$24.00	B
MA7-18	1.8	$21.82	$24.00	B
MA7-20	2.0	$21.82	$24.00	B


NOZZLE OPTIONS	SIZE	LIST EX	LIST INC	CAT
MA7-23	2.3	$21.82	$24.00	B
MA7-25	2.5	$21.82	$24.00	B
MA7-30	3.0	$21.82	$24.00	B
MA7-35	3.5	$21.82	$24.00	B
MA7-40	4.0	$21.82	$24.00	B

CODE	DESCRIPTION	HOSE I.D.	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
411-22	Turbo 400 - Poly	10mm/12.5mm	440mm	0.700 kg	50 Bar/725 psi	$217.27	$239.00	B
SERVICE KIT CODE	BRA-2330212 Repair kit suit Turbo 400 Spray Gun (411-22)					$27.27	$30.00	B
401-26BRQS	Turbo 400 - Aluminium	10mm/12.5mm	440mm	0.700 kg	50 Bar/725 psi	$200.91	$221.00	B
SERVICE KIT CODE	401-26BR-001 Reapir kit suit Turbo 400 Spray Gun (401-26BRQS)					$85.45	$94.00	B

GUNJET 43 SPRAY GUN

A heavy duty robust spray gun ideal for professional contractors and for spraying blackberries and Patterson's Curse. Stem extends through extension to valve seat located directly behind orifice disc for drip-free shutoff and instant operating response. Convenient trigger-lock for continuous spraying.

* Hose tails not supplied (see below)



AAB43HA-8

CODE	INLET CONNECTION	LENGTH	WEIGHT	MAX PRESSURE	MATERIAL	LIST EX	LIST INC	CAT
AAB43HA-8	1/2" BSPT (F)	330mm	1.30 kg	53 Bar/797 psi	Brass	$405.45	$446.00	B
AAB43LA-AL8	1/2" BSPT (F)	330mm	1.00 kg	14 Bar/203 psi	Aluminium	$379.09	$417.00	B
474-209	Hose tail 1/2" Male x 10mm Barb				Brass	$13.64	$15.00	B
474-207	Hose tail 1/2" Male x 12.5mm Barb				Brass	$10.91	$12.00	B

GUNJET 30 AND 31

The Gunjet 30 and 31 are popular in pest control, designed for excellent corrosion resistance.

- See lance extensions below
- Hose tails and nozzles not supplied (see below)



AAB30L-1/4



AAB30-1/4



AA31

CODE	DESCRIPTION	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
AAB30L-1/4	GUNJET 30L - 250psi	160mm	0.436 kg	$162.73	$179.00	B
SERVICE KIT CODE	AB30L-KIT Repair kit suit AAB30L-1/4 Spray Gun			$36.36	$40.00	B
AAB30-1/4	GUNJET 30 - 1500psi	160mm	0.436 kg	$170.91	$188.00	B
SERVICE KIT CODE	AB30A-KIT Repair kit suit AAB30-1/4 Spray gun			$59.09	$65.00	B
AA31	GUNJET 31 - 500psi			$215.45	$237.00	B
SERVICE KIT CODE	PK-AB31-KIT Repair kit suit AA31 Spray Gun			$48.18	$53.00	B
474-191T	Brass Hose tail 1/4" Male x 10mm Barb			$6.36	$7.00	B
474-200T	Brass Hose tail 1/4" Male x 12.5mm Barb			$6.36	$7.00	B

STRAIGHT LANCE

- Suit AAB30, AA31 & 43 Gunjet Spray Guns




7715-(sizes available: 12; 18; 24; 30 and 48 inch)**

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
7715-12	STRAIGHT LANCE 12"	$45.45	$50.00	B
7715-18	STRAIGHT LANCE 18"	$50.00	$55.00	B
7715-24	STRAIGHT LANCE 24"	$51.82	$57.00	B
7715-30	STRAIGHT LANCE 30"	$61.82	$68.00	B
7715-48	STRAIGHT LANCE 48"	$70.00	$77.00	B

CURVED LANCE

- Suit AAB30, AA31 & 43 Gunjet Spray Guns



6671- (sizes available: 8,18; 24; 30; 36 & 48 inch)**

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
6671-8	CURVED LANCE 8"	$45.45	$50.00	B
6671-18	CURVED LANCE 18"	$54.55	$60.00	B
6671-24	CURVED LANCE 24"	$57.27	$63.00	B
6671-30	CURVED LANCE 30"	$61.82	$68.00	B
6671-36	CURVED LANCE 36"	$63.64	$70.00	B
6671-48	CURVED LANCE 48"	$74.55	$82.00	B

ADJUSTABLE NOZZLES

5500-X: Brass nozzle provides half turn for wide angle, finely atomised cone spray to a straight stream distance spraying.**

- SIZES AVAILABLE, -X1;-X2; -X3; -X4; -X5; -X6; -X8; -X10; -X12; -X14, X18, X22, X26
- *To order: 5500-X1 for -X1 size

5500-PPB-X: Poly version provides excellent chemical resistance and is lightweight, making it well suited for hand held and backPack type sprayers.**

- SIZES AVAILABLE, -X3; -X5; -X6; -X8; -X12; -X18
- *To order: 5500-PPB-X3 for -X3 size



5500-X**



5500-PPB-X**

CODE	MATERIAL	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
5500-X**	Brass	42mm	46 g	10 Bar/145 psi	$59.09	$65.00	B
5500-PPB-X**	Poly	47mm	8 g	10 Bar/145 psi	$31.82	$35.00	B

SPRAY HOSE SWIVEL

Eliminates twisted hose. Brass with Viton O-ring.

- Thread size 1/2" BSPT male/female



418-94

CODE	DESCRIPTION	MAX TEMP	LENGTH	WEIGHT	MAX PRESSURE	LIST EX	LIST INC	CAT
418-94	Spray Hose Swivel	93˚C (200˚)	40mm	80 gm	50 Bar/725 psi	$27.27	$30.00	B

BRASS HOSE CONNECTORS

Manufactured from high quality brass and can be used in conjunction with any BSP fittings



1 2 3

CODE (2 PACK)		NO.	HOSE SIZE	LIST EX	LIST INC	CAT
NUT & TAIL	G8304004-PK	1	10mm	$19.09	$21.00	B
	G8304005-PK	2	12.5mm	$36.36	$40.00	B
NUT & ELBOW	G8304008	3	12.5mm	$14.55	$16.00	B

HOSE TAIL



CODE	THREAD SIZE BSP	TAIL SIZE	LIST EX	LIST INC	CAT
474-191	1/4"Male	10mm	$8.18	$9.00	B
474-200	1/4"Male	12.5mm	$9.09	$10.00	B
474-207	1/2"Male	12.5mm	$10.91	$12.00	B
474-209	1/2"Male	10mm	$13.64	$15.00	B

HOSE SNAP COUPLINGS

Ideal for quick disconnection of spray guns from hose reels featuring liquid shut-off. Manufactured from corrosion resistant materials.

- Maximum pressure 30 Bar (435psi)



4



5

CODE	REF	COUPLING TYPE	MATERIAL	CONNECT. SIZE	LIST EX	LIST INC	CAT
406-02-PK	4, 5	Complete Set	Brass	1/2"BSPT (M)	$148.18	$163.00	B
406-02M	4	Male	Brass	1/2"BSPT (M)	$28.18	$31.00	B
406-02F	5	Female	Brass	1/2"BSPT (M)	$113.64	$125.00	B



T-BOOM

- 40cm wide 2 nozzle T-Boom
- Approximately 80cm spray swath achieved at 40cm from the target
- 2 low flow flat fan spray nozzles with strainers to minimise nozzle blockage
- T-Boom fits: 8L & 40L Essential sprayers, Redline sprayers, all hand, trolley and backpack sprayers including ProGrade
  (excluding 1.5L Prograde & 20L Upright Sprayer)



CODE	DESCRIPTION	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
WP2-T	T-Boom	400mm	0.7 kg	$38.18	**$42.00**	B


SPRAY SHIELD

- Helps reduce excess spray drift and improves spraying efficiency
- Ideal for weed, herbside spraying and fertiliser applications
- Tough, lightweight, chemical resistant polyethylene shield
- Spray shield fits: 8L & 40L Essential sprayers, Redline sprayers, all hand, trolley and backpack sprayers including ProGrade
  (excluding 1.5L Prograde & 20L Upright Sprayer)



CODE	DESCRIPTION	LENGTH	WEIGHT	LIST EX	LIST INC	CAT
382-076-1	Redline Spray Shield	220mm	0.64kg	$16.36	**$18.00**	B


Pumps, Valves, Controllers, Tanks & Hoses



Silvan
GENUINE ACCESSORIES

Silvan 12V Diaphragm Pumps

Tough and reliable they will run dry without risk of damage.





Aquatec pumps are made of the highest quality and are exclusive to Silvan. Aquatec are a leading American manufacturer of pumps which are of proven durability with minimal maintenance. Constant flow technology provides consistent spraying without pulsation.

AQUATEC SMOOTHFLO 12V PUMP

- Consistent flow and even pressure
- 7L/min open flow, max pressure 8 Bar/120psi
- Pump adapts to changes in output volume to maintain higher flows under increasing pressure
- Fitted with on/off demand pressure sensing switch
- Suits S7 & S7C sprayers
- 3/8" female ports
- L 210 x W 100 x H 95mm



DDP-552A
9 Amps

OPTIONS:



RP1-24-4

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-552A	Smoothflo Pump	7 L/min	8 Bar/120 psi	Viton	Santo	Intermittent	$271.82	$299.00	A
RP1-24-4	Pressure Regulator suit DDP-552A						$263.64	$290.00	B

AQUATEC HIGH PRESSURE 12V PUMP

- Consistent flow and even pressure
- 5L/min open flow, max pressure 13 Bar/200psi
- 3/8" female BSP ports
- Viton valves and a Santoprene diaphragm
- Suits S9 sprayers
- 3/8" female ports
- L 255 x W 100 x H 110mm



DDP-554
16 Amps

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-554	Smoothflo High Pressure Pump	5 L/min	13 Bar/200 psi	Viton	Santo	Intermittent	$453.64	$499.00	A



DDP-555-1

AQUATEC MEDIUM CAPACITY 12V PUMP

- Ideal for small to medium spray booms & boomless nozzles
- 14L/min open flow, max pressure 4 Bar/60psi
- On/off demand pressure switch
- For intermitent operation
- High-capacity pump requires a pressure regulator to allow pressure adjustment, bypass control and to eliminate pump pulsation
- Recommended nozzle size to use is D8, 08 flat-fan or equivalent
- Not using a pressure regulator and the correct size nozzle may void warranty
- L 250 x W 130 x H 110mm



DDP-555
11 Amps

OPTIONS:



RP1-24-5

CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-555	Medium Capacity 12V Pump	14 L/min	4 Bar/60 psi	Viton	Santo	Intermitent	$340.91	$375.00	A
RP1-24-5	Pressure Regulator suit DDP-555						$190.00	$209.00	B

AQUATEC HIGH CAPACITY 12V PUMP

Used where higher volume is required such as boomless nozzle spraying and larger boom spraying.

- Ideal for small to medium spray booms & boomless nozzles
- 20L/min open flow, max pressure 4 Bar/60psi
- On/off demand pressure switch
- For continuous operation, attach the optional pressure regulator kit
- High-capacity pump requires a pressure regulator to allow pressure adjustment, bypass control and to eliminate pump pulsation
- Recommended nozzle size to use is D8, 08 flat-fan or equivalent
- Not using a pressure regulator and the correct size nozzle may void warranty
- L 265 x W 130 x H 110mm



DDP-550
18 Amps

OPTIONS:



RP1-24-5


CODE	DESCRIPTION	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-550	High Capacity 12V Pump	20 L/min	4 Bar/60 psi	Viton	Santo	Cont. at 40psi	$490.00	$539.00	A
RP1-24-5	Pressure Regulator suit DDP-550						$190.00	$209.00	B

12v Aquatec premium quality pumps manufactured from the USA are now available in a bundle with a pressure regulator kit that has 2 outlets, suitable for spot or boom spraying applications with the added function of pressure adjustment. Designed as a premium retro fit system for many brands of sprayers.

AQUATEC MEDIUM DUTY CAPACITY PUMP & PRESSURE REGULATOR

NEW

- Ideal for spot spraying, a medium size spray boom or boomless nozzle
- 14 L/min open flow, max pressure 4 Bar/60psi
- On/Off demand pressure switch
- Recommended spray nozzle, size 08
- 3 outlet manifold system with quick fit 5D ½" BSP male outlets
- Suitable for a hose reel and spray gun, a spare outlet for a boom and the 3rd outlet for pressure adjustment and bypass
- L 250 x W 260 x H 150mm




DDP-555-1

CODE	DESCRIPTION	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-555-1	Aquatec 14L/min Pump with pressure regulator	Viton	Santo	Intermittent	$540.91	**$595.00**	A

AQUATEC HIGH FLOW CAPACITY PUMP & PRESSURE REGULATOR

NEW

- Ideal for spot spraying, a medium size spray boom or boomless nozzle
- 20 L/min open flow, max pressure 4 Bar/60psi
- On/Off demand pressure switch
- Recommended spray nozzle, size 08
- 3 outlet manifold system with Quick fit 5D ½" BSP male outlets
- Suitable for a hose reel and spray gun, a spare outlet for a boom and the 3rd outlet for pressure adjustment and bypass
- L 265 x W 265 x H 150mm



DDP-550-1

CODE	DESCRIPTION	VALVES MAT.	DIAPHRAGM MATERIAL	DUTY RATING	LIST EX	LIST INC	CAT
DDP-550-1	Aquatec 20L/min Pump with pressure regulator	Viton	Santo	Intermittent	$690.00	**$759.00**	A

12V SILVAN PAK PUMPS

The Silvan Pak pumps were developed in 2006 and are made of high quality components, chemical resistant wearing parts and the pumps can run dry. Ideally suited to a range of spraying applications including spot spraying to small boom spraying. Also, they are commonly used when camping for showers & sinks in caravans and general water transfer applications.

SILVAN LOW FLOW PAK PUMP

Designed for spot spraying weeds from a single spray gun.

- **381-35** is a replacement pump for the 25L, 55L Redline & 40L Essential sprayer (NOTE: Wiring connector suitable for the 40L Essential sprayer, remove when using for the 25L & 55L Redline Sprayers)
- Suits R1 sprayers
- L 170mm x W 85mm x H 60mm
- **381-38** is a generic pump suitable for many 12V sprayer brands sold across Australia & NZ
- L 165 x W 100 x H 65mm



381-35



381-38

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	PRESS. SWITCH	DUTY RATING	PORT SIZE/TYPE	LIST EX	LIST INC	CAT
381-35	2.6 L/min	3.5 Bar/50 psi	Viton	TPU Desmopan®	Yes	Intermitent	Threaded Male	$108.18	**$119.00**	A
381-38	2.6 L/min	4 Bar/60 psi	Viton	TPU Desmopan®	Yes	Intermitent	8mm tail	$108.18	**$119.00**	A

SILVAN MEDIUM FLOW PAK PUMPS

Designed for spot spraying through a single spray gun and small boom spraying applications (up to 4 x 02 yellow nozzles). Both pumps can be used as a replacement pump for many 12V sprayer brands. They support a common mounting plate which will align to similar 12V pumps such as 361-8000 and DDP-552A Smoothflo.

- **382-168** is a replacement pump for 100L Redline after June 2023 (suits R1 sprayers)
- L 220mm x W 105mm x H 100mm
- **381-2000** is a generic pump suitable for many 12V sprayer brands sold across Australia & New Zealand (suits P1 sprayers)
- L 220 x W 105 x H 100mm



382-168



381-2000

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	PRESS. SWITCH	DUTY RATING	PORT SIZE/TYPE	LIST EX	LIST INC	CAT
382-168	5.3 L/min	4 Bar/60 psi	Viton	Santo	Yes	Continuous	1/2" BSP M	$240.91	**$265.00**	A
381-2000	5.3 L/min	4 Bar/60 psi	Viton	Santo	Yes	Continuous	10mm BSP F	$226.36	**$249.00**	A

SILVAN HIGH FLOW PAK PUMP

Designed for small boom spraying applications (up to 8 x 02 yellow nozzles). If used for spot spraying applications a pressure regulator will need to be fitted to deliver the excess flow back to the tank to avoid limiting the life of the pressure switch (not covered under warranty).

- Suction filter attached to protect pump
- L 220 x W 260 x H 100mm



381-125

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT.	DIAPHRAGM MATERIAL	PRESS. SWITCH	DUTY RATING	PORT SIZE/TYPE	LIST EX	LIST INC	CAT
381-125	12.5 L/min	3 Bar/35 psi	Viton	TPU Desmopan®	Yes	Intermitent	12.5mm tail	$236.36	**$260.00**	A

12V SHURFLO PUMPS

Ideally suited to a range of spraying applications including spot spraying to small boom spraying. They are commonly used when camping or showers & sinks in caravans and general water transfer applications.

SHURFLO LOW FLOW PUMP (SLV)

Designed for spot spraying weeds from a single spray gun, or water transfer applications.

- L 175 x W 100 x H 60mm



361-SLV10-AA40

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT	DIAPH MAT	DUTY RATING	PORT SIZES	LIST EX	LIST INC	CAT
361-SLV10-AA40	3.8 L/min	2.6 Bar/40 psi	Viton	Santo	Intermittent	10mm Hose Barbs	$218.18	$240.00	A

SHURFLO MEDIUM FLOW PUMPS (8000 SERIES)

Designed for spot spraying through a single spray gun application and small boom operation.These pumps can successfully supply up to four yellow 02 nozzles at 60psi (4 bar).

- **Model 361-8000** suits old S1 Silvan Spotpak Sprayers
- **Model 361-8000-342-136** (Viton diaphragm & valves) has been commonly used in spraying Access Herbicide to manage woody weeds
- L 210 x W 115 x H 110mm



361-8000

OPTIONS:



RP1-24-4

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT	DIAPH MAT	DUTY RATING	PORT SIZES	LIST EX	LIST INC	CAT
361-8000	6.8 L/min	4 Bar/60 psi	Viton	Santo	Continuous	1/2" BSP Male	$286.37	$315.00	A
361-8000-342-136	4.5 L/min	4 Bar/60 psi	Viton	Viton	Continuous	1/2" BSP Male	$681.82	$750.00	A
RP1-24-4	Pressure Regulator suit 361-8000						$263.64	$290.00	B

SHURFLO HIGH FLOW PUMPS (2088 SERIES)

Designed for small boom spray operation, these pumps can successfully supply up to six yellow 02 nozzles at 60psi (4 bar). If used for spot spraying applications a pressure regulator will need to be fitted to deliver the excess flow back to the tank to avoid limiting the life of the pressure switch (not covered under warranty).

- **Model 361-2088** suits old S3 Silvan Trukpak Sprayers
- Fin cooled model is ideal for larger duty cycle applications
- Aluminium heat sink crankcase to disperse the heat from the pump
- Suitable for transfer applications on trucks, bulldozers etc
- L 220 x W 230 x H 120mm
- **361-2088-474-144** (not shown) is a 24V version of the **361-2088**



361-2088



361-2088-313-145

OPTIONS:



RP1-24-3

CODE	OPEN FLOW	MAX PRESSURE	VALVES MAT	DIAPH MAT	DUTY RATING	PORT SIZES	LIST EX	LIST INC	CAT
361-2088	11.3 L/min	3 Bar/45 psi	Viton	Santo	Intermittent	1/2" BSP Male	$372.73	$410.00	A
361-2088-474-144	11.3L/min	3 Bar/45psi	Santo	Santo	Intermittent	1/2" BSP Male	$640.91	$705.00	A
361-2088-313-145	13.6 L/min	3 Bar/45 psi	Viton	Santo	Continuous	1/2" BSP Male	$759.09	$835.00	A
RP1-24-3	Pressure Regulator suit 361-2088 & 361-2088-313-145						$332.73	$366.00	B

PRESSURE REGULATOR KITS

Pressure regulator kits are an ideal accessory that allow the operator to adjust the pressure. This is ideal to achieve an accurate application rate whether used in a spot spraying application through a spray gun, a boomless nozzle or a spray boom. It allows the excess flow produced by the pump to be returned back to the tank for agitation.

DIRECT PUMP MOUNTED 2 OUTLET

- Solely designed for direct fitment to Aquatec pumps with 5D connectors
- Suits pumps DDP-550 (20L/min) & DDP-555 (14L/min)
- Hole needs to be drilled in tank for the bypass
- Supplied with 2 outlets for a hose reel, boom and bypass regulator
- 2 x 1/2" Male BSP 5D outlets & 1 x 1/2"bypass elbow
- Supplied with 30cm of bypass hose, clamps and bypass tank fitting



RP1-24-6

DIRECT PUMP MOUNTED 1 OUTLET


- Designed for direct installation to the pump with 5D fitting.
- Suits pumps DDP-550 (20L/min) & DDP-555 (14L/min)
- Hole needs to be drilled in tank for the bypass
- Suitable to most sprayers or pumps that have a 1/2" Male BSP outlet
- 1 x 3/8" outlet hose tail to connect to a hose from a spray gun or spray boom
- Supplied with 30cm of bypass hose, clamps and bypass tank fitting



RP1-24-5

PUMP MOUNTED 1 OUTLET

- Designed for direct installation to the pump mounting plate
- Hole needs to be drilled in tank for the bypass
- Suitable to most sprayers or pumps that have a 1/2" Male BSP outlet
- Ideal to fit to Rakpak & Spotpak sprayers
- Can be used with pump models 361-8000,361-2088
- 1/2" Male BSP outlet for spray gun or spray boom connection
- Supplied with 30cm of bypass hose, clamps and bypass tank fitting



RP1-24-4

TANK MOUNTED 1 OUTLET

- Designed for direct installation into the top of a tank
- Hole needs to be drilled in tank for the bypass
- Suitable to most sprayers or pumps that have a 1/2"Male BSP outlet
- Ideal to fit to Rakpak, Spotpak, Trukpak (Excluding S9) & Squatpak sprayers
- Can be used with pump models 361-8000, 361-2088
- 1/2" Male BSP outlet for spray gun or spray boom connection



RP1-24-3

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
RP1-24-6	Direct Pump mounted 2 outlet pressure regulator kit	$245.45	$270.00	B
RP1-24-5	Direct Pump mounted 1 outlet pressure regulator kit	$190.00	$209.00	B
RP1-24-4	Pump mounted 1 outlet pressure regulator kit	$263.64	$290.00	B
RP1-24-3	Tank mounted 1 outlet pressure regulator kit	$332.73	$366.00	B

PRESSURE REGULATOR SUIT 12V PUMPS

- Flow rate up to 20L/min & 100psi maximum pressure
- Polypropylene body reinforced with fiberglass
- 1/8" (BSP) for pressure gauge connection
- EPDM seals
- Internal parts in Delrin® and stainless steel AISI 303
- Regulating graduated indicator
- Pressure gauge to be ordered separately



9080060



9620522



9620222

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
9620522	Pressure regulator 5D Inlet quick coupler & 1/2" Male BSP outlet Suits DDP-550 & DDP-555 Aquatec pumps	$56.36	$62.00	B
9620222	Pressure regulator 1/2" Male BSP ports	$56.36	$62.00	B
908006	Pressure Gauge, Glycerine filled,0-6 Bar, 40mm Diameter	$47.27	$52.00	B

8460 SERIES HIGH FLOW REGULATOR

- Made from nylon and aluminium
- Gauge port 1/4"
- Excellent chemical resistance
- Chatter-free, responsive pressure control
- Available with 3/4" connections
- Sturdy high-flow regulator



23120 SERIES REGULATOR

- Nylon body
- Stainless steel spring
- Gauge port 1/4"
- Excellent chemical resistance
- Positive lock nut to hold adjuster at your desired setting
- Available with 1/2" or 3/4" connections




CODE	DESCRIPTION	MAX FLOW	MAX PRESSURE	LIST EX	LIST INC	CAT
8460-3/4	Pressure Regulator, 3/4"	265L/min	20 Bar/290 psi	$190.91	$210.00	B
23120-1/2-PP	Pressure Regulator, 1/2"	35L/min	10 Bar/ 150 psi	$99.09	$109.00	B
23120-3/4-PP	Pressure Regulator, 3/4"	55L/min	10 Bar/ 150 psi	$99.09	$109.00	B

PUMP FITTINGS SUIT SHURFLO AND SMOOTHFLO PUMPS



CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
361-8-071-00-PK	A	Hose tail 1/2" Female x 3/8" Barb (2 Pack)	$19.09	$21.00	B
361-8-070-01-PK	A	Hose tail 1/2" Female x 1/2" Barb (2 Pack)	$19.09	$21.00	B
361-8-034-PK	B	Elbow 1/2" Female Swivel x 1/2" Barb (2 Pack)	$20.91	$23.00	B
361-8-060-PK	B	Elbow 1/2" Female Swivel x 3/8" Barb (2 Pack)	$19.09	$21.00	B
361-8-145-01	C	Nipple 3/8" Male NPT x 1/2" NPT	$7.27	$8.00	B
320-60806	D	Elbow 3/8" Male BSP x 8mm Barb	$4.55	$5.00	B
361-255-613	E	Inlet Filter 1/2" BSP, 50 Mesh, Viton O-ring	$39.09	$43.00	B


AQUATEC PUMP 5D FITTINGS



CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
QBE-554	A	5D Elbow 1/2" Tail	$14.55	$16.00	B
QBE-555	A	5D Elbow 5/8" Tail	$14.55	$16.00	B
QBE-556	A	5D Elbow 3/4" Tail	$14.55	$16.00	B
QBS-554	B	5D Straight 1/2" Tail	$14.55	$16.00	B
QBS-555	B	5D Straight 5/8" Tail	$14.55	$16.00	B
QBS-556	B	5D Straight 3/4" Tail	$14.55	$16.00	B
QTS-556	C	5D Adaptor 1/2" BSP Male	$10.91	$12.00	B


SILVAN PAK PUMP FITTINGS

- Suitable for 381-35 (Redline 25L/55L), 382-168 (Redline 100L) & 381-2000




CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
382-065	A	Elbow & grommet suit R1 sprayers	$2.27	$2.50	B
382-055	B	Reducing Nipple 3/8" x 1/2" suit R2 sprayers	$1.36	$1.50	B
382-054	C	Elbow suit R2 sprayers	$5.91	$6.50	B

HOSE CLAMPS




CODE	REF	DESCRIPTION	LIST EX	LIST INC	CAT
187-MH04	A	Stainless steel hose clamp suit 8mm I.D. Hose	$2.73	$3.00	B
187-MH05	B	Stainless steel hose clamp suit 10mm I.D. Hose	$2.73	$3.00	B
187-HS06	C	Stainless steel hose clamp suit 12mm I.D. Hose	$3.64	$4.00	B
187-HS12	D	Stainless steel hose clamp suit 20mm I.D. Hose	$4.55	$5.00	B

12V DIAPHRAGM PUMP SPARE PARTS




PRESSURE SWITCHES

CODE	SUITS PUMPS	MAX PRESSURE	LIST EX	LIST INC	CAT
361-94-375-05	8000 Series With Viton Dphm	60 psi	$159.09	$175.00	B
361-94-375-06	8000 Series With Santo Dphm*	60 psi	$127.27	$140.00	B
361-94-375-18	8002 Series With Santo Dphm	100 psi	$145.45	$160.00	B
361-94-229-05	8090 Series With Viton Dphm	100 psi	$195.45	$215.00	B
361-94-230-35	2088 Series With Santo Dphm*	45 psi	$135.45	$149.00	B
361-94-230-36	2088 Series With Viton Dphm	45 psi	$171.82	$189.00	B
381-2000-03	381-2000 (excludes check valve kit)	60 psi	$18.18	$20.00	B
381-125-04	381-125	35 psi	$23.64	$26.00	B
5503-PSW	DDP-550 & DDP-555	60 psi	$67.27	$74.00	B
5504-PSW	DDP-551	60 psi	$67.27	$74.00	B
5880-PSW	DDP-552A SMOOTHFLO	120 psi	$62.73	$69.00	B
5800-PSW	DDP-554	200 psi	$67.27	$74.00	B
382-095A	Micro switch only to suit 382-094	60 psi	$18.18	$20.00	B
5880-SD	Switch diaphragm to suit DDP-552A	120 psi	$1.82	$2.00	B
382-169	Pressure switch to suit 382-168		$22.73	$25.00	B



UPPER HOUSINGS

CODE	SUITS PUMPS	LIST EX	LIST INC	CAT
361-94-378-00	8000 Series Pumps With 1/2" Male Ports	$100.00	$110.00	B
361-94-231-30	2088 Series Pumps With 1/2" Male Ports	$77.27	$85.00	B
361-94-231-05	2088 Series Pumps With 1/2" Male Ports And Viton Pressure Switch	$231.82	$255.00	B
5503-UHA	DDP-550 With 5D Quick Connectors (Inc Pressure Switch)	$163.64	$180.00	B
5504-UHA	DDP-551 With 5D Quick Connectors (Inc Pressure Switch)	$162.73	$179.00	B
5880-UHA	DDP-552A Series Pump With 3/8" Female BSP Ports	$90.91	$100.00	B
5800-UHA	DDP-554 Series Pump with 3/8" Female BSP Ports	$90.91	$100.00	B
5505-UHA	DDP-555 Series Pump with 5D Quick Connectors	$72.73	$80.00	B



PUMP HEAD ASSEMBLY

CODE	SUITS	LIST EX	LIST INC	CAT
382-096	382-094 (100L Redline sprayer pump)	$40.91	$45.00	B
381-2000-02	381-2000	$44.55	$49.00	B



VALVE KITS

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-390-05	8000 Series Pumps Viton Valve Kit (Black)	$239.09	$263.00	B
361-94-390-06	8000 Series Pumps EDPM Kit (White)	$109.09	$120.00	B
361-94-232-05	2088 Series Pumps Viton Valve Kit	$140.00	$154.00	B
361-94-232-00	2088 Series Pumps Santo Valve Kit for 24V Model	$100.00	$110.00	B
5503-VHA	DDP-550, DDP-551, DDP-555 Viton Valve Kit	$133.64	$147.00	B
5880-VHA	DDP-552 Viton Valve Kit	$77.27	$85.00	B
5880-BYP	Bypass poppet set (3 to suit DDP-552A)	$10.91	$12.00	B



DRIVE ASSEMBLY KITS

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-385-32	8000 Series Pumps with Santo Diaphragm 361-8000 (pumps made after March 1999)	$268.18	$295.00	B
361-94-238-04	2088 Series Pumps with Santo Diaphragm	$186.36	$205.00	B
5503-LHA	DDP-550 with Santo Diaphragm	$181.82	$200.00	B
5504-LHA	DDP-551 with Santo Diaphragm	$190.00	$209.00	B
5880-LHA	DDP-552 with Santo Diaphragm	$118.18	$130.00	B
361-94-238-03	361-2088 with Santo Diaphragm	$220.00	$242.00	B



CHECK VALVE KIT

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-374-16	8000 Series Pumps with EPMD Valve Kits	$81.82	$90.00	B
361-94-374-05	8000 Series Pumps with Viton Valve Kits	$86.36	$95.00	B
361-94-237-00	2088 Series Pumps with Santo Valve Kits	$94.55	$104.00	B
361-94-237-05	2088 Series Pumps with Viton Valve Kits	$104.55	$115.00	B

DIAPHRAGM KITS (BARE DIAPHRAGM TO SUIT CERTAIN MODELS)

CODE	SUITS	LIST EX	LIST INC	CAT
361-94-395-05	361-8000-342-136 Viton-Viton Pump	$236.36	$260.00	B
361-94-395-06	361-8000	$86.36	$95.00	B

GOYEN ELECTRIC SOLENOID VALVES

Comprises a nylon body with either 1/2" x 1/2" barb, or 1/2" barb x 3/4" BSP thread, and is a servo-assisted solenoid.

- Ideal for fitting to single spray bars and features Viton diaphragms
- Requires 12V power and has pressure loss of 5psi across valve
- Max pressure 10 Bar/145psi



GOYEN SOLENOID REPAIR KIT 042-1-047K



042-1-ST2-HR



042-1-ST2-6R



042-1-ST-HV



042-1-ST2-6

CODE	FLOW	SIZE BSP	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
042-1-ST2-HR	65 L/min	1/2" X 1/2" Barbs	90mm	70mm	50mm	200 g	$172.73	**$190.00**	B
042-1-ST2-6R	65 L/min	1/2" Barb X 3/4" BSP	90mm	70mm	50mm	200 g	$172.73	**$190.00**	B
042-1-ST-HV	65 L/min	1/2" X 1/2" Barbs	90mm	70mm	50mm	200 g	$172.73	**$190.00**	B
042-1-ST2-6	65 L/min	1/2" Barb X 3/4" BSP	90mm	70mm	50mm	200 g	$172.73	**$190.00**	B
042-1-047K	Goyen Solenoid Repair Kit						$130.00	**$143.00**	B

HIGH PRESSURE 12V SOLENOID

- Geoline high pressure brass solenoid with 12.5mm BSP female ports
- Maximum open flow 80L/min per solenoid
- Maximum pressure 40 Bar/580psi



G8388031

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
G8388031	High Pressure Brass 40 Bar Solenoid	$354.55	**$390.00**	B
472-600002	DIN plug to suit	$29.10	**$32.00**	B

FOAM MARKER/SPRAYER SOLENOID VALVE

Offers the advantages of low energy requirements, instant response and the ability to remain in an energised (open) state indefinitely without overheating or failing.

- Suits 12V and 24V systems, 3/4" threaded inlet and outlet



JA-1502003

CODE	DESCRIPTION	MAX PRESSURE	FLOW	LIST EX	LIST INC	CAT
JA-1502003	Solenoid to suit Foam Markers	8 Bar/116 psi	37L/min	$59.09	**$65.00**	B
JA-1502030	Replacement Viton Diaphragm			$83.64	**$92.00**	B
JA-1502031	Viton Solenoid	116 psi	37L/min	$176.36	**$194.00**	B

Silvan Diaphragm Pumps

Tough, reliable and no risk of damage if run dry!



SILVAN BP SERIES PTO PUMPS

All Silvan diaphragm pumps are built for 540 RPM operation, are self priming and designed so no special tools are required for servicing. Extremely tough and reliable they can run dry without risk of damage. All pumps are supplied with hose connections, mounting base plates and a 1⅜" six spline shaft. Pumps are supplied ready to use with 40/20 oil in the crankcase.

CBP60/20

- Diaphragms: 2
- Output @ 540 RPM: 58 L/min
- Max pressure 20 Bar/290psi



CBP06020

CONTROL VALVE BUNDLE



CODE	PUMP	OPEN FLOW	MAX PRESSURE	SUCTION INLET SIZE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP06020	BP60/20	58L/min	20 Bar/290psi	25mm	258mm	276mm	280mm	10kg	$1,231.82	$1,355.00	A

CODE	PUMP KIT BUNDLE	CONTROL VALVE	REMOTE BRACKET KIT	PRESSURE REGULATOR	PRESSURE GUAGE	OUTLET SIZE	BYPASS OUTLET	WEIGHT	LIST EX	LIST INC	CAT
CBP06020-1	BP60/20	ONE LEVER 4 OUTLETS	YES	YES	YES	13mm	25mm	12kg	$2,180.91	$2,399.00	A
CBP06020-2	BP60/20	RILSAN 3 OUTLETS	YES	YES	YES	13mm	25mm	12kg	$1,817.27	$1,999.00	A

CBP130/20

- Diaphragms: 3
- Output @ 540 RPM: 124 L/min
- Max pressure 20 Bar/290psi
- Replacement for CBP125/20



CBP13020

CONTROL VALVE BUNDLE



CODE	PUMP	OPEN FLOW	MAX PRESSURE	SUCTION INLET SIZE	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP13020	BP130/20	124L/min	20 Bar/290psi	40mm	242mm	283mm	270mm	13kg	$1,840.91	$2,025.00	A

CODE	PUMP KIT BUNDLE	CONTROL VALVE	REMOTE BRACKET KIT	PRESSURE REGULATOR	PRESSURE GUAGE	OUTLET SIZE	BYPASS OUTLET	WEIGHT	LIST EX	LIST INC	CAT
CBP13020-1	BP13520	ONE LEVER 4 OUTLETS	YES	YES	YES	13mm	25mm	15kg	$2,726.36	$2,999.00	A

CBP20/15

- Diaphragms: 2
- Output @ 540 RPM: 19 L/min
- HP required at max. pressure: 0.83



CBP02015

CONTROL VALVE TO SUIT

Attached (2 outlet)
Code: **C1204-528**

BP75/20

- Diaphragms: 3
- Output @ 540 RPM: 67 L/min
- HP required at max. pressure: 3.5HP



CBP07515

CONTROL VALVE TO SUIT

Remote mount (3 outlet)
Code: **C1204-034R**
Remote mount (4 outlet)
Code: **C1204-332**

BP110/20

- Diaphragms: 3
- Output @ 540 RPM: 110 L/min
- Max pressure 20 Bar/290psi
- HP required at max. pressure: 6.0HP



CBP11020

CONTROL VALVE TO SUIT

Remote mount (4 outlet)
Code: **C1204-332**

CAPS41

- Diaphragms: 3
- Output @ 540RPM: 38 L/min
- HP required at max. pressure: 4.1HP



CAPS41

CONTROL VALVE TO SUIT

Attached 2 outlet
Code: **C1204-457**

CODE	PUMP	MAX PRESSURE	OPEN FLOW	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CBP02015	BP20/15	15 Bar/218 psi	19L/min	224mm	260mm	174mm	7.3kg	$1,200.00	$1,320.00	A
CBP07515	BP75/20	20 Bar/290 psi	67L/min	271mm	276mm	278mm	12.3kg	$1,526.36	$1,679.00	A
CBP11020	BP110/20	20 Bar/290 psi	110L/min	275mm	283mm	242mm	12.3kg	$1,672.73	$1,840.00	A
CAPS41	APS41	40 Bar/580 psi	38L/min	271mm	276mm	278mm	12.3kg	$1,136.36	$1,250.00	A

FERRONI NYLON ROLLER PUMP

- Max pressure 25 bar or 180L/min
- Absorbed power 5.5HP @ 600 RPM
- Brass pressure regulator
- Cast iron housing
- Rotor with nylon rollers
- PTO drive - rotates in a clockwise direction only



ML125

CODE	OPEN FLOW	INLET	OUTLET	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
ML125	180 L/min	30mm	19mm	220mm	190mm	250mm	11 kg	$777.27	$855.00	A
357-0501	Service Kit to suit Nylon Roller Pumps							$159.09	$175.00	B

CONTROL VALVES SUIT REMOTE MOUNTING FOR 3PT LINKAGE SPRAYERS

C1204-034R

- 3 outlet adjustable pressure regulator to suit BP60/20 pump
- Bypass valve with pressure gauge
- Individual on/off taps
- Remote bracket kit included



C1204-034R

C1204-332

- 4 outlet adjustable pressure regulator to suit BP60/20, 75/20, 110/20 ,125/20 , 130/20 pumps
- Bypass valve with pressure gauge
- Individual on/off taps
- One master lever, turns all outlets on/off
- Remote bracket kit included



C1204-332

CODE	CONTROL VALVE	PUMP APP	HOSE INLET	SIZE OUTLET	BYPASS HOSE	MAX. PRESS.	MAX. FLOW	LIST EX	LIST INC	CAT
C1204-034R	3 Outlet	BP60/20	19mm	13mm	23mm	20 Bar/290 psi	60L/min	$588.18	$647.00	B
C1204-332	4 Outlet	BP60/20, BP130/20	19mm	13mm	23mm	20 Bar/290 psi	150L/min	$954.55	$1,050.00	B

CONTROL VALVES ATTACHED DIRECT TO PUMPS ON MOTORISED UNITS

C1204-528

- 2 outlet adjustable pressure regulator suit BP20/15 pump
- Bypass valve & pressure gauge
- Individual on/off taps



C1204-528

C1204-191

- 3 outlet adjustable pressure regulator to suit BP60/20, 75/20 pumps
- Bypass valve & pressure gauge
- Individual on/off taps



C1204-191

CODE	CONTROL VALVE	PUMP APP	HOSE INLET	SIZE OUTLET	BYPASS HOSE	MAX. PRESS.	MAX. FLOW	LIST EX	LIST INC	CAT
C1204-528	2 Outlet	BP20/15	19mm	13mm	13mm	14 Bar/218 psi	40L/min	$254.55	$280.00	B
C1204-191	3 Outlet	BP60/20, BP130/20	19mm	10mm	23mm	20 Bar/290 psi	100L/min	$490.00	$539.00	B

SERVICE KITS				
C5004-05	Remote Control Mounting Kit	$66.36	$73.00	B
CSN5	Service Kit to suit 2 Outlet Control Valve (C1204-528)	$74.54	$82.00	B
CSN2	Service Kit to suit 3 Outlet Control Valve (C1204-191)	$115.45	$127.00	B
CSN3	Service Kit to suit 3 Outlet Control Valve (C1204-034R)	$70.00	$77.00	B
CSN1	Service Kit to suit 4 Outlet Control Valve (C1204-332)	$144.55	$159.00	B

Silvan motorised pumping units provide a go-anywhere pressure pumping unit in a wide range of sizes and capacities. Each unit consists of a matched engine and pump, control valve, base plate, hose connections and in most cases pressure gauge as standard equipment.

MC20/20 MOTORISED UNIT

- Pressure accumulator with pressure gauge
- Honda engine GX120
- Oil-backed diaphragm pump
- Direct coupled to motor
- Adjustable pressure regulator
- Inlet size: 19mm; Outlet size: 10mm
- 1 metre maximum suction lift



LBA-34C

BP60/20 MOTORISED UNIT

- Pressure accumulator with pressure gauge
- Honda engine GX160
- Oil-backed diaphragm pump
- Direct coupled to motor
- Adjustable pressure regulator
- 1 metre maximum suction lift
- Inlet size: 25mm; Outlet size: 12mm



LBA-38C

APS41 MOTORISED UNIT

- Pressure accumulator with pressure gauge
- Honda engine GX160
- Oil-backed diaphragm pump
- Direct coupled to motor
- Adjustable pressure regulator
- 1 metre maximum suction lift
- Inlet size: 25mm; Outlet size: 12mm
- Replacement pump code: **CAPS41**



LBA-42C

CODE	MAX PRESSURE	MAXIMUM OUTPUT	OUTLETS	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LBA-34C	20 Bar/290 psi	18.5 L/min	1	540mm	340mm	360mm	25 kg	$2,704.55	**$2,975.00**	A
LBA-38C	20 Bar/290 psi	58 L/min	3	720mm	425mm	470mm	24 kg	$3,845.46	**$4,230.00**	A*
LBA-42C	40 Bar/580 psi	38 L/min	2	550mm	430mm	410mm	29 kg	$3,708.18	**$4,079.00**	A*

* *Refer to Terms & Conditions on page 254 or more information*



461530A *(For illustration purposes only)*

SILVAMATIC ELECTRIC SPRAY CONTROL KIT

Features an in-cab control box with proportional pressure compensating valves designed to maintain constant pressure and output even after one or more boom sections are closed.

- Direct acting valves
- Stainless steel components and viton seals
- 3-boom-section outlet with 12mm hose tails
- On/off and pressure adjustment switch
- Individual valves have own compensating device
- Kit includes control box, tractor loom, sprayer loom and valves



461530A

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
461530A	Silvamatic Electric Spray Control Kit	$2,700.00	**$2,970.00**	A #

 # Refer to Terms & Conditions on page 254 or more information

CODE	TO SUIT PUMP	AIR ACCUM DIAP.	PULSATION DIAP.	VALVE ASSY	VALVE SPRING	P.T.O. SHAFT SEAL	OTHER O-RING GASKET WASHER	LIST EX	LIST INC	CAT
C5026-223	AP100	Y			Y	P2	28	$318.18	$350.00	B
C5026-221	AP140, AP165				Y	P2	43	$318.18	$350.00	B
C5026-245	APS31, APS41			Y			18	$169.09	$186.00	B
CSKAPS71	APS71	Y			Y	P2	29	$241.82	$266.00	B
C5026-228	APS96				Y	P2	39	$315.45	$347.00	B
CSKAPS121	APS121	Y			Y	P2	29	$315.45	$347.00	B
C5026-222	APS145	Y			Y	P2	35	$336.36	$370.00	B
C5026-224	APS166, APS141				Y	P2	39	$378.18	$416.00	B
CSK2015	BP2015	Y			Y	Y	12	$138.18	$152.00	B
C5026-211	BP4015	Y	Y		S1	Y	8	$109.09	$120.00	B
C5026-344	BP60K (post 2013 - Current)	Y	Y	Y	Y		7	$294.55	$324.00	B
CSK6020S	BP60/20, BP4020 (pre 2012)	Y	Y		S1	Y	10	$170.91	$188.00	B
C5026-197	BP60/20, BP4020 (pre 2012) Desmopan	Y	Y		S1	Y	10	$200.00	$220.00	B
C5026-198	BP60/20, BP4020 (pre 2012)	Y	Y		S1	Y	10	$531.82	$585.00	B
CSK6020K	BP60/40KY (KEYED pre 2012)	Y	Y		S1	Y	10	$173.64	$191.00	B
C5026-314	BP7520 Desmopan				Y	Y	29	$154.54	$170.00	B
C5026-326	BP125K, BP105K (post 2013)	Y		Y			11	$440.00	$484.00	B
CSK10520S	BP12520, BP10520	Y			S2	Y	13	$200.00	$220.00	B
C5026-200	BP12520, BP10520 Desmopan	Y			S2	Y	13	$159.09	$175.00	B
C5026-199	BP125/105KY (KEYED)	Y			S2	Y	13	$196.36	$216.00	B
C5026-374	BP13020, BP110,115,135	Y		Y			18	$470.00	$517.00	B
C5026-375	BP13020, BP110,115,135 Desmopan	Y		Y			18	$354.55	$390.00	B
C5026-205	BP15120	Y			Y	Y	29	$210.00	$231.00	B
C5026-232	BP205K, BP280K			Y			12	$595.45	$655.00	B
C5026-390	BPS20020, BP20020	Y		Y			8	$779.09	$857.00	B
C5026-278	IDS1401	Y		Y			6	$384.55	$423.00	B
C5026-279	IDS1501, IDS1701, IDS2001	Y		Y			8	$528.18	$581.00	B
C5026-208	IDS2600, IDS2000	Y	R1		Y		41	$530.00	$583.00	B
C5026-346	IDS960	Y		Y			8	$368.18	$405.00	B
C5026-207	MC2020, MC19, MC25	Y			Y		14	$69.09	$76.00	B
C5026-227	MP30	Y			Y	Y	16	$86.36	$95.00	B
CSKMP40	MP40	Y				Y	21	$159.09	$175.00	B
C5026-215	P48, P38		Y		Y	Y	8	$200.00	$220.00	B

S1 for BK-K Series (post 2013), also need springs (Code # C1802-255)

S2 2 x types of valve spring in kit (Code #'s C1802-S2 255 & C1802-15)

P2 2 x P.T.O shaft seals in kit

R1 Pressure Regulator Diaphragm





REELTUFF HOSE REEL (147R10012)
PICTURED WITH 100M OF SMOOTHLINE HOSE

Silvan hoses are manufactured from the highest quality materials and have been rigorously tested to ensure reliable performance and durability. Ideal for most agricultural applications. The Silvan range includes delivery hose, suction hose and bypass hose. Available in sizes from 8mm I.D to 50mm I.D with pressures ranging up to 4000KPa (560psi). A wide range of hose connectors, hose clamps and fittings to suit are readily available.



SMOOTHLINE DELIVERY TUBING

Lightweight rigid tubing hose for use in inaccessible terrain where risk of snagging hose is high. Maximum working pressure 1724 kPa (250psi). Require special hose connectors. 100m coil only.

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-12B-100	12mm	$1,192.73	**$1,312.00**	B



186-12B-100
12mm

BYPASS HOSE

Low pressure flexible PVC hose ideally suited for the use on bypass return lines of pumps. Maximum pressure 1379 kPa (200psi). Available per metre.

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-25E	25mm	$47.27	**$52.00**	B



186-25E
25mm

DIESEL DELIVERY HOSE

Quality delivery hose for all diesel applications (Available per metre).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
PF0225-33	19mm	$25.45	**$28.00**	B
186-25D	25mm	$36.36	**$40.00**	B




186-25D
25mm

SUCTION HOSE

Ideal for fitting on the inlet suction side of pumps. Wire reinforced construction helps guard against the hose collapsing. (Available per metre).

HOSE I.D.	12MM	19MM	25MM	32MM	38MM	50MM
CODE	186-12F	186-19F	186-25A	186-32A	186-38S	186-50S
LIST EX	$15.45	$16.36	$24.55	$37.27	$37.27	$52.73
LIST INC	**$17.00**	**$18.00**	**$27.00**	**$41.00**	**$41.00**	**$58.00**
CAT	B	B	B	B	B	B



186-50S
50mm

186-19F
19mm

SILVAN AG DELIVERY HOSE

- Flexible PVC reinforced spray hose
- Maximum working pressure 690 kPa (100psi) for 186-8D and 2067 kPa (300psi) for all others.



20 METRE COIL LENGTHS

HOSE I.D.	8MM	10MM	12MM
CODE	186-8D-20	186-10D-20	186-12C-20
LIST EX	$100.00	$100.00	$131.82
LIST INC	$110.00	$110.00	$145.00
CAT	B	B	B

186-12C-20
12mm



100 METRE COIL LENGTHS

HOSE I.D.	10MM	12MM
CODE	186-10D-100	186-12C-100
LIST EX	$470.91	$545.45
LIST INC	$518.00	$600.00
CAT	B	B



186-10D-100
10mm

FIREFIGHTING HOSE

Designed to suit stationary or mobile reels on fire control units. Also popular in agricultural applications, manufactured to AS 1221. Lightweight PVC, resistant to UV light and the material has self extinguishing properties. Maximum pressure 900 kPa (131psi).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-19E	19mm	$8.18	$9.00	B
186-19E-30	19mm	$213.64	$235.00	B



186-19E-30
19mm

PROFESSIONAL DELIVERY HOSE

Flexible PVC reinforced spray hose ideally suited for high pressure applications. Maximum working pressure 4000kPa (568 psi).

CODE	HOSE I.D.	LIST EX	LIST INC	CAT
186-10M	10mm	$13.64	$15.00	B
186-12M	12mm	$18.19	$20.00	B
186-19M	19mm	$31.82	$35.00	B
186-25M	25mm	$52.73	$58.00	B




186-25M
25mm

186-12M
12mm

186-10M



186-12M



186-19M



186-25M



Silvan Polytuff Tanks

Built tough to last.

Silvan polyethylene tanks also known as 'Polytuff Tanks' are rotomolded with a UV stabiliser additive to extend the life of the tank and meet harsh Australian weather conditions. Each tank has been designed with four main areas in mind, strength, reliability, functionality, practicality along with visual appeal. Many of Silvan's 'Polytuff Tanks' are manufactured with a state-of-the-art internal baffle to reduce surging when travelling.

Silvan's internal baffle system saves customers having to invest in additional baffle type products in the future. Silvan baffled tanks are commonly used on ATV'S, UTV's (side-by-sides), utilities, carryalls, trailers and trucks for a variety of spraying applications including weed spraying, water transfer and firefighting. The Silvan 'Polytuff Tank' range is available in sizes from 50L to 2200L.



AUSTRALIAN ROTO-MOULDING FACILITY



UV STABILISED POLYTUFF



QUALITY CONTROL

SPOTPAK TANKS - 50L, 100L & 200L



430-50S



430-100S



430-200S

INCLUDES:



CODE	SIZE	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-50S	50L SpotPak	175mm	700mm	420mm	300mm	5 kg	$268.18	**$295.00**	A
430-100S	100L SpotPak	175mm	800mm	475mm	395mm	9 kg	$438.18	**$482.00**	A
430-200S	200L SpotPak	175mm	1015mm	550mm	520mm	14 kg	$618.18	**$680.00**	A

PEST CONTROL TANKS - 100L & 200L



430-0100AW



430-0200AW

INCLUDES:



CODE	SIZE	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0100AW	100L UtePak White*	255mm	660mm	580mm	490mm	8 kg	$554.55	**$610.00**	A
430-0200AW	200L TrukPak White*	255mm	1030mm	580mm	535mm	13 kg	$632.73	**$696.00**	A

*Supplied with 8mm brass insert mountings in base.

UTEPAK/ TRUKPAK TANKS - 100L & 200L



430-0100A



430-0200A

INCLUDES:



CODE	SIZE	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0100A	100L UtePak*	255mm	660mm	580mm	490mm	8 kg	$554.55	**$610.00**	A
430-0200A	200L TrukPak*	255mm	1030mm	580mm	535mm	13 kg	$632.73	**$696.00**	A

*Supplied with 8mm brass insert mountings in base.

BARREL TANKS - 300L & 600L



430-300R



430-0600R

INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-300R	300L Barrel Tank	255mm	945mm	600mm	820mm	16 kg	$690.00	**$759.00**	A
430-0600R	600L Barrel Tank	255mm	1300mm	800mm	850mm	32 kg	$943.64	**$1,038.00**	A

SQUATPAK TANKS - 250L, 300L & 400L



INCLUDES:







INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
425-250	250L Squatpak	255mm	1010mm	835mm	640mm	22 kg	$1,045.45	**$1,150.00**	A
430-115	Fork skids (pair) suits 250L tank	N/A	830mm	180mm	75mm		$350.00	**$385.00**	A
430-0300E	300L SquatPak	240mm	1060mm	940mm	530mm	23 kg	$1,000.00	**$1,100.00**	A
430-0400E	400L SquatPak	240mm	1060mm	940mm	650mm	27 kg	$1,068.18	**$1,175.00**	A

SQUATPAK TANKS - 600L & 800L





INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0600E	600L SquatPak	240mm	1830mm	940mm	570mm	43 kg	$1,191.82	**$1,311.00**	A
430-0800E	800L SquatPak	240mm	1800mm	940mm	760mm	46 kg	$1,681.82	**$1,850.00**	A

FREESTANDING TANKS - 1100L & 2200L







INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-1000U	1100L Freestanding Tank	455mm	1500mm	1180mm	900mm	45 kg	$1,877.27	**$2,065.00**	A
430-114	Long Skid to suit 1100L	240mm	1860mm	1160mm	140mm	50 kg	$1,204.55	**$1,325.00**	A
430-2200	2200L Freestanding Tank	455mm	1900mm	1380mm	1150mm	81 kg	$3,209.09	**$3,530.00**	A*

* *Refer to Terms & Conditions on page 254 or more information*

Selecta Polytuff Diesel Tanks are constructed for the toughest Australian conditions. Manufactured with a unique diesel-grade polyethylene that is UV stabilised and impact resistant. Each tank is a product of careful testing and manufacture to ensure a strong, durable and maintenance-free tank. A wide range of freestanding Polytuff Diesel Tanks are available from 800L to 2200L.

DIESELPAK TANK - 800L



UNIQUE TWIN BAFFLED TANK

430-0800F

INCLUDES:



CODE	MOUNTING	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-0800F	800L DieselPak	122mm	1800mm	940mm	760mm	46 kg	$2,062.73	**$2,269.00**	A

LARGE VOLUME DIESEL TANKS - 1100L & 2200L



BAFFLED TANK

430-1000V





430-2200V

INCLUDES:



CODE	CAPACITY	LID DIAM	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
430-1000V	1100L Diesel Tank	122mm	1500mm	1180mm	900mm	45 kg	$2,163.64	**$2,380.00**	A
430-114	Long Skid to suit 1100L Tank (area for mounting a pump and/or hose reel)		1860mm	1160mm	140mm	50 kg	$1,204.55	**$1,325.00**	A
430-2200V	2200L Diesel Tank	122mm	1900mm	1380mm	1150mm	81 kg	$3,300.00	**$3,630.00**	A*

Kit of 4 mounting brackets without skid to suit 1100L (enquire using code 033-999-KIT).

* *Refer to Terms & Conditions on page 254 or more information*

Safety Equipment & Chemical Transfer



HALF MASK RESPIRATOR KIT

- Soft silicone face seal
- Downward outflow prevent eyewear fogging
- Supplied with P2 particulate filter
- Optional A1 filter for organic vapors (meet AS/NZS 1715-16)
- A1 & P2 filters can be combined for A1P2 protection



SCP1085

DISPOSABLE COVERALLS

- One size fits all
- Zipper front
- Long sleeves
- Attached hood
- Elastic cuff & ankle
- 100% Polypropylene



SCP8010

SUNDSTROM RESPIRATOR KIT

Top quality breathing apparatus comes complete with a gas filter suitable to most farm spraying operations and a pack of five pre-filters, all in a convenient carry and storage case.



JA-2101031



20301-1

PVC SINGLE DIP GLOVES - 12 PACK

- Ideal for handling materials coated with grease oil, caustics, acids and solvents. Fishing, mining, construction
- Resistance to mild chemicals, solvents, oils and acids
- Interlock lining
- 450mm length



SR5225-12

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
SCP8010	Disposable Coveralls	$18.18	$20.00	B
SCP1085	Half Mask Respirator Kit with P2 Filters (Meets AS/NZS 1715-16)	$97.27	$107.00	B
SCP1065	P2 Filter Cartridge PK of 2 for Mask SCP1085 (not pictured)	$30.00	$33.00	B
SCP1075	A1 Filter Cartridge PK of 2 for Mask SCP1085 (not pictured)	$58.18	$64.00	B
JA-2101031	Sundstrom Respirator Kit	$366.36	$403.00	B
JA-2101029	Replacement Gas Filter for Sundstrom Respirator Kit	$99.09	$109.00	B
20301-1	Water Sensitive Paper 50 Cards, 76mm x 52mm	$111.82	$123.00	B
SR5225-12	Red PVC Gloves - 12 pack (450mm length)	$98.18	$108.00	A

KASCO SAFETY SPRAY HELMET

- Powered by vehicle 12V system and battery
- Backup NiCad rechargeable battery for up to 4 hours of use
- Allows safe dismounting for adjustments, checks, and adding chemicals
- Uses vehicle dashboard plug to power and charge

KASCO A1P3 FILTER

- Designed for insecticides, fungicides, weed killers, organic vapours, dust, fumes, and mist
- Filter paper for particulate filtering
- Activated carbon for vapour filtering



K80S-T9R



178-0601-19

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
K80S-T9R	Kasco 12V Vehicle and Independent Use Filter Helmet	$2,245.45	$2,470.00	A
178-0601-19	KASCO A2P3 Single Filter	$184.54	$203.00	B

DELTA T AND WIND METER

Calculates Delta T, wind speed, temperature & humidity. Hand held, battery operated and easy to use.

- Wind speed range: 1.1 - 20m/s, 0.7 - 72km/hr
- Air temperature: –15°C to 50°C
- Air relative humidity: 0% - 100%
- Temperature and humidity response time: 60 seconds
- Wet bulb temperature
- Dry bulb temperature
- Battery: CR2032



118-486

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
118-486	Delta T and Wind Meter	$271.82	$299.00	B

5L MEASURING JUG

Measure chemicals accurately and pour them safely with this quality measuring jug.

25L CHEMICAL BUCKET

A heavy duty chemical bucket with graduated handgrip, made from quality UV stabilised polyethylene. Will stand the test of time.



JA-2102034



CJ25

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
JA-2102034	5L Measuring Jug	$34.55	$38.00	B
CJ25	25L Chemical Measuring Bucket	$90.00	$99.00	B

FREESTANDING SILMIX

- Uses external water supply to activate venturi inductor at the base of the unit to transfer chemicals from hopper to sprayer tank. The same water supply operates the wash bar and drum rinse nozzle in the hopper. Transfer system requires minimum 2 Bar water pressure to operate
- 30L polyethylene tank with 455mm hinged lid
- 3 on/off taps to control
- Powder washer bar inside hopper
- Drum rinse nozzle
- Chemical transfer venturi. Also has valve at base of unit to isolate the tank from the induction venturi



042J-06ST

CODE	DESCRITION	LIST EX	LIST INC	CAT
042J-06ST	Freestanding Silmix	$3,000.00	**$3,300.00**	A #

 # Refer to Terms & Conditions on page 254 or more information

AG RUNNER CHEMICAL TRANSFER PUMP

The Shurflo Ag Runner allows you to pump and measure chemical from the chemical container directly into the sprayer tank without the need for manually measuring or any other handling of the chemicals.

- Max Output: 40 L/min open flow, variable depending on viscosity
- Viton equipped pump
- Max Pressure: 15psi
- 12V operation with 6m lead & alligator clips
- 1" x 3.6m suction hose and 1" x 3.6m delivery hose"
- Electrical meter



361-SF1105-PTS

CODE	DESCRITION	LIST EX	LIST INC	CAT
361-SF1105-PTS	Ag Runner Chemical Transfer Pump Kit	$2,850.00	**$3,135.00**	A

Nozzles & Accessories



NOZZLE APPLICATION RATES

Pages 142 and 143 display the ISO standard application rates which apply to most flat fan nozzles.

Nozzles are colour coded according to L/min output size at 2.8 Bar.

For example: All Yellow 02 nozzles at 2.8 Bar (40psi) have a flow rate of 0.2 US Gallons (0.75L/min).

Note: Each nozzle type has a different droplet size profile.

SELECTING THE RIGHT SIZE NOZZLE

Application rates can be adjusted by pressure, vehicle speed and nozzle size.

Pressure can change droplet size and increase nozzle wear. Vehicle speed is an inaccurate method of adjusting output as higher speeds are hard on equipment that can lead to critical failures.

Nozzle size is the ideal and easiest way to select a suitable nozzle as you can change the output rate without significant changes to the machinery.

TO SELECT A NOZZLE

1. You need to know your preferred safe vehicle speed.
2. Define your required droplet size & application rate eg. Medium droplet at 100L/h
3. Confirm from the application rates table below, the nozzle can apply the required 100L/ha at 3.5 Bar pressure

Turbo TeeJet® (TT)

	bar										
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
TT11001	C	C	M	M	M	M	F	F	F	F	F
TT110015	VC	C	M	M	M	M	F	F	F	F	F
TT11002	VC	C	C	M	M	M	M	M	F	F	F
TT110025	VC	C	C	M	M	M	M	F	F	F	F
TT11003	VC	VC	C	C	M	M	M	M	M	M	M
TT11004	XC	VC	C	C	C	M	M	M	M	M	M
TT11005	XC	VC	VC	C	C	C	C	M	M	M	M
TT11006	XC	VC	VC	VC	VC	C	C	C	C	M	M
TT11008	XC	VC	VC	VC	C	C	C	C	M	M	M

Droplet Size

WHAT DROPLET SIZE DO I REQUIRE?

The manufacturer of your chemical may recommend suitable droplet sizes on the chemical label ranging from extremely fine to ultra coarse. Always refer to your agronomist.

Nozzles that produce small droplets are recommended for post-emergence applications, which require excellent coverage on the intended target area. Nozzles producing medium and coarse-sized droplets can be used for contact and systemic herbicides, pre emergence surface-applied herbicides, insecticides and fungicides.

Remember, as droplet size is reduced the drift potential is increased. Where possible, choose nozzles with a slightly coarser droplet size to reduce drift potential. Review the nozzle droplet size charts for the appropriate nozzles capable of the required droplet size.

UNIVERSAL APPLICATION RATE CHART FOR 50 CM TIP SPACING

TIP CAPACITY	LIQUID PRESSURE IN BAR	CAPACITY 1 NOZZLE IN L/MIN	L/HA – 50CM NOZZLE SPACING			Speed
			4 KM/H	6 KM/H	8 KM/H	10 KM/H
01	1.0	0.23	69.0	46.0	34.5	27.6
	1.5	0.28	84.0	56.0	42.0	33.6
	2.0	0.32	96.0	64.0	48.0	38.4
	3.0	0.39	117	78.0	58.5	46.8
	4.0	0.45	135	90.0	67.5	54.0
	5.0	0.50	150	100	75.0	60.0
	6.0	0.55	165	110	82.5	66.0
	7.0	0.60	180	120	90.0	72.0
015	1.0	0.34	102	68.0	51.0	40.8
	1.5	0.42	126	84.0	63.0	50.4
	2.0	0.48	144	96.0	72.0	57.6
	3.0	0.59	177	118	88.5	70.8
	4.0	0.68	204	136	102	81.6
	5.0	0.76	228	152	114	91.2
	6.0	0.83	249	166	125	99.6
	7.0	0.90	270	180	135	108
02	1.0	0.46	138	92.0	69.0	55.2
	1.5	0.56	168	112	84.0	67.2
	2.0	0.65	195	130	97.5	78.0
	3.0	0.79	237	158	119	94.8
	4.0	0.91	273	182	137	109
	5.0	1.02	306	204	153	122
	6.0	1.12	336	224	168	134
	7.0	1.21	363	242	182	145

Rate

NOTE: Always double check your application rates. Tabulations are based on spraying water at 70°F (21°C).

Nozzle selection and maintenance are two of the most important aspects of accurate and efficient spray application. Silvan offers the largest range of nozzles from leading brands to suit your needs.

NOZZLE DROPLET SIZE

When selecting a suitable nozzle the droplet size is critical to ensure chemical is applied to target instead of being misapplied as drift. Finer droplet sizes ensure improved coverage however they are also more prone to drift and conversely larger droplets are less prone to drift.

Droplet size follow two trends:

- As pressure increases droplet sizes decreases
- Larger size nozzles provide larger droplets and increased flow


Category	Symbol	Color Code
Extremely Fine	XF	
Very Fine	VF	
Fine	F	
Medium	M	
Coarse	C	
Very Coarse	VC	
Extremely Coarse	XC	
Ultra Coarse	UC	

Droplet size classifications are based on BCPC specifications and in accordance with ASABE Standard S572.1 at the date of printing.

Classifications subject to change.


HOW TO READ & IDENTIFY A NOZZLE

Each nozzle has a code embossed on its surface and side allowing the following information to be identified.



NOZZLE CODE EXPLANATION

Example of XR Nozzle 110° spray angle, 04 size made Stainless steel (VS).



NOZZLE MATERIAL

A variety of materials are available which differ by resistance to wear summarised below.

Hardest: VK (Ceramic), VS (Stainless Steel)

Moderate: VP (Polymer)

Soft: VB (Brass)

XR 80 Degrees Extended Range				
	BAR			
	1.5	2	3	4
XR8003	M	F	F	F
XR8004	M	M	F	F
XR8005	M	M	M	F
XR8006	M	M	M	F
XR8008	C	C	M	M

XR 110 Degrees Extended Range				
	BAR			
	1.5	2	3	4
XR110015	F	F	F	F
XR11002	F	F	F	F
XR11003	M	F	F	F
XR1004	M	M	F	F
XR11005	M	M	M	F
XR11006	M	M	M	F
XR11008	C	C	M	M

SPRAYER CALIBRATION

STEP NUMBER 1

Check Your Tractor/Sprayer Speed!

The tractor travel speed is the most important variable in sprayer performance. A 10% change in tractor speed gives a 10% change in application rate. This can lead to over or under application of chemicals. Determine the speed by measuring 100 metres then time in seconds how long it takes to cover the 100 metres. If spraying in hilly terrain time distance both up hill and down hill and average the results.

THE FORMULA FOR SPEED IS:

$$\text{km/h} = \frac{360}{\text{Time in seconds for 100 metres}}$$

STEP NUMBER 2


$$A = \frac{B+C}{D}$$ **The Inputs:**

Before spraying, record the following: EXAMPLE

Nozzle type on your sprayer.....TT11002 Flat Fan
(All nozzles must be identical)..... Spray Tip
Recommended application volume.....100 l/ha
(From manufacturer's label)
Measured sprayer speed.....10 km/h
Nozzle spacing.....50 cm



STEP NUMBER 3



Calculating Required Nozzle Output

Determine l/min nozzle output from formula.

FORMULA: $\text{l/min} = \frac{\text{l/ha x km/h x W}}{60{,}000}$

EXAMPLE: $\text{l/min} = \frac{\text{l/min = 100 x 10 x 50}}{60{,}000}$

ANSWER: 0.83 l/min

STEP NUMBER 4



Setting the Correct Pressure

Turn on your sprayer and check for leaks or blockage. Inspect and clean, if necessary, all tips and strainers with a brush. Replace one tip and strainer with an identical new tip and strainer on sprayer boom.

Example: (Using above inputs) refer to application rate table on page 144 for flat spray tip. The table shows that this nozzle delivers 0.83 l/min at 3 bar.

Turn on your sprayer and adjust pressure. **Collect and measure the volume of the spray from the new tip for one minute in the collection jar.** Fine tune the pressure until you collect 0.83 L/min.

You have now adjusted your sprayer to the proper pressure. It will properly deliver the application rate specified by the chemical manufacturer at your measured sprayer speed.

STEP NUMBER 5



Checking Your System

Problem Diagnosis: Now, check the flow rate of a few tips on each boom section. If the flow rate of any tip is 10 percent greater or less than that of the newly installed spray tip, recheck the output of that tip. If only one tip is faulty, replace with new tip and strainer and your system is ready for spraying. However, if a second tip is defective, **replace all tips on the entire boom.** This may sound unrealistic, but two worn tips on a boom are ample indication of tip wear problems. Replacing only a couple of worn tips invites potentially serious application problems.

DELTA T AND WIND METER

Calculates Delta T, wind speed,temperature & humidity. Hand held, battery operated and easy to use.

- Wind speed range 1.1-20m/s, 0.7 - 72kms/hr
- Air temperature: –15°C to 50°C
- Air relative humidity 0% - 100% RH
- Temperature and humidity response time 60 seconds
- Wet bulb temperature
- Dry bulb temperature
- Battery: CR2032



118-486


CODE	DESCRIPTION	LIST EX	LIST INC	CAT
118-486	Wind Meter Delta T	$271.82	$299.00	B

WHEN IS IT RIGHT TO SPRAY?

The weather has major impact on spraying conditions.

The effects of wind on spraying can be very clear and easy to see but temperature and humidity also have critical effects that can be measured by Delta T.


Delta T is a relative measure of Humidity vs Temperature summarised in the table (right) that indicates suitability of spray conditions. Preferably spraying should occur when Delta T is between 2 and 8; a higher Delta T has an increased chance for drift caused by evaporation when water based spraying.





WIND SPEED AND SPRAYING

Wind speeds are critical when spraying. If conditions are too windy, chemicals may not be applied correctly to the target crop leading to poor results, increased drift and possible off target damage. The table below offers a simple method of assessing wind speeds, otherwise they can be more accurately measured using a Wind Meter.

Approx. Airspeed at Boom Height	Description	Visible Signs	Spraying
Less than 2 km/h	Calm	Smoke rises vertically	Spraying inadvisable
2-3.3 km/h	Light air	Direction shown by smoke drift	Avoid spraying
3.2-6.5 km/h	Light breeze	Leaves rustle, wind felt on face	Ideal spraying
6.5-9.6 km/h	Gentle breeze	Leaves & twigs in constant motion	Use low drift nozzles (medium droplets)
9.6-14.5 km/h	Moderate	Small branches moved raises dust or loose paper	Use air induction nozzles (coarse droplets)







Tips Don't Last Forever!

There is sufficient evidence that spray tips may be the most neglected component in today's farming. Even in countries with obligatory sprayer testing, spray tips are the most significant failure. On the other hand, they are among the most critical of items in proper application of valuable agricultural chemicals.


An Inside Look at Nozzle Orifice Wear and Damage

While wear may not be detected when visually inspecting a nozzle, it can be seen when viewed through an optical comparator. The edges of the worn nozzle (B) appear more rounded than the edges of the new nozzle (A). Damage to nozzle (C) was caused by improper cleaning. The spraying results from these tips can be seen in the illustrations below.

Determining Tip Wear

The best way to determine if a spray tip is excessively worn is to compare the flow rate from the used tip to the flow rate of a new tip of the same size and type. Charts in this catalogue indicate the flow rates for new nozzles. Check the flow of each tip by using an accurate graduated collection container, a timing device and an accurate pressure gauge mounted at the nozzle tip. Compare the flow rate of the old tip to that of the new one. Spray tips are considered excessively worn and should be replaced when their flow exceeds the flow of a new tip by 10%.





TYPICAL APPLICATION RATES FOR NOZZLES SPACED 50CM APART

**Recommended nozzle filter mesh size.*

MESH SIZE	CODE	LIQ PRES BAR	CAP. L/MIN	APPLICATION RATE: LITRES PER HECTARE AT KM/H												
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H
100 Mesh*	01	1.0	0.23	69.0	55.2	46.0	39.4	34.5	27.6	23.0	17.3	15.3	13.8	11.0	9.2	7.9
		1.5	0.28	84.0	67.2	56.0	48.0	42.0	33.6	28.0	21.0	18.7	16.8	13.4	11.2	9.6
		2.0	0.32	96.0	76.8	64.0	54.9	48.0	38.4	32.0	24.0	21.3	19.2	15.4	12.8	11.0
		2.5	0.36	108	86.4	72.0	61.7	54.0	43.2	36.0	27.0	24.0	21.6	17.3	14.4	12.3
		3.0	0.39	117	93.6	78.0	66.9	58.5	46.8	39.0	29.3	26.0	23.4	18.7	15.6	13.4
		3.5	0.42	126	101	84.0	72.0	63.0	50.4	42.0	31.5	28.0	25.2	20.2	16.8	14.4
		4.0	0.45	135	108	90.0	77.1	67.5	54.0	45.0	33.8	30.0	27.0	21.6	18.0	15.4
		5.0	0.50	150	120	100	85.7	75.0	60.0	50.0	37.5	33.3	30.0	24.0	20.0	17.1
		6.0	0.55	165	132	110	94.3	82.5	66.0	55.0	41.3	36.7	33.0	26.4	22.0	18.9
100 Mesh*	015	1.0	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7
		1.5	0.42	126	101	84.0	72.0	63.0	50.4	42.0	31.5	28.0	25.2	20.2	16.8	14.4
		2.0	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5
		2.5	0.54	162	130	108	92.6	81.0	64.8	54.0	40.5	36.0	32.4	25.9	21.6	18.5
		3.0	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2
		3.5	0.64	192	154	128	110	96.0	76.8	64.0	48.0	42.7	38.4	30.7	25.6	21.9
		4.0	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
		4.5	0.72	216	173	144	123	108	86.4	72.0	54.0	48.0	43.2	34.6	28.8	24.7
		5.0	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
		5.5	0.80	240	192	160	137	120	96.0	80.0	60.0	53.3	48.0	38.4	32.0	27.4
		6.0	0.83	249	199	166	142	125	100	83.0	62.3	55.3	49.8	39.8	33.2	28.5
		6.5	0.87	261	209	174	149	131	104	87.0	65.3	58.0	52.2	41.8	34.8	29.8
		7.0	0.90	270	216	180	154	135	108	90.0	67.5	60.0	54.0	43.2	36.0	60.9
		8.0	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
50 Mesh*	02	1.0	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8
		1.5	0.56	168	134	112	96.0	84.0	67.2	56.0	42.0	37.3	33.6	26.9	22.4	19.2
		2.0	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3
		2.5	0.72	216	173	144	123	108	86.4	72.0	54.0	48.0	43.2	34.6	28.8	24.7
		3.0	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1
		3.5	0.85	255	204	170	146	128	102	85.0	63.8	56.7	51.0	40.8	34.0	29.1
		4.0	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
		4.5	0.97	291	233	194	166	146	116	97.0	72.8	64.7	58.2	46.6	38.8	33.3
		5.0	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0
		5.5	1.07	321	257	214	183	161	128	107	80.3	71.3	64.2	51.4	42.8	36.7
		6.0	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
		6.5	1.16	348	278	232	199	174	139	116	87.0	77.3	69.6	55.7	46.4	39.8
		7.0	1.21	363	290	242	207	182	145	121	90.8	80.7	72.6	58.1	48.4	41.5
		8.0	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2
50 Mesh*	025	3.0	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9
		3.5	1.07	321	257	214	183	161	128	107	80.3	71.3	64.2	51.4	42.8	36.7
		4.0	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
		4.5	1.21	363	290	242	207	182	145	121	90.8	80.7	72.6	58.1	48.4	41.5
		5.0	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9
		5.5	1.34	402	322	268	230	201	161	134	101	89.3	80.4	64.3	53.6	45.9
		6.0	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0
		6.5	1.46	438	350	292	250	219	175	146	110	97.3	87.6	70.1	58.4	50.1
		7.0	1.51	453	362	302	259	227	181	151	113	101	90.6	72.5	60.4	51.8
		8.0	1.62	486	389	324	278	243	194	162	122	108	97.2	77.8	64.8	55.5
50 Mesh*	03	1.0	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
		1.5	0.83	249	199	166	142	125	100	83.0	62.3	55.3	49.8	39.8	33.2	28.5
		2.0	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
		2.5	1.08	324	259	216	185	162	130	108	81.0	72.0	64.8	51.8	43.2	37.0
		3.0	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5
		3.5	1.27	381	305	254	218	191	152	127	95.3	84.7	76.2	61.0	50.8	43.5
		4.0	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6
		4.5	1.45	435	348	290	249	218	174	145	109	96.7	87.0	69.6	58.0	49.7
		5.0	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1
		5.5	1.60	480	384	320	274	240	192	160	120	107	96.0	76.8	64.0	54.9
		6.0	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
		6.5	1.74	522	418	348	298	261	209	174	131	116	104	83.5	69.6	59.7
		7.0	1.80	540	432	360	309	270	216	180	135	120	108	86.4	72.0	61.7
		8.0	1.93	579	463	386	331	290	232	193	145	129	116	92.6	77.2	66.2

TYPICAL APPLICATION RATES FOR NOZZLES SPACED 50CM APART

**Recommended nozzle filter mesh size.*

MESH SIZE	CODE	LIQ PRES BAR	CAP. L/MIN	APPLICATION RATE: LITRES PER HECTARE AT KM/H												
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H
50 Mesh*	04	1.0	0.91	273	218	182	156	137	109	91	68.3	60.7	54.6	43.7	36.4	31.2
		1.5	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
		2.0	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2
		2.5	1.44	432	346	288	247	216	173	144	108	96.0	86.4	69.1	57.6	49.4
		3.0	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2
		3.5	1.71	513	410	342	293	257	205	171	128	114	103	82.1	68.4	58.6
		4.0	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
		4.5	1.94	582	466	388	333	291	233	194	146	129	115	93.1	77.6	66.5
		5.0	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9
		5.5	2.14	642	514	428	367	321	257	214	161	143	128	103	85.6	73.4
		6.0	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5
		6.5	2.33	699	559	466	399	350	280	233	175	155	140	112	93.2	79.9
		7.0	2.41	725	578	482	413	362	289	241	181	161	145	116	96.4	82.6
		8.0	2.58	774	619	516	442	387	310	258	194	172	155	124	103	88.5
50 Mesh*	05	1.00	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
		1.5	1.39	417	334	278	238	209	167	139	104	92.7	83.4	66.7	55.6	47.7
		2.0	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2
		2.5	1.80	540	432	360	309	270	216	180	135	120	108	86.4	72.0	61.7
		3.0	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.38	67.5
		3.5	2.13	639	511	426	365	320	256	213	160	142	128	102	85.2	73.0
		4.0	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8
		4.5	2.41	723	578	482	413	362	289	241	181	161	145	116	96.4	82.6
		5.0	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1
		5.5	2.67	801	641	534	458	401	320	267	200	178	160	128	107	91.5
		6.0	2.79	837	670	558	478	416	335	279	209	186	167	134	112	95.7
		6.6	2.90	870	696	580	497	435	348	290	218	193	174	139	116	99.4
		7.0	3.01	903	722	602	516	452	361	301	226	201	181	144	120	103
		8.0	3.22	966	773	644	552	483	386	322	242	215	193	155	129	110
50 Mesh*	06	1.0	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0
		1.5	1.68	504	403	336	288	252	202	168	126	112	101	80.6	67.2	57.6
		2.0	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5
		2.5	2.16	648	518	432	370	324	259	216	162	144	130	104	86.4	74.1
		3.0	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3
		3.5	2.56	768	614	512	439	384	307	256	192	171	154	123	102	87.8
		4.0	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9
50 Mesh*	08	1.0	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
		1.5	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5
		2.0	2.58	774	619	516	442	387	310	258	194	172	155	124	103	88.5
		2.5	2.88	864	691	576	494	432	346	288	216	192	173	138	115	98.7
		3.0	3.16	948	758	632	542	474	379	316	237	211	190	152	126	108
		3.5	3.41	1023	818	682	585	512	409	341	256	227	205	164	136	117
		4.0	3.65	1095	876	730	626	548	438	365	274	243	219	175	146	125
50 Mesh*	10	1.0	2.28	684	547	456	391	342	274	228	171	152	137	109	91.2	78.2
		1.5	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7
		2.0	3.23	969	775	646	554	485	388	323	242	215	194	155	129	111
		3.0	3.95	1185	948	790	677	593	474	395	296	263	237	190	158	135
		4.0	4.56	1368	1094	912	782	684	547	456	342	304	274	219	182	156
50 Mesh*	15	1.0	3.42	1026	821	684	586	513	410	342	257	228	205	164	137	117
		1.5	4.19	1257	1006	838	718	629	503	419	314	279	251	201	168	144
		2.0	4.83	1449	1159	966	828	725	580	483	362	322	290	232	193	166
		3.0	5.92	1776	1421	1184	1015	888	710	592	444	395	355	284	237	203
		4.0	6.84	2052	1642	1368	1173	1026	821	684	513	456	410	328	274	235

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course

TP FLAT FAN STANDARD

- Single piece nozzle with even coverage
- Pressure Range: 2-4 Bar
- Polymer with VisiFlo colour coding



TP Flat Fan 80 Degrees	BAR				
	2	2.5	3	3.5	4
TP80015	F	F	F	F	F
TP8002	F	F	F	F	F
TP8003	F	F	F	F	F
TP8004	M	M	M	F	F
TP8005	M	M	M	M	F
TP8006	M	M	M	M	M
TP8008	C	M	M	M	M



TP Flat Fan 110 Degrees	BAR				
	2	2.5	3	3.5	4
TP110015	F	F	F	F	VF
TP11002	F	F	F	F	F
TP11003	F	F	F	F	F
TP11004	M	M	F	F	F
TP11005	M	M	M	F	F
TP11006	M	M	M	M	F
TP11008	C	M	M	M	M

XR EXTENDED RANGE

- Single piece nozzle with even coverage
- Polymer, stainless steel and ceramic available
- Lower drift potential at low pressure
- Pressure Range: 1-4 Bar



XR 80 Degrees Extended Range	BAR			
	1.5	2	3	4
XR8003	M	F	F	F
XR8004	M	M	F	F
XR8005	M	M	M	F
XR8006	M	M	M	F
XR8008	C	C	M	M



XR 110 Degrees Extended Range	BAR			
	1.5	2	3	4
XR110015	F	F	F	F
XR11002	F	F	F	F
XR11003	M	F	F	F
XR11004	M	M	F	F
XR11005	M	M	M	F
XR11006	M	M	M	F
XR11008	C	C	M	M

XRC EXTENDED RANGE

- Same specification droplet size as XR nozzle with added convenience of a moulded Quick TeeJet cap for easy fitment and automatic alignment
- Single piece nozzle with even coverage
- Pressure Range: 1-4 Bar
- Polymer and ceramic material available
- Lower drift potential at low pressure



XRC 110 Degrees Extended Range	BAR						
	1	1.5	2	2.5	3	3.5	4
XRC11002	M	F	F	F	F	F	F
XRC110025	M	F	F	F	F	F	F
XRC11003	M	M	F	F	F	F	F
XRC11004	M	M	M	M	F	F	F
XRC11005	M	M	M	M	M	F	F
XRC11006	C	M	M	M	M	M	F
XRC11008	C	C	C	M	M	M	M

CODE	ANGLE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TP110***-VP	110°	TP - Flat Fan - Poly	015, 02, 03, 04, 05, 06, 08	$2.73	$3.00	B
TP80***-VP	80°	TP - Flat Fan - Poly	015, 02, 03, 04, 05, 06, 08	$2.73	$3.00	B
XR110***-VP	110°	XR - Flat Fan - Poly	015, 02, 03, 04, 05, 06, 08	$8.18	$9.00	B
XR110***-VK	110°	XR - Flat Fan - Ceramic	02, 025, 03, 04, 05, 06, 08	$12.73	$14.00	B
XR80***-VK	80°	XR - Flat Fan - Ceramic	03, 04, 05, 06, 08	$12.73	$14.00	B
XRC110***-VK	110°	XRC - Flat Fan - Ceramic with Moulded Cap	025, 03, 04, 05, 06, 08	$18.18	$20.00	B
10 PACK NOZZLES:						
PKT-TP110***-VP	110°	VisiFlo - Flat Fan - Poly 10 Pk	015, 02, 03, 04	$38.18	$42.00	B
PKT-XR110***-VP	110°	XR - Flat Fan - Poly 10 Pk	015, 02, 03, 04	$90.00	$99.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course

DRIFT GUARD SPRAY TIPS

- Pre-orifice design produces larger droplets and reduces the small drift prone droplets, minimising off-target spray application
- Tapered edge flat spray pattern
- The colour-coded pre-orifice is removable for any necessary cleaning operations
- Poly & stainless steel material available
- Sizes available 015 to 05
- Pressure Range: 2-4 Bar



DG TeeJet					
	BAR				
	2	2.5	3	3.5	4
DG110015	M	F	F	F	F
DG11002	M	M	M	M	M
DG11003	C	M	M	M	M
DG11004	C	C	M	M	M
DG11005	C	C	C	M	M

TURBO TEEJET FLAT SPRAY TIPS

- Tapered edge wide angle pattern for uniform coverage in broadcast spraying
- Large, rounded internal passage to minimise clogging
- Larger droplets for less drift (1-6 Bar)
- Poly material



Turbo TeeJet											
	BAR										
	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6
TT11001	C	C	M	M	M	M	F	F	F	F	F
TT110015	VC	C	M	M	M	M	F	F	F	F	F
TT11002	VC	C	C	M	M	M	M	M	F	F	F
TT110025	VC	C	C	M	M	M	M	F	F	F	F
TT11003	VC	C	C	C	C	M	M	M	M	M	M
TT11004	XC	VC	C	C	C	M	M	M	M	M	M
TT11005	XC	VC	VC	C	C	C	C	M	M	M	M
TT11006	XC	VC	VC	VC	VC	C	C	C	C	M	M
TT11008	XC	VC	VC	VC	C	C	C	C	M	M	M

TURBO TWINJET SPRAY TIPS

- Dual outlet design produces two 110° flat fan spray patterns using the patented technology from the Turbo TeeJet® nozzle. The angle between each spray pattern is 60° forward and back
- Excellent canopy coverage and penetration while delivering excellent drift resistance
- Spraying pressure (1.5-6 Bar), ideal for use with automatic spray rate controllers
- Best suited to applications where superior leaf coverage and canopy penetration is important
- Poly material
- Sizes available 02 to 06



Turbo Twinjet (TTJ60)										
	BAR									
	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6
TTJ60-11002	C	C	C	C	M	M	M	M	M	M
TTJ60-110025	VC	C	C	C	C	C	C	M	M	M
TTJ60-11003	VC	C	C	C	C	C	C	C	M	M
TTJ60-11004	VC	C	C	C	C	C	C	C	C	M
TTJ60-11005	VC	C	C	C	C	C	C	C	C	C
TTJ60-11006	XC	VC	C	C	C	C	C	C	C	C

CODE	ANGLE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
DG110***-VP	110°	Polymer - Drift Guard Even Flat Fan	015, 02, 03, 04, 05	$16.36	$18.00	B
DG110***-VS	110°	Stainless Steel - Drift Guard Even Flat Fan	015, 02, 03, 04, 05	$30.00	$33.00	B
TT110***-VP	110°	Poly - Turbo Wide Angle Flat Fan	01, 015, 02, 025, 03, 04, 05, 06, 08	$15.45	$17.00	B
TTJ60-110***VP		Poly - Turbo Twinjet Wide Angle Flat Fan	25, 02, 03, 04, 05, 06	$20.00	$22.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course

AIXR AIR INDUCTION NOZZLES

- Pressure range 1-6 Bar
- Made of a two-piece polymer construction. Excellent chemical resistance, including acids, as well as exceptional wear life
- A lower pressure air inducted nozzle offers better drift management suitable for the broadacre market
- Compact size to prevent tip damage and removable pre-orifice
- Depending on the chemical, produces large air-filled drops through a venturi air aspirator



AIXR11002-VP

	AIXR Air Induction Nozzles					
	BAR					
	1.5	2	3	4	5	6
AIXR110015	VC	C	C	M	M	M
AIXR11002	VC	VC	C	M	M	M
AIXR110025	XC	VC	VC	C	C	M
AIXR11003	XC	VC	VC	C	C	M
AIXR11004	XC	XC	VC	VC	C	C
AIXR11005	XC	XC	VC	VC	C	C
AIXR11006	XC	XC	VC	VC	C	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AIXR110***-VP	110°	Poly - Air Induction Spray Tip	015, 02, 025, 03, 04, 05, 06, 08	$17.27	$19.00	B
10 PACK NOZZLES:						
PKT-AIXR110***-VP	110°	10 Pk Poly Air Induction Spray tip	02, 03, 04	$180.91	$199.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

TURBO TEEJET INDUCTION (TTI) 2,4-D COMPLIANT NOZZLES

- Produces extremely coarse (XC) and ultra coarse (UC) droplets across a very wide pressure range (1-7 Bar)
- Offers the lowest percentage of driftable droplets available (<1%)
- Fully compliant with the new 2,4-D label requirements, including the advisory statements for summer spraying between Oct 3rd and April 15th
- All polymer construction for excellent chemical and wear resistance
- Compact size to prevent tip damage
- Removable pre-orifice
- Ideal for use with spray rate controllers



TTI11002VP

	Turbo TeeJet Induction (TTI)						
	BAR						
	1.5	2	3	4	5	6	7
TTI110015	UC	UC	UC	XC	XC	VC	VC
TTI11002	UC	UC	UC	XC	XC	VC	VC
TTI110025	UC	UC	UC	UC	XC	VC	VC
TTI11003	UC	UC	UC	UC	XC	XC	VC
TTI11004	UC	UC	UC	UC	XC	VC	VC
TTI11005	UC	UC	UC	XC	XC	VC	C
TTI11006	UC	UC	UC	XC	VC	C	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TTI110***VP	110°	Poly - Turbo Induction Spray Tip	015, 02, 025, 03, 04, 05, 06	$27.27	$30.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course

AI AIR INDUCTION NOZZLES

- Stainless steel insert produces tapered edge flat spray 110° pattern for uniform coverage in broadcast spraying
- Polymer insert holder and pre-orifice with VisiFlo colour-coding
- Larger droplets for less drift
- Depending on the chemical, produces large air-filled drops through the use of a venturi air aspirator
- Pressure ranges from 2 – 8 Bar
- Sizes available 015-08



AI Air Induction Nozzles												
	BAR											
	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	8
AI110015	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C	C
AI11002	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C	C
AI110025	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11003	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11004	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11005	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AI11006	UC	UC	XC	XC	XC	XC	XC	VC	VC	VC	VC	C
AI11008	UC	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AI110**-VS	110°	Air Induction Spray Tip – Stainless Steel	015, 02, 025, 03, 04, 05, 06, 08	$35.45	$39.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

AIC AIR INDUCTION NOZZLES

- Similar droplet size as AI nozzles with added convenience of a moulded nozzle cap
- Available in stainless steel poly and ceramic inserts
- Polymer insert holder and pre-orifice with VisiFlo colour-coding



AIC Air Induction Nozzles											
	BAR										
	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7
AIC110015	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AIC11002	UC	XC	XC	XC	XC	VC	VC	VC	VC	C	C
AIC110025	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11003	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11004	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11005	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC	C
AIC11006	UC	UC	XC	XC	XC	XC	XC	VC	VC	VC	VC
AIC11008	UC	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC
AIC11010	UC	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC
AIC11015	UC	UC	UC	XC	XC	XC	XC	VC	VC	VC	VC

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AIC110***-VS	110°	Air Induction Spray Tip With Cap & Gasket - S/Steel	015, 02, 025, 04, 05, 06, 08, 10, 15	$39.09	$43.00	B
AIC110***-VK	110°	Air Induction Spray Tip With Cap & Gasket - Ceramic	03, 04	$30.91	$34.00	B
AIC110***-VP	110°	Air Induction Polymer	02, 025, 04, 05	$18.18	$20.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course

AITTJ60 AIR INDUCTION TURBO TWINJET

- Air induction with dual 110° flat fan patterns
- 60° between leading and trailing spray patterns
- Best suited for post-emergence applications
- Excellent drift control with coarse to extremely coarse droplets
- Available in VisiFlo color coded capacities (02 through 15)
- Pressure ranges from 1.5 – 7 Bar



AITTJ60 Air Induction Twin Turbo Nozzles	BAR						
	1.5	2	2.5	3	3.5	4	4.5
AITTJ60-11002	XC	VC	C	C	M	M	M
AITTJ60-110025	XC	VC	C	C	M	M	M
AITTJ60-11003	UC	XC	VC	C	C	M	M
AITTJ60-11004	UC	XC	VC	C	C	M	M
AITTJ60-11005	UC	XC	VC	VC	C	M	M
AITTJ60-11006	UC	XC	VC	C	C	M	M
AITTJ60-11008	UC	UC	XC	XC	VC	VC	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AITTJ60-110**VP	110°	Air Induction Turbo Twinjet - Poly	02, 025, 03, 04, 05, 06, 08	$23.64	$26.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

TTI TWINJET (TTI60) 2,4-D COMPLIANT NOZZLES

- Provides exceptional spray coverage for consistent, reliable weed control
- Fully compliant with the new 2,4-D label requirements
- TTI60 produces two 110° wide angle, flat spray patterns for uniform coverage in broadcast applications
- 60° angle between leading and trailing patterns for increased canopy penetration and leaf coverage



TTI60 Air Induction Twin Turbo Nozzles	BAR										
	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	7
TTI60-11002	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC	C
TTI60-110025	UC	UC	XC	XC	XC	VC	VC	VC	VC	VC	C
TTI60-11003	UC	UC	UC	UC	UC	XC	XC	XC	VC	VC	VC
TTI60-11004	UC	UC	UC	UC	UC	XC	XC	XC	VC	VC	VC
TTI60-11005	UC	UC	UC	UC	UC	XC	XC	XC	XC	VC	VC
TTI60-11006	UC	UC	UC	UC	UC	XC	XC	XC	XC	XC	VC
TTI60-11008	UC	UC	UC	UC	UC	UC	UC	UC	UC	XC	XC

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TTI60-1100***VP	110°	Air Induction Twinjet Flat Fan -Poly	02, 025, 03, 04, 05, 06, 08	$35.45	$39.00	B

*** DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

STREAMJET SJ-3 FERTILISER (3 STREAM)

- Removable metering orifice for easy cleaning
- Equally spaced distribution at 50cm height
- Use with Quick TeeJet cap CP114442-*-CE
- All acetal construction for excellent chemical resistance
- Recommended operating pressure: 1.5–4 Bar





SJ3

CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
SJ3-***-VP	Poly - 3 Stream Streamjet Fertiliser Nozzles	015,02,03,04,05,06	$29.09	$32.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course

CFA AIR INDUCTION NOZZLES

- Pressure range 1.5 to 8 bar
- Made of Delrin material to assist with exceptional wear life
- Compact size to prevent tip damage and removable pre orifice for cleaning
- Produces large air filled droplets to assist with drift reduction
- Made in Italy and supplied in packs of 12



CFA11002

	CFA Air Induction Nozzles				
	BAR				
	1.5	3	5	7	8
CFA110015	VC	C	C	C	M
CFA11002	XC	C	C	C	C
CFA110025	XC	VC	C	C	C
CFA11003	XC	VC	VC	C	C
CFA11004	XC	XC	VC	C	C
CFA11005	XC	XC	VC	VC	C
CFA11006	XC	XC	VC	VC	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
CFA110***	110°	Delrin – Air Induction nozzles	015, 02, 025, 03, 04, 05, 06	$10.00	$11.00	B
10 PACK NOZZLES:						
PKT-CFA110***	110°	12 Pk Poly Air Induction Spray tip	015, 02, 025, 03, 04	$97.27	$107.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

IDK AIR INDUCTION NOZZLES

- Air induction flat-spray tip
- Pressure Range:
  - Spray angle 120°
  - IDK-01 to 03, (1.5 - 6 Bar)
  - IDK-04 to 05, (1 - 6 Bar)
- Hard-wearing and non-clogging thanks to large lateral air-induction channels



IDK12004P

	IDK Lechler						
	BAR						
	1.5	2	2.5	3	4	5	6
IDK12001	C	C	C	M	M	M	F
IDK120015	C	C	C	C	M	M	F
IDK12002	VC	C	C	C	M	M	M
IDK120025	VC	VC	C	C	C	M	M
IDK12003	VC	VC	VC	C	C	M	M
IDK12004	VC	VC	VC	VC	C	C	M
IDK12005	VC	VC	VC	VC	C	C	M
IDK12006	XC	VC	VC	VC	VC	C	C

CODE	ANG	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
IDK120***P	120°	Poly - Air Induction Spray Tip	01, 015, 02, 025, 03, 04, 05	$14.55	$16.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

Droplet Size Classification											
F	Fine	M	Medium	C	Coarse	VC	Very Coarse	XC	Extremely Course	UC	Ultra Course


AOC AIR INDUCTION OFF-CENTRE NOZZLES

- Made of moulded Delrin, a polymer ensuring high chemical stability and an exceptional long useful life
- 80° spray pattern and removable pre orifice for cleaning
- Sizes available from 02 to 05
- Supplied in the M99-73 fence line kit
- Ideal for drift reduction



AOC02

Off-centre Air Induction Nozzles	BAR					
	1.5	2	3	4	6	8
AOC02	UC	UC	XC	XC	VC	C
AOC025	UC	UC	XC	XC	XC	VC
AOC03	UC	UC	XC	XC	XC	VC
AOC04	UC	UC	XC	XC	XC	VC
AOC05	UC	UC	XC	XC	XC	VC



CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
AOCO**	Poly Air Induction Off-centre Nozzle	02, 025, 03, 04, 05	$10.91	$12.00	B


***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

BRASS OFF-CENTRE – SMALL CAPACITY

These spray tips are commonly installed in double and single swivel nozzle bodies. A wide spray swath is easily obtained from the bodies' easily adjustable angular position.



CODE	BAR	L/MIN	H = 45CM L/HA				
			W (CM)	4 KM/H	6 KM	8 KM	10 KM
OC-02	2.0	0.65	172	56.7	37.8	28.3	22.7
	3.0	0.79	177	66.9	44.6	33.5	26.8
	4.0	0.91	182	75.0	50.0	37.5	30.0
OC-04	2.0	1.29	231	83.8	55.8	41.9	33.5
	3.0	1.58	236	100	66.9	50.2	40.2
	4.0	1.82	238	115	76.5	57.4	45.9
OC-06	2.0	1.94	251	116	77.3	58.0	46.4
	3.0	2.37	256	139	92.6	69.4	55.5
	4.0	2.74	259	159	106	79.3	63.5



CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
OC-**	Brass - TeeJet Off-centre Nozzle	02, 04, 06, 08, 12, 16	$35.45	$39.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

ARAG HOLLOW CONE NOZZLES

The ceramic hollow cone nozzles are designed for creating small droplets ideal for foliar application of insecticides and fungicides. Constructed with a moulded outer over a ceramic insert that is mated to a turbulence chamber and counter-swirling device which is easily separated for cleaning. The ceramic nozzle allows for long lasting life and the vortexing action in the nozzle provides a 80° spray angle between 3-5 bar and works well at both high and low operating pressures. Maximum operating pressure 20 Bar.

HCC 80° CERAMIC HOLLOW CONE NOZZLES

- ENAMA & ENTAM certified

	CAPACITY (L/min)																	
	3 BAR	4 BAR	5 BAR	6 BAR	7 BAR	8 BAR	9 BAR	10 BAR	11 BAR	12 BAR	13 BAR	14 BAR	15 BAR	16 BAR	17 BAR	18 BAR	19 BAR	20 BAR
HCC005	0.20	0.23	0.26	0.28	0.31	0.33	0.35	0.37	0.38	0.40	0.42	0.43	0.45	0.46	0.48	0.49	0.50	0.52
HCC0075	0.30	0.35	0.39	0.42	0.46	0.49	0.52	0.55	0.57	0.60	0.62	0.65	0.67	0.69	0.71	0.73	0.75	0.77
HCC01	0.40	0.46	0.52	0.57	0.61	0.65	0.69	0.73	0.77	0.80	0.83	0.86	0.89	0.92	0.95	0.98	1.01	1.03
HCC015	0.60	0.69	0.77	0.85	0.92	0.98	1.04	1.10	1.15	1.20	1.25	1.30	1.34	1.39	1.43	1.47	1.51	1.55
HCC02	0.80	0.92	1.03	1.13	1.22	1.31	1.39	1.46	1.53	1.60	1.67	1.73	1.79	1.85	1.90	1.96	2.01	2.07
HCC025	1.00	1.15	1.29	1.41	1.53	1.63	1.73	1.83	1.91	2.00	2.08	2.16	2.24	2.31	2.38	2.45	2.52	2.58
HCC03	1.20	1.39	1.55	1.70	1.83	1.96	2.08	2.19	2.30	2.40	2.50	2.59	2.68	2.77	2.86	2.94	3.02	3.10
HCC035	1.40	1.62	1.81	1.98	2.14	2.29	2.42	2.56	2.68	2.80	2.91	3.02	3.13	3.23	3.33	3.43	3.52	3.61
HCC04	1.60	1.85	2.07	2.26	2.44	2.61	2.77	2.92	3.06	3.20	3.33	3.46	3.58	3.70	3.81	3.92	4.03	4.13
HCC05	2.00	2.31	2.58	2.83	3.06	3.27	3.46	3.65	3.83	4.00	4.16	4.32	4.47	4.62	4.76	4.90	5.03	5.16

CODE	DESCRIPTION	ANGLE	SIZES AVAILABLE	LIST EX	LIST INC	CAT
HCC***	HCC Hollow Cone Nozzle	80°	005,0075,01,015,02,025,03,035,04,05	$13.64	$15.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP

HCI 40° CERAMIC HOLLOW CONE NOZZLES

	CAPACITY (L/min)																	
	3 BAR	4 BAR	5 BAR	6 BAR	7 BAR	8 BAR	9 BAR	10 BAR	11 BAR	12 BAR	13 BAR	14 BAR	15 BAR	16 BAR	17 BAR	18 BAR	19 BAR	20 BAR
HCI40015	0.60	0.69	0.77	0.85	0.92	0.98	1.04	1.10	1.15	1.20	1.25	1.30	1.34	1.39	1.43	1.47	1.51	1.55
HCI4002	0.80	0.92	1.03	1.13	1.22	1.31	1.39	1.46	1.53	1.60	1.67	1.73	1.79	1.85	1.90	1.96	2.01	2.07
HCI40025	1.00	1.15	1.29	1.41	1.53	1.63	1.73	1.83	1.91	2.00	2.08	2.16	2.24	2.31	2.38	2.45	2.52	2.58
HCI4003	1.20	1.39	1.55	1.70	1.83	1.96	2.08	2.19	2.30	2.40	2.50	2.59	2.68	2.77	2.86	2.94	3.02	3.10
HCI40035	1.40	1.62	1.81	1.98	2.14	2.29	2.42	2.56	2.68	2.80	2.91	3.02	3.13	3.23	3.33	3.43	3.52	3.61
HCI4004	1.60	1.85	2.07	2.26	2.44	2.61	2.77	2.92	3.06	3.20	3.33	3.46	3.58	3.70	3.81	3.92	4.03	4.13
HCI4005	2.00	2.31	2.58	2.83	3.06	3.27	3.46	3.65	3.83	4.00	4.16	4.32	4.47	4.62	4.76	4.90	5.03	5.16
HCI4006	2.40	2.77	3.10	3.39	3.67	3.92	4.16	4.38	4.60	4.80	5.00	5.18	5.37	5.54	5.71	5.88	6.04	6.20

CODE	DESCRIPTION	ANGLE	SIZES AVAILABLE	LIST EX	LIST INC	CAT
HCI400**	HCI Hollow Cone Nozzle	40°	15, 2, 25, 3, 35, 4, 5, 6	$12.73	$14.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP



TX

HOLLOW CONE NOZZLES (TX)

VisiFlo colour-coded version consists of ceramic orifice in polypropylene body. Maximum operating pressure 20 bar. Spray angle is 80° at 7 Bar. Finely atomised spray pattern provides thorough coverage.

Excellent: Post – emergence contact herbicides, fungicides and insecticides ensures finely atomised spray droplets reach target areas.

Good: With defoliants & foliar fertilisers at 3 Bar pressure and above.



TX

	CAPACITY (L/min)																		
	2 BAR	3 BAR	4 BAR	5 BAR	6 BAR	7 BAR	8 BAR	9 BAR	10 BAR	11 BAR	12 BAR	13 BAR	14 BAR	15 BAR	16 BAR	17 BAR	18 BAR	19 BAR	20 BAR
TX-VK3	0.164	0.196	0.223	0.245	0.266	0.284	0.301	0.317	0.332	0.346	0.359	0.372	0.384	0.396	0.407	0.418	0.429	0.439	0.449
TX-VK4	0.218	0.262	0.299	0.331	0.360	0.386	0.410	0.433	0.454	0.474	0.493	0.512	0.529	0.546	0.562	0.578	0.594	0.608	0.623
TX-VK6	0.327	0.393	0.448	0.496	0.539	0.579	0.615	0.649	0.681	0.711	0.740	0.767	0.794	0.819	0.844	0.867	0.890	0.912	0.934
TX-VK8	0.433	0.525	0.603	0.671	0.732	0.788	0.840	0.888	0.934	0.978	1.02	1.06	1.10	1.13	1.17	1.20	1.24	1.27	1.30
TX-VK10	0.541	0.657	0.753	0.838	0.915	0.985	1.05	1.11	1.17	1.22	1.27	1.32	1.37	1.42	1.46	1.50	1.55	1.59	1.63
TX-VK12	0.649	0.788	0.904	1.01	1.10	1.18	1.26	1.33	1.40	1.47	1.53	1.59	1.65	1.70	1.75	1.81	1.86	1.90	1.95
TX-VK18	0.968	1.18	1.37	1.53	1.67	1.80	1.93	2.04	2.15	2.25	2.35	2.45	2.54	2.63	2.72	2.80	2.88	2.96	3.03
TX-VK26	1.40	1.71	1.97	2.20	2.41	2.60	2.78	2.95	3.11	3.26	3.40	3.54	3.67	3.80	3.92	4.04	4.16	4.27	4.38

CODE	DESCRIPTION	ANGLE	SIZES AVAILABLE	LIST EX	LIST INC	CAT
TX-VK**	TX Ceramic Hollow Cone Nozzle	80°	3, 4, 6, 8, 10, 12, 18, 26	$18.18	**$20.00**	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP



MA

AIR ASSIST NOZZLES

MA1-10



MA2-10



CERAMIC DISC AND SWIRL PLATES (OUTPUT IN LITRES PER MINUTE)

NOZZLE (SIZE)	SWIRL PLATE (CENTRE SIZE)	10 BAR	15 BAR	20 BAR	25 BAR	30 BAR	40 BAR
MA1-08 (0.8)	MA2-00 (Closed Centre)	0.9	1.0	1.2	1.3	1.4	1.6
MA1-10 (1.0)	MA2-00 (Closed Centre)	1.3	1.5	1.7	1.9	2.1	2.4
MA1-12 (1.2)	MA2-00 (Closed Centre)	1.7	2.0	2.3	2.6	2.8	3.2
MA1-15 (1.5)	MA2-00 (Closed Centre)	2.3	2.7	3.1	3.3	3.6	4.0
MA1-18 (1.8)	MA2-00 (Closed Centre)	2.7	3.2	3.6	4.1	4.5	5.0
MA1-20 (2.0)	MA2-00 (Closed Centre)	3.4	3.8	4.3	4.7	5.1	5.7
MA1-25 (2.5)	MA2-00 (Closed Centre)	3.9	4.7	5.4	6.0	6.6	7.7
MA1-10 (1.0)	MA2-10 (1.0)	1.6	1.9	2.2	2.4	2.6	3.0
MA1-12 (1.2)	MA2-10 (1.0)	2.5	3.0	3.4	3.8	4.1	4.7
MA1-15 (1.5)	MA2-12 (1.2)	3.6	4.2	4.8	5.3	5.8	6.9
MA1-18 (1.8)	MA2-15 (1.5)	5.0	5.9	6.7	7.4	8.0	9.5
MA1-20 (2.0)	MA2-18 (1.8)	6.2	7.8	8.7	9.6	10.4	11.8

CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
MA1-**	Ceramic disc - 17.6mm x 2.5mm or 18mm x 2.5mm	08,10,12,15,18,20,25	$3.64	$4.00	B
MA2-**	Swirl plate	00 (Closed),10,12,15,18,20	$3.64	$4.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP



TURBOMISER NOZZLES

- Ideal for Silvan Turbomiser sprayers
- Produce smaller droplets for thorough coverage with contact pesticides and foliar applications
- Maximum spray pressure to 20 bar
- Available in different material type to better suit different pressure range and chemical formulation



D



DVP

	CAPACITY (L/min)						
	1 BAR	1.5 BAR	2 BAR	2.5 BAR	3 BAR	4 BAR	5 BAR
D1	0.26	0.32	0.37	0.43	0.47	0.55	0.62
DVP-2	0.48	0.60	0.67	0.77	0.82	0.94	1.07
DVP-3	0.63	0.79	0.89	1.01	1.1	1.25	1.4
DVP-4	1.15	1.39	1.6	1.81	1.96	2.22	2.4
DVP-5	1.78	2.17	2.49	2.82	3.05	3.43	3.81
D6	2.58	3.16	3.67	3.9	4.32	4.99	5.62
D7	3.47	4.32	4.84	5.4	5.88	6.71	7.55
D8	4.48	5.58	6.34	7.29	7.84	8.98	10.1

CODE	DESCRIPTION	SIZES AVAILABLE	LIST EX	LIST INC	CAT
D*	Hardened Stainless Steel Disc	1,2, 3, 4, 5, 6, 7, 8	$4.55	$5.00	B
DVP-*	Poly Disc	2, 3, 4, 5, 6, 7, 8	$2.73	$3.00	B

***DENOTES SIZE REQUIRED - TO ORDER, REPLACE *** WITH THE DESIRED NOZZLE SIZE E.G. TP11004VP
The DVP discs can be identified by their colour. The stainless steel discs have the number stamped on them

Silvan self-aligning nozzle caps are designed to fit all popular brands of spray tips including fan, cone, anvil and other specialised nozzles. Cap sealing gaskets are manufactured from chemical resistant EPDM material.

FOR USE WITH SPRAY TIPS (REFERENCE ONLY)	COLOUR CAP	CAP CODE	LIST EX	LIST INC	CAT	GASKET ONLY CODE	LIST EX	LIST INC	CAT
 TeeJet® Flat Spray Tips, Lurmark Flat Fan Tips, ASJ Flat Fan Tips, Lechler IDK		G8253000	$2.73	$3.00	B	402200-040	$0.91	$1.00	B

Maximum operating pressure 30 Bar (435 psi).

NON-DRIP NOZZLE HOLDERS

Single clamping screw on the 1/2" model.
Non-drip shut-off valve. Opens above 0.5 Bar.
Includes nozzle body & cap, gasket & screw.



AR-206



AR-210

CODE	INLET SIZE	TUBE SIZE	MAX PRESSURE	LIST EX	LIST INC	CAT
AR-206 (6 pack)	7mm	1/2"	20 Bar	$63.64	$70.00	B
AR-210 (4 pack)	10mm	3/4"	20 Bar	$99.09	$109.00	B
G8253000	Replacement Cap & Gasket			$2.73	$3.00	B
402200-040	Gasket suit cap			$0.91	$1.00	B
G8253040	Blanking Cap, includes Gasket			$2.73	$3.00	B

TEEJET NOZZLE HOLDERS

- Features ChemSaver® drip-free shut-off
- Requires 0.7 Bar the nozzle to open check valve

Note: Excludes nozzle cap and gasket

NOZZLE CAPS REFER TO PAGE 156



CODE	INLET SIZE	TUBE SIZE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ17560A-1/2X7-NYB	7mm	1/2"	20 Bar	$10.91	$12.00	B
QJ17560A-1/2-NYB	9.5mm	1/2"	20 Bar	$10.91	$12.00	B
QJ17560A-3/4-NYB	9.5mm	3/4"	20 Bar	$10.91	$12.00	B
QJ17560A-1-NYB	9.5mm	1"	20 Bar	$11.82	$13.00	B

TEEJET MULTIPLE NOZZLE HOLDERS

This 3 position nozzle holder features a positive shut-off between each position and includes ChemSaver® diaphragm check valve for drip-free shut-off.

Note: Excludes nozzle caps and gaskets

NOZZLE CAPS REFER TO PAGE 156




CODE	INLET SIZE	TUBE SIZE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ363C-1/2-NYB	9.5mm	1/2"	20 Bar	$50.00	$55.00	B
QJ363C-3/4-NYB	9.5mm	3/4"	20 Bar	$50.00	$55.00	B
QJ363C-1-NYB	9.5mm	1"	20 Bar	$50.00	$55.00	B

FOR USE WITH SPRAY TIPS) REFERENCE GUIDE ONLY)


TeeJet Flat Spray Tips (Smaller Capacities)






FITS

TeeJet Flat Spray Tips (Larger Capacities)



FITS

TJ TwinJet® **AI TeeJet® & AIUB TeeJet®** **SJ-3 StreamJet®**




DG TwinJet® **Turbo TeeJet Induction®** AITTJ60 Turbo TwinJet®




FITS

Turbo FloodJet® (TF)
VisiFlo® Spray Tip





TK-VS FloodJet®
VisiFlo Spray Tip



FITS


TK FloodJet® **FL FullJet®** **TX ConeJet®** **TG Full Cone** **Hose Shank**





FITS

Ceramic Disc-Core



FITS

Provides shut-off at nozzle for quick spacing change or change in spray swath (supplied with gasket)

FITS

EPDM standard Gasket only

Viton optional Gasket only

COLOUR NOZZLE CAPS (EXCLUDES GASKET)	TEEJET CAP CODE	LIST EX	LIST INC	CAT
	CP114440-3-CE CP114440-4-CE CP114440-5-CE CP114440-6-CE CP114440-7-CE CP114440-8-CE	$1.82	$2.00	B
	CP25609-4-NY CP25609-6-NY	$2.73	$3.00	B
	CP114442-3-CE CP114442-4-CE CP114442-5-CE CP114442-6-CE CP114442-7-CE	$2.73	$3.00	B
	CP25599-3-NY CP25599-6-NY	$2.73	$3.00	B
	CP114444-3-CE CP114444-4-CE CP114444-5-CE CP114444-6-CE	$2.73	$3.00	B
	CP26277-1-NY	$4.55	$5.00	B
	114447-1-CELR	$6.36	$7.00	B
	CP19438-EPR	$1.82	$2.00	B
	CP19438-VI	$9.09	$10.00	B

TeeJet TECHNOLOGIES

CP19438-EPR (EPDM standard)
CP19438-VI (Viton optional)

Seat Gasket

Quick TeeJet Cap



TEEJET NOZZLE CAPS

The Quick TeeJet® caps are designed with grooves that fit locating lugs on the nozzle body. Caps are made of nylon and are available for use with all TeeJet spray tips. Maximum operating pressure of 20 Bar.

**Specify colour code (see chart), e.g. CP114440-3-CE will supply red cap.*

NOZZLE FILTRATION

Nozzle or tip filters provide the final stage of filtration before the liquid is sprayed. They are available as standard or small cup type filters and fit most nozzle holders. Also available in anti-drip versions.

CUP STRAINERS

- Stainless steel construction
- Choice of 50 and 100 mesh screens



50 Mesh



100 Mesh



G8139001

10 PACK

4067 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-4067-SS-50	50	Stainless Steel	CUP	Stainless Steel	$51.82	$57.00	B
PKT-4067-SS-100	100	Stainless Steel	CUP	Stainless Steel	$51.82	$57.00	B
G8139001	50	Stainless Steel	CUP	Nylon	$3.64	$4.00	B

POLY TIP STRAINERS

Tip strainers protect the spray tip orifice from clogging and damage. Stainless steel screens available in 50 and 100 mesh.



50 Mesh



100 Mesh

10 PACK

8079 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-8079-PP-50	50	Stainless Steel	Standard	Polypropylene	$41.82	$46.00	B
PKT-8079-PP-100	100	Stainless Steel	Standard	Polypropylene	$41.82	$46.00	B

TIP STRAINER WITH CHECK VALVE

Ideal for knapsacks and 12V sprayers by eliminating any excess drips. Fits all Silvan nozzle bodies.

- Check valve opens at 0.34 Bar
- Recommended for flow rates up to 3 L/min
- Available in 50 and 100 mesh screens
- Not for use with DG, AI or TTI nozzles

Note: Use of these check valves results in a pressure drop of 0.34 Bar



4193A-10-50SS

4193A SERIES

Note: Cut-away picture shown for illustrative purposes only

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
4193A-10-50SS	50	Stainless Steel	Standard With Check Valve	Brass	$15.45	$17.00	B
4193A-PP-10-100SS	100	Stainless Steel	Standard With Check Valve	Polypropylene	$10.91	$12.00	B
4193A-PP-10-50SS	50	Stainless Steel	Standard With Check Valve	Polypropylene	$10.91	$12.00	B

LURMARK DEFLECTIP 80° – 145°

The Lurmark Deflectip produces a wide angled even spray (from 80 to 145°) making it ideal for banding pre and post emergent herbicides.

- Large orifice produces coarser droplets which are less prone to drift and blocking
- Precision moulded in tough and durable polyacetal with a spray angle tolerance of ± 5%
- Requires 1m nozzle spacing
- Fits in most nozzle caps



LC-15



LC-20

CODE	ANGLE	DESCRIPTION	SIZE	LIST EX	LIST INC	CAT
LC-15	80° -145°	Poly - Lurmark Deflectip Spray Nozzle - Blue	15	$9.09	$10.00	B
LC-20	80° -145°	Poly - Lurmark Deflectip Spray Nozzle - Red	20	$9.09	$10.00	B

HYPRO BOOMLESS NOZZLES

Eliminate the need for a spraying boom with the durable boomless nozzle that provides efficient spray.

- Ideal for applications where a conventional boom cannot be used due to obstacles such as power poles, fences, trees, etc.
- Coarse droplet size, excellent low drift option while extending spray reach
- Common uses include orchard, vineyard, forestry, pasture, turf & golf course spraying, as well as maintaining fence lines
- Designed for herbicide or fertiliser application
- Maintains a consistent and adjustable spray swath over a pressure range of 2-4 Bar
- Includes quick connect cap and gasket for easy handling
- Excellent durability & low maintenance



CODE	PRESSURE	L/MIN	SWATH WIDTH	L/HA				LIST EX	LIST INC	CAT
				6 KM/H	8 KM/H	12 KM/H	16 KM/H			
FC-XT010	2 Bar/30 psi	3.2	3.7	83	62	41	31	$136.36	$150.00	B
FC-XT020	2 Bar/30 psi	6.4	4.8	134	101	67	50	$136.36	$150.00	B
FC-XT024	2 Bar/30 psi	7.7	4.9	158	118	79	59	$136.36	$150.00	B



M99-65

BRASS BOOMLESS NOZZLE KIT RH OR 180 DEGREES ONLY

These compact kits offer broadcast spraying, ideal for applications around obstacles that could damage a traditional boom such as fences, guardrails and power poles.

- Attaches to an ATV rack, UTV, side-by-side or side framework with supplied clamp
- Supplied with 600mm of 12mm I.D hose and inline tap to turn isolate flow or turn on/off
- Supplied with both single and twin sided nozzles
- Compatible with a broad range of Silvan spray equipment



6560-01 (M99-65)
6561-01 (M99-66)

M99-65 (SIZE 02)

- Suitable for sprayers fitted with the DDP-552A (7L/min) Smoothflo pump
- Spray swath single up to 3.8m or double up to 7.6m

M99-66 (SIZE 05)

- Pump flow suitable is 11 -14L/min (381-125, 361-2088 or DDP-555)
- Spray swath single up to 7.6m or double up to 15.2m

Operating Information For 180 Degrees Brass Nozzles

					LITRES PER HECTARE - (Speed Km per hour)				
Product Code	Psi	Bar	L/min	Swath (m)	5 Km/h	6 Km/h	8 Km/h	10 Km/h	12 Km/h
M99-65	30	2.1	3.2	6.7	58	48	36	29	24
	40	2.8	3.8	7.0	65	54	41	33	27
	50	3.4	4.2	7.3	69	57	43	34	29
	60	4.1	4.6	7.6	72	60	45	36	30
M99-66	30	2.1	6.4	13.4	58	48	36	29	24
	40	2.8	7.6	14.0	65	54	41	33	27
	50	3.4	8.4	14.6	69	57	43	34	29
	60	4.1	9.1	15.2	72	60	45	36	30

Please note: 90 degrees nozzles have the same litres per hectare but half the litres per minute and spray swath

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-65	Boomless Nozzle (Size 02)	2 to 4 Bar	4.56	7.6	$190.00	$209.00	B
M99-66	Boomless Nozzle (Size 05)	2 to 4 Bar	9.12	15.2	$199.09	$219.00	B
6560-01	Nozzle only (suit M99-65)				$99.09	$109.00	B
6561-01	Nozzle only (suit M99-66)				$100.00	$110.00	B




M99-75B

ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences, trees, etc.

- Attaches to ATV rack and runs off your 12V pump/RakPak
- Fitted with 30cm of hose with clamp to attach to quad bike carry frame
- Durable nozzle produces large droplet size for herbicide or fertiliser application
- Ideal height between 50cm and 100cm
- **M99-75B:** Double sided output suits 14 - 20L/min (60psi) pumps

Includes blanking cap for single side spray applications



M99-75B

Application Rate Chart for M99-75B									
				Application Rate L/ha at km/hr					
Description	Swath	Bar	L/min	4 km/hr	5 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Single Side 1 Nozzle Pumps 7-14L/min		2	3.2	130	104	86	65	52	43
	3.7m	3	3.9	158	126	105	79	63	53
		4	4.6	186	149	124	93	75	62
	Swath	Bar	L/min	4 km/hr	5 km/hr	6 km/hr	8 km/hr	10 km/hr	12 km/hr
Double Side 2 Nozzle Pumps 14-20L/min		2	6.4	130	104	86	65	52	43
	7.4m	3	7.8	158	126	105	79	63	53
		4	9.2	186	149	124	93	75	62

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	NOZZLE COLOUR	LIST EX	LIST INC	CAT
M99-75B	Boomless Nozzle Kit 2 Jet	2 Bar/30 psi	7.6	7.4m		$168.18	$185.00	B
M99-75B-1	Replacement Nozzle for M99-75B					$38.18	$42.00	B



M99-80

3 POINT LINKAGE BOOMLESS NOZZLE KIT
RH OR 180 DEGREES ONLY

Designed for three point linkage sprayers running between 30 and 60psi spraying pressure. An economical way to spray up to 17.7m wide and is supplied with a mounting bracket that fits between the upright bars on Silvan linkage units.

- Galvanised steel mounting frame
- 2.5m of 12.5mm delivery hose
- # 20 brass boomless nozzle (6542-01)
- Sprays 90 or 180 degrees



M99-80


					LITRES PER HECTARE – (Speed Km per hour)				
Product Code	Psi	Bar	L/min	Swath (m)	5 Km/h	6 Km/h	8 Km/h	10 Km/h	12 Km/h
M99-80	30	2.1	19.3	16.5	141	117	88	70	59
	40	2.8	22.3	16.5	163	136	102	81	68
	50	3.4	25.4	17.1	178	148	111	89	74
	60	4.1	26.9	17.7	182	152	114	91	76
Please note: 90 degrees nozzles have the same litres per hectare but half the litres per minute and spray swath									

CODE	DESCRIPTION	PRESSURE	L/MIN (UP TO)	SWATH WIDTH	LIST EX	LIST INC	CAT
M99-80	Boomless nozzle with mounting bracket suit MKII linkage units	4 Bar/60psi	26.9	17.7m	$544.55	$599.00	B
6542-01	Replacement boomless nozzle only				$129.09	$142.00	B

BOOMLESS NOZZLE WITH EXTRA WIDE FLAT SPRAY PROJECTION


The 5880 Boomjet Nozzle is used for spraying areas not easily accessed with a boom sprayer. It combines two off-centre tips and three VeeJet nozzles to produce an overall wide swath flat spray. The nozzle assembly provides good distribution considering the wide coverage obtained, however the uniformity is not as good as with a properly operated boom sprayer. Uniformity can be optimised by double overlapping spray swaths on successive sprayer passes. Remember this also doubles the application volume.

Supplied with one additional 1/4" NPT pipe plug and one blank tip for setting BoomJet to one side only. Also has a 1/4" NPT pressure gauge port.



5880-3/4-2TOC06;
5880-3/4-2TOC10;
5880-3/4-2TOC20;
5880-3/4-2TOC40

TeeJet TECHNOLOGIES



W = Maximum effective coverage with nozzle mounted at 1m height

CODE	NOZZLE A	NOZZLE B	NOZZLE C	BAR	L/MIN	l/HA						LIST EX	LIST INC	CAT
						WIDTH	6 KM/H	8 KM/H	12 KM/H	16 KM/H	24 KM/H			
5880-3/4-2TOC06	6733-OC06	H1/4VV-1506	H1/4V-VL-9502 with 50 mesh strainer	1.5	7.26	10.2M	71.2	53.4	35.6	26.7	17.8	$645.45	$710.00	B
				2.0	8.38	10.3M	81.4	61.0	40.7	30.5	20.3			
				2.5	9.37	10.5M	89.2	66.9	44.6	33.5	22.3			
5880-3/4-2TOC10	OC-10	H1/4U-0508HE	H1/4V-VL-11004 with 50 mesh strainer	1.5	11.16	12.0M	93.0	69.8	46.5	34.9	23.3	$645.45	$710.00	B
				2.0	12.89	12.1M	107.0	79.9	53.3	39.9	26.3			
				2.5	14.41	12.3M	117.0	87.9	58.6	43.9	29.3			
5880-3/4-2TOC20	OC-20	H1/4U-0520HE	H1/4V-VL-9506 with 50 mesh strainer	1.5	24.00	14.3M	168.0	126.0	83.9	62.9	42.0	$645.45	$710.00	B
				2.0	27.72	15.2M	182.0	137.0	91.2	68.4	45.6			
				2.5	30.99	15.8M	196.0	147.0	98.1	73.6	49.0			
5880-3/4-2TOC40	OC-40	H1/4U-0540HE	H1/4U-9510	1.5	47.44	17.1M	277.0	208.0	139.0	104.0	69.4	$645.45	$710.00	B
				2.0	54.78	18.2M	300.01	226.0	150.0	113.0	75.2			
				2.5	61.25	19.2M	319.0	239.0	160.0	120.0	79.8			

Dry boom nozzle holders are designed for mounting directly to boom frame for variable nozzle spacings when used with hose and clamps. Fits round or square tubing or pipe and is connected by hose and clamps. Polypropylene construction with max pressure of 20 Bar.



G8235027

8235 SERIES

Self aligning nozzle cap. Available in double hose tail. Non-drip shut-off valve standard (open 0.5 Bar).

- Excludes nozzles and caps

CODE	NOZZLE HOLDER TYPE	INLET HOSE TAIL SIZE I.D.	MAX PRESSURE	LIST EX	LIST INC	CAT
G8235027	DOUBLE	1/2"	20 Bar	$19.09	$21.00	B

193 SERIES

- Drip-free shut-off with ChemSaver®
- Opening pressure: 0.7 Bar
- Available in single or double hose tails
- Hose tail sizes available for 10mm, 12.5mm or 19mm
- Use with Vari Spacing clamps (Refer page 165)
- Excludes nozzles and caps



A

19349



B

19350

CODE	REF	NOZZLE HOLDER TYPE	INLET HOSE TAIL SIZE I.D.	MAX PRESSURE	LIST EX	LIST INC	CAT
19349-211-406-NYB	A	SINGLE	10mm	8 Bar	$29.09	$32.00	B
19349-211-540-NYB	A	SINGLE	12.5mm	8 Bar	$29.09	$32.00	B
19349-211-785-NYB	A	SINGLE	19mm	8 Bar	$29.09	$32.00	B
19350-212-406-NYB	B	DOUBLE	10mm	8 Bar	$29.09	$32.00	B
19350-212-540-NYB	B	DOUBLE	12.5mm	8 Bar	$29.09	$32.00	B
19350-212-785-NYB	B	DOUBLE	19mm	8 Bar	$29.09	$32.00	B

QJ39685 SERIES

- TeeJet ChemSaver® drip-free shut-off
- Made of corrosion-resistant materials
- Excludes nozzles and caps



1 2 3

CODE	REF	NOZZLE HOLDER TYPE	INLET HOSE TAIL SIZE I.D.	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ39685-1L-500-NYB	1	SINGLE LEFT	12.5mm	20 Bar	$18.18	$20.00	B
QJ39685-1R-500-NYB	2	SINGLE RIGHT	12.5mm	20 Bar	$18.18	$20.00	B
QJ39685-2-500-NYB	3	DOUBLE	12.5mm	20 Bar	$18.18	$20.00	B

POLY - SWIVEL NOZZLE HOLDERS

Features an adjustable spray angle with lock nut to hold body in place. Self-aligning nozzle cap. Ideal for use in row crop application or fence line spraying. Uses bayonet caps.



G8247014

BRASS – SWIVEL NOZZLE HOLDERS

Plated brass adjustable angle swivel bodies. Threaded nozzle caps for high pressure application and row crop spraying. Single or twin outlets.



G8247004



G8247008

CODE	NOZZLE HOLDER TYPE	INLET SIZE (BSP)	MAX PRESSURE	LIST EX	LIST INC	CAT
G8247014	Double Poly	1/4" F	10 Bar	$22.73	$25.00	B
G8247004	Single Brass	1/4" F	20 Bar	$31.82	$35.00	B
G8247008	Double Brass	1/4" F	20 Bar	$40.00	$44.00	B

NOZZLE ADAPTORS

- Features ChemSaver® non-drip shutoff
- Requires 0.7 bar at the nozzle to open check valve
- QJ8360-NYB allows use of Quick TeeJet system from 1/4" NPT female connections
- QJT8360-NYB permits use of Quick TeeJet system with standard 11/16" TeeJet thread

Uses bayonet caps.



QJ8360-NYB



QJT8360-NYB

CODE	THREAD SIZE	ANTI-DRIP VALVE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ8360-NYB	1/4" NPT (M)	YES	20 Bar/290 psi	$20.91	$23.00	B
QJT8360-NYB	11/16" TeeJet THREAD (F)	YES	20 Bar/290 psi	$20.91	$23.00	B

VARI SPACING CLAMPS


These clamps are for use on all dry boom nozzle bodies. Simply order the round or square clamps for the required O.D. tubing.

- Example: QJ111-1/2 (Round 1/2" tubing).



1

QJ111-1/2



2

QJ111SQ-3/4

CODE	REF	TO FIT	LIST EX	LIST INC	CAT
QJ111-1/2	1	1/2" Pipe (13/16" & 7/8" O.D. Tubing)	$8.18	$9.00	B
QJ111-3/4	1	3/4" Pipe (1" & 1 1/6" O.D. Tubings)	$8.18	$9.00	B
QJ111-1	1	1" Pipe (1 1/8", 1 1/4" & 1 3/8" O.D. Tubings)	$8.18	$9.00	B
QJ111-1-1/4	1	1 1/4" Pipe (1 9/16" & 1 11/16" O.D. Tubings)	$8.18	$9.00	B
QJ111SQ-3/4	2	3/4" Square Tubing	$8.18	$9.00	B
QJ111SQ-1	2	1" Square Tubing	$8.18	$9.00	B
QJ111SQ-1-1/4	2	1 1/4" Square Tubing	$8.18	$9.00	B
QJ111SQ-1-1/2	2	1 1/2" Square Tubing	$8.18	$9.00	B

TEEJET SWIVEL NOZZLE HOLDERS

TeeJet swivel nozzle bodies are primarily for use with tips employed in row crop spraying. A locknut holds swivel bodies firmly in position at a selected spray projection angle so they are not affected by jarring and vibration.

For use at pressures up to 8.6 Bar. These are also available in the QJ8600 swivel Quick TeeJet nozzle body assemblies which provide the same spray tip adjustability of a standard TeeJet threaded swivel plus the quick change and self-aligning features of the Quick TeeJet System.

- Caps sold seperately



QJ8600-1/4-NYB



QJ8600-2-1/4-NYB

Uses brass caps - CP1325



6240-1/4TT



5000-1/4T



4202-2-1/4T

CODE	INLET SIZE BSP)	MATERIAL	SWIVEL ARC RANGE	MAX PRESSURE	LIST EX	LIST INC	CAT
QJ8600-1/4-NYB	1/4" NPT (F)	Nylon	280°	8 Bar	$22.73	$25.00	B
QJ8600-2-1/4-NYB	1/4" NPT (F)	Nylon	280°	8 Bar	$26.36	$29.00	B
5000-1/4T	1/4" NPT (F)	Brass	280°	8 Bar	$65.45	$72.00	B
4202-2-1/4T	1/4" NPT (F)	Brass	280°	8 Bar	$79.09	$87.00	B
6240-1/4TT	1/4" NPT (M)	Brass	280°	8 Bar	$68.18	$75.00	B

TEEJET NOZZLE CAPS

Secure interchangeable TeeJet tips to use on various nozzle bodies.



CP1325



CP8027-NYB



CODE	MATERIAL	LIST EX	LIST INC	CAT
CP1325	Brass	$4.55	$5.00	B
CP8027-NYB	Nylon	$2.73	$3.00	B

HIGH PRESSURE NOZZLE HOLDERS

NON-DRIP FLIP OVER

Brass flip over nozzle fitted with anti-drip valve and viton diaphragm. Anti-drip valve opens at 1 Bar pressure. 1/4" BSP thread, all brass construction, ceramic tips, stainless steel swirl plates, 90° shut-off.



MA3-66

CODE	INLET SIZE	NOZZLE SIZE	ANTI DRIP VALVE	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
MA3-66	1/4" Male	1.2/1.5	YES	50 Bar	80mm	30mm	40mm	$85.45	$94.00	B

NON-DRIP VINE SERIES

Features adjustable spray pattern simply by twisting rear adjusting nut. Supplied with 1/4" BSP swivel which allows the nozzle to be locked in almost any spray angle/ position. Brass construction with ceramic nozzle tip.



P50A

SINGLE FLIP OVER

Flip over nozzle fitted with 1/4" BSP thread, all brass construction, ceramic tip, stainless steel swirl plate, 90° shut-off.




G8264000A

CODE	INLET SIZE	NOZZLE SIZE	ANTI DRIP VALVE	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
P50A	1/4" Male	1.2	NO	50 Bar	100mm	25mm	70mm	$90.00	$99.00	B
G8264000A	1/4" Male	1.2	NO	50 Bar	50mm	30mm	60mm	$45.45	$50.00	B

ADJUSTABLE CANNON

Ideal for use in high volume pressure applications in heavy foliage.


- Brass construction and adjustable spray pattern
- Nozzles and washers sold separately
- Nozzle 1.5 (D15) refer **G8259170**
- Washer refer **GG00002032**



G8275021

Ideal for use in high volume pressure applications in heavy foliage.

- Brass construction and adjustable spray pattern
- Supplied with a 1.5 (D15) ceramic nozzle
- Refer to Page 102 for interchangeable nozzles (MA7- XX)



G8275012

CODE	INLET SIZE	NOZZLE SIZE	ANTI DRIP VALVE	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
G8275012	1/4" Male	1.5	NO	50 Bar	115mm	30mm	80mm	$69.09	$76.00	B
G8275021	1/4" Male	1.5	NO	50 Bar	100mm	30mm		$59.09	$65.00	B
G8259170	NOZZLE CERAMIC 1.5 (D15)							$4.55	$5.00	B
GG00002032	WASHER SUIT S/S CORE (D15)							$0.91	$1.00	B

Firefighters



FACTORY TESTED
Silvan
READY FOR USE

At Silvan, we pride ourselves on knowing we build & factory test every single firefighter tank. Each firefighter has water & fuel added to ensure the optimum performance is achieved. Once completed, the tanks are drained, packed, and shipped around Australia so complete customer satisfaction is guaranteed.



400L FIREFIGHTERS

Internal baffle to reduce surge when travelling

Choice of Selecta Power with high pressure pump or Honda engine with Davey single impellor pump

Choice of 20m or 30m hose reel



600L FIREFIGHTERS

Twin internal baffle to reduce surge when travelling

Honda engine with Davey single impellor pump

30m hose reel



600L SKID FIREFIGHTERS

Galvanised skid and dam fill kit factory fitted

Honda engine with Davey single impellor pump

30m hose reel



800L FIREFIGHTERS

Twin internal baffle to reduce surge when travelling

Honda engine with Davey twin impellor pump for greater distance

30m hose reel



1100L/2200L FIREFIGHTERS

Galvanised skid & baffle (1100L) to reduce surge when travelling

Honda engine with Davey single impellor pump

30m hose reel



1100L TRAILED FIREFIGHTER – ON ROAD

Internal baffle to reduce surge when travelling & dam fill kit

Honda engine with Davey single impellor pump

30m hose reel



SQF400D-4

400L & 800L FAST FILL FIREFIGHTERS

Take advantage of having a dam on your property, reduce refilling time for your firefighter with a factory fitted fast filler.

- UV stabilised Polytuff tank with INTERNAL BAFFLE to reduce surge when travelling
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min

DELIVERY HOSE:

- 30m of 3/4" I.D. hose, heavy duty hose reel and poly adjustable nozzle

FAST FILLER (FACTORY FITTED):

- Fast filler with 6m of 38mm I.D. wire reinforced suction hose and poly suction filter
- Includes suction and delivery 3-way valves to change flow direction to fill tank



SQF400D-4

BAFFLED TANK



SQF800D-4

UNIQUE TWIN

BAFFLED TANK

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400D-4	400L Silvan Honda Davey Firefighter Factory Fitted Hose Reel & Fast Filler	1060mm	940mm	1195mm	80 kg	$4,090.91	$4,500.00	A*
SQF800D-4	800L Silvan Honda Davey Firefighter Factory Fitted Hose Reel & Fast Filler	1800mm	940mm	1200mm	90 kg	$4,818.18	$5,300.00	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load & towing limits & fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



SLF600D-1

600L SILVAN HONDA DAVEY FIREFIGHTING SKID

TANK & SKID FRAME:

- UV stabilised Polytuff tank with bottom sump for maximum drainage
- Galvanised skid frame with lift handles and tie down points

ENGINE:

- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min

DELIVERY HOSE:

- 30m of 3/4" I.D. hose, heavy duty hose reel and poly adjustable nozzle

FAST FILLER (FACTORY FITTED):

- Fast filler with 6m of 38mm I.D. wire reinforced suction hose and poly suction filter
- Includes suction and delivery 3-way valves to change flow direction to fill tank



SLF600D-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SLF600D-1	600L Silvan Honda Davey Firefighting Skid	1720mm	1350mm	910mm	175 kg	$5,318.18	$5,850.00	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



SQF400S-1

400L SILVAN SELECTA POWER FIREFIGHTERS

Silvan Firefighting units are made up of high quality components sourced from world class manufacturers. These units are also suitable for water transfer and as a washdown unit for cleaning machinery, they fit neatly in the back of most 4WD's between the wheel arches of popular vehicles. (e.g. Ford Ranger, Toyota Hilux, Mazda BT-50, Mitsubishi Triton, Nissan Navara, Isuzu D-Max and VW Amarok).

- UV stabilised baffled tank to reduce surge when travelling
- 4 Stroke 6.5HP Selecta Power engine
- Self priming powder coated centrifugal pump with a twin alloy impellor for high pressure and greater distance
- 100psi max pressure, 250L/min open flow
- Max nozzle flow rate approx. 20L/min
- Run time (tank full of water) approx 20mins



SQF400S

BAFFLED TANK



SQF400S-1

BAFFLED TANK

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400S	400L Silvan Selecta Power Firefighter 20m Hose	1060mm	940mm	920mm	65kg	$2,577.27	$2,835.00	A
SQF400S-1	400L Silvan Selecta Power Firefighter 30m Hose & reel	1060mm	940mm	1195mm	77kg	$2,901.82	$3,192.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load & towing limits & fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



400L SILVAN HONDA DAVEY FIREFIGHTERS

- UV stabilised Polytuff tanks with internal baffle to reduce surge when travelling
- Tie down points moulded into the top of the tank for attaching to a tray
- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Marine grade (AS605) single stage design Impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min



SQF400D

BAFFLED TANK

MODEL: SQF400D

- 20m of 3/4" I.D. hose wrapped around rear mounting brackets and poly adjustable nozzle

MODEL: SQF400D-1

- 30m of 3/4" I.D. hose, heavy duty hose reel and poly adjustable nozzle
- Powder coated, metal construction



SQF400D-1

BAFFLED TANK

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400D	400L Silvan Honda Davey Firefighter 20m Hose	1060mm	940mm	920mm	65kg	$3,538.18	$3,892.00	A*
SQF400D-1	400L Silvan Honda Davey Firefighter 30m Hose & Reel	1060mm	940mm	1195mm	77kg	$3,928.18	$4,321.00	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load & towing limits & fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



SQF600D-1



GX Engine 3 YEAR WARRANTY

UNIQUE TWIN BAFFLED TANK

SQF600D-1

600L SILVAN HONDA DAVEY FIREFIGHTER

- UV stabilised polytuff tank with twin internal baffles to reduce surge when travelling
- Tie down points moulded into the top of the tank for attaching to a tray
- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Davey 5155HV-0 pump
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Air filter type: twin stage-foam prefilter with paper element final filter
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Pump housing is made from marine grade aluminium (AS605)
- 80 psi maximum pressure, approximate flow 425 L/min
- 30m of 3/4" I.D. hose, heavy duty hose reel and poly adjustable nozzle

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF600D-1	600L Silvan Honda Davey Firefighter 30m Hose & Reel	1830mm	940mm	1100mm	65 kg	$4,424.55	**$4,867.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*





GX Engine 3 YEAR WARRANTY

BAFFLED TANK

SQF800D-3

800L SILVAN HONDA DAVEY FIREFIGHTER

- UV stabilised tank with twin internal baffles to reduce surge when travelling
- Tie down points moulded into the top of the tank for attaching to a tray
- Honda powered 4 stroke, recoil start
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr
- Marine grade (AS605) single stage design impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- 30m of 3/4" I.D. hose, heavy duty hose reel and poly adjustable nozzle
- Model 5265HV-0, twin stage impeller
- GX200 (6.5HP) engine, 196cc displacement
- Approximately 150psi max pressure and flow up to 400L/min

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF800D-3	800L Silvan Honda Davey Twin Impeller Firefighter 30m Hose & Reel	1800mm	940mm	1200mm	97kg	$4,914.55	$5,406.00	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



SLF1000D-1

1100L/2200L SILVAN FIREFIGHTING SKID

TANK & SKID FRAME:

- UV stabilised Polytuff tank with front suction for maximum drainage
- 1100L Tank **ONLY** has an internal baffle to reduce surge when travelling
- Galvanised skid frame with forklift access
- Tie down points moulded into the top of the tank for attaching to a tray
- 30m of ¾" I.D. hose, heavy duty hose reel and poly adjustable nozzle

ENGINE:

- Honda powered 4 stroke, GX160 (5.5HP) engine, 163cc displacement
- Fuel tank: 3.1 litres, approximate run time: 2hrs
- Approximate fuel consumption at full load (3600rpm): 1.7 L/hr

PUMP (DAVEY 5155HV-O):

- Marine grade (AS605) single stage design impeller and housing
- Fitted with Viton elastomers for improved chemical resistance
- Viton internal seal, O-rings, gaskets & caps
- **IMPORTANT** Please seek specialist advice from chemical supplier if pumping chemicals
- Use of aggressive chemical may void warranty
- Approximately 80 psi max pressure and flow up to 425 L/min

55 MINUTES RUN TIME



SLF1000D-1

110 MINUTES RUN TIME



SLF2200D-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SLF1000D-1	1100L Silvan Honda Davey Skid 30m Hose & Reel	1970mm	1160mm	1050mm	200 kg	$5,363.64	**$5,900.00**	A*
SLF2200D-1	2200L Silvan Honda Davey Skid 30m Hose & Reel	2300mm	1350mm	1400mm	322 kg	$7,443.64	**$8,188.00**	A*

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*



1100L ON-ROAD TRAILED FIREFIGHTER WITH FAST FILLER

- 1100L UV stabilised polyethylene with large 455mm filling lid with breather and strainer basket
- Internal baffle to reduce surge when travelling
- Hot dipped galvanised finish
- Heavy duty leaf spring suspension
- 5 Stud Ford wheels and 235/15AT (all terrain) tyres
- Adjustable jockey wheel and 50mm tow hitch
- ADR approved mechanical override disc brakes
- LED Tail lights, indicators & registration plate light
- VIN plate attached for on road registration
- ROVER vehicle compliant & certified
- Trailer is road registerable, which is the responsibility of the owner
- Honda powered 4 stroke, GX160 (5.5HP) engine, manual start
- Fuel tank capacity 3.6 Litres (unleaded)
- Approx fuel consumption @ full load 1.7L per hour
- Pump (Davey 5155HV-0)
- Approximately 50 psi max pressure and flow up to 425L/min
- Manual wind, heavy duty powder coated steel
- 30m 3/4" I.D. delivery hose
- Adjustable nozzle, approximate flow rate 20L/min
- At full load, distance of water directed from the adjustable nozzle can be up to approximately 20m

FAST FILLER:

- Allows operators to fill the tank quickly from a water source
- 6m of 38mm wire reinforced suction hose and filter
- Factory fitted valves and camlock for quick response
- 1 x 3-way valve to change direction of the suction from tank to fast filler hose
- 1 x 2- way valve to direct water flow from the pump to tank
- This can also be used as a bypass when operating the hose reel to keep the pump cool



ADR approved mechanical override disc brakes



STF1000D-1-BLV

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
STF1000D-1-BLV	1100L On-Road Trailed Firefighter	3500mm	2000mm	1500mm	440 kg	$11,817.27	$12,999.00	A*
FREIGHTADL/SYD	Melbourne to Adelaide/Sydney Silvan Warehouse					$1,150.00	$1,265.00	
FREIGHTBNE	Melbourne to Brisbane Silvan Warehouse					$1,550.00	$1,705.00	
FREIGHTTAS	Melbourne to Tasmania Silvan Warehouse					$2,500.00	$2,750.00	
FREIGHTPER	Melbourne to Perth Silvan Warehouse					$3,750.00	$4,125.00	

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*

* *Refer to Terms & Conditions on page 254 or more information*

BARE DIY FIREFIGHTING TANKS - 400L & 600L

The Silvan Firefighting SquatPak tanks are fitted with a base plate and are baffled to reduce surge when travelling. Suction fittings are provided to mount various pump & hose combinations.



SQF400B

BAFFLED TANK

ADD YOUR OWN PUMP & HOSE REEL



SQF600B

UNIQUE TWIN

BAFFLED TANK

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF400B	400L Tank, Base Plate & Suction Hose	1060mm	940mm	650mm	29 kg	$1,299.09	$1,429.00	A
SQF600B	600L Tank, Base Plate & Suction Hose	1830mm	940mm	570mm	45 kg	$1,453.64	$1,599.00	A

BARE DIY FIREFIGHTING TANKS - 800L & 1100L



SQF800B

UNIQUE TWIN

BAFFLED TANK

SLF1000B

BAFFLED TANK



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQF800B	800L Tank, Base Plate & Suction Hose	1800mm	940mm	760mm	49 kg	$2,071.82	$2,279.00	A
SLF1000B	1100L Tank, Galvanised sled with Fork Pockets and Suction Hose	1970mm	1160mm	1050mm	95 kg	$2,772.73	$3,050.00	A

FIREFIGHTING NOZZLE

- High density plastic outer and inner body
- Adjustable spray from straight to conical pattern
- 3/4" BSP female thread



422-502

CODE	DESCRIPTION	MAX PRESSURE	THREAD SIZE	LIST EX	LIST INC	CAT
422-502	Firefighting Nozzle	92 Bar/200 psi	3/4" female (BSP)	$71.82	$79.00	B
G8001203	3/4" Hose tail (Poly) O.D. (SUITS 422-502)	92 Bar/200 psi	3/4" male	$9.09	$10.00	B
PF01-SW	3/4" M x 3/4" F Swivel			$38.18	$42.00	B



SELECTA POWER FIREFIGHTING PUMP

The Selecta Power water transfer pump handles high volume water pumping and is ideal when portability is needed or electrical power supply is scarce for firefighting and watering. Features a carry/mounting frame for mobility and added protection.

- 6.5HP 4 stroke over head cam engine with oil alert
- Max. 250 L/min open flow, Max pressure 100psi
- Direct coupled centrifugal twin impeller firefighting pump
- Maximum suction lift 3.5 metres
- 1 x 1 1/2" inlet, 2 x 1" outlet, 1 x 1 1/2" outlet
- Optional hose kit (Code: LBA-100A) consisting of 20m firefighting hose, nozzle, 6m suction hose and foot filter

TWIN STAGE PUMP



LBA-100



OPTIONS:



LBA-100A

CODE	POWER	MAX PRESSURE	MAX OUTPUT	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
LBA-100	6.5HP	7 Bar/100 psi	250L/min	500mm	370mm	400mm	31 kg	$781.82	$860.00	A

OPTION CODE	DESCRIPTION	SUCTION HOSE	DELIVERY HOSE	LIST EX	LIST INC	CAT
LBA-100A	Water Transfer Hose Kit	6m x 40mm I.D. with foot filter	20m x 19mm I.D. with adjustable nozzle	$317.27	$349.00	A
328-254-28	Mechanical Seal Kit (to suit LBA-100)			$38.18	$42.00	B



180F03019E

FIREFIGHTING HOSE REEL

- Powder coated metal construction
- Fitted with 30 metres of 3/4" delivery hose
- Adjustable poly nozzle
- Supplied with mounting brackets to suit 400L, 600L & 800L Squatpak tanks



180F03019E

WATER & DIESEL HEAVY DUTY HOSE REEL

This versatile hose reel is a great addition to firefighters or diesel units where extra hose is required.

- Inlet 3/4" BSP/outlet tapered hose tail
- 30m of 3/4" I.D. hose
- Manual rewind reel with hose guide rollers and stopper



JA-1402021

CODE	HOSE I.D.	MAX PRESSURE	HOSE LENGTH	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
180F03019E	19mm	9 Bar/131 psi	30m	525mm	460mm	545mm	18 kg	$972.72	$1,070.00	A
JA-1402021	19mm	17 Bar/247 psi	30m	660mm	490mm	680mm	44.5 kg	$972.72	$1,070.00	A

Plumbing, Filtration & Tank Accessories





Silvan
GENUINE ACCESSORIES






FILTRATION

Efficient filtration is an important component of every sprayer and prevents blocked nozzles, reduces or inhibits pump wear and reduces down time and expense due to repairs. Silvan offers a choice of foot, suction, pressure line, nozzle and high volume irrigation filters to suit most applications.

GRADUATED OR PROGRESSIVE FILTRATION?

Filtration is ideally applied in stages, starting with a coarse mesh progressing to finer mesh sizes as liquid moves towards the spray nozzle. Filter mesh is described in terms of the number of wires per linear inch, which relates to the size of the apertures through which liquid passes. The larger the mesh number the smaller the aperture and the finer the filtration.

NOTE: images below are for illustrative purposes only.

COARSE FILTRATION		MEDIUM FILTRATION		FINE FILTRATION
				
20 Mesh/inch 0.6mm Aperture	30 Mesh/inch 0.4mm Aperture	50 Mesh/inch 0.3mm Aperture	80 Mesh/inch 0.18mm Aperture	100 Mesh/inch 0.14mm Aperture

STAGES OF FILTRATION

STAGE A – INTO THE TANK

COARSE FILTRATION: Liquid passing into the tank is filtered by the foot filter or the lid basket strainer.

STAGE B – FROM TANK TO PUMP

COARSE/MEDIUM FILTRATION: Suction filters provide protection for the pump and screen out larger particles.


STAGE C – FROM PUMP TO SPRAYLINES

MEDIUM/FINE FILTRATION: Pressure line filters are used to remove finer particles before nozzle holders.

- Large pressure line/flushing filter is ideally fitted between pump and pressure regulator.
- Small pressure line filters are usually fitted in each boom section spray line.

STAGE D – SPRAY TIP FILTERS

FINE FILTRATION: Last stage of filtration before the spray tip, usually 50 mesh or finer.



STAGE B SUCTION LINE FILTERS

Suction line filters provide filtration to remove larger particles of grit and are ideally mounted between the tank and pump. Featuring 8mm threaded brass inserts for easy adaptation to frames and chassis etc. Screw-off bowl for easy cleaning.

SAR2/V and SAR3/V models feature auto shut-off action valve which closes off the supply line while removing element for cleaning.

Supplied with mesh elements and replacement elements are available.



G8072003



G8074007



G8081004



G8087001



G8082001



G8092004

CODE	FILTER TYPE	MESH SIZE	FLOW L/MIN	PORT SIZE BSP	MOUNT INSERTS	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
G8072003	SAR0	32	UP TO 60	1 1/4"	2	107mm	163mm	$48.18	$53.00	B
G8074007	SAR1	32	UP TO 100	1 1/4"	2	107mm	213mm	$63.64	$70.00	B
G8081004	SAR2	50	UP TO 160	1 1/2"	3	122mm	233mm	$105.45	$116.00	B
G8087001	SAR3	50	UP TO 180	1 1/2"	3	170mm	292mm	$124.55	$137.00	B
G8091004	SAR3	50	UP TO 220	2"	3	170mm	292mm	$138.18	$152.00	B
G8082001*	SAR2/V	50	UP TO 150	1 1/2"	3	140mm	260mm	$138.18	$152.00	B
G8082004	SAR2/V	50	UP TO 150	1 1/2"	3	122mm	278mm	$163.64	$180.00	B
G8092004*	SAR3/V	50	UP TO 220	2"	3	170mm	329mm	$170.91	$188.00	B

**Include a shut-off valve*

MESH ELEMENTS – SUCTION LINE FILTERS

Efficient filtration is an important component of every sprayer. Effective filtration through the use of the correct suction filter/element will screen out any larger particles and provide protection for the pump.



GC00100021



GC00100012



GC00100009

CODE	FILTER TYPE	MESH SIZE	NEW COLOUR	OLD COLOUR	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
GC00100021	SAR1	50	BLUE	BLUE	70	150	$47.27	$52.00	B
GC00100012	SAR2/SAR2/V	50	BLUE	BLUE	80	165	$47.27	$52.00	B
GC00100008	SAR3/SAR3/V	32	RED	WHITE	107	200	$80.00	$88.00	B
GC00100009	SAR3/SAR3/V	50	BLUE	BLUE	107	200	$80.00	$88.00	B

HIGH VOLUME FILTER

Ideal for liquid storage tanks, irrigation or fertiliser systems. Filtering capacity up to 800L per minute. Built-in flow deflector helps prevent cartridge clogging in the outlet area with sediment depositing at the base of the filter bowl allowing for easy cleaning through the drain plug. Features 1/4" BSP gauge ports on the inlet and outlet side. Maximum pressure 7.8 Bar/114 psi



3352195

CODE	FILTER TYPE	MESH SIZE	FLOW L/MIN	PORT SIZE BSP	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
3352195	335	120 S/Steel	Up to 800	3" Male	415mm	358mm	2.9 g	$520.91	$573.00	B

LINE STRAINERS

The Polypropylene AAB122ML line strainer features a compact size that is well suited for small agricultural sprayers. Available in 1/2" or 3/4" with mounting facility and 50, 80 or 100 mesh elements. Maximum pressure rating is 10 Bar/150 psi



TeeJet TECHNOLOGIES

50
80
100

AAB122ML

CODE	DESCRIPTION	ELEMENT COLOUR	FLOW L/MIN	LIST EX	LIST INC	CAT
AAB122ML-1/2-PP-50	½" Filter Assembly with 50 mesh element	BLUE	45	$55.45	$61.00	B
AAB122ML-1/2-PP-80	½" Filter Assembly with 80 mesh element	YELLOW	45	$55.45	$61.00	B
AAB122ML-1/2-PP-100	½" Filter Assembly with 100 mesh element	GREEN	45	$55.45	$61.00	B
AAB122ML-3/4-PP-50	¾" Filter Assembly with 50 mesh element	BLUE	60	$55.45	$61.00	B
AAB122ML-3/4-PP-80	¾" Filter Assembly with 80 mesh element	YELLOW	60	$55.45	$61.00	B
AAB122ML-3/4-PP-100	¾" Filter Assembly with 100 mesh element	GREEN	60	$55.45	$61.00	B

FILTER ELEMENTS

SUIT 122ML FILTER (½" or ¾")

- Available in stainless steel (1) 16 mesh, (2) 30 mesh, or (7) or 200 mesh.
  To order: Replace the * with the number required.
  For example: 30 mesh element is number 2 use CP23174-2-304SS
- Or Poly 0 mesh (3 Blue), 80 mesh (4 Yellow) and 100 mesh (5 Green)
  To order: Replace the * with the number required.
  For example: 50 mesh element is number 3 (Blue) use CP45102-3-SSPP

16
30
50
80
100
200



23174
28mm OD x 69mm L



45102
30mm OD x 70mm L

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
CP23174-*-304SS	Available in (1) 16 mesh and (2) 30 mesh - stainless steel	$20.00	$22.00	B
CP45102-*-SSPP	Available in 50 mesh (3 Blue), 80 mesh (4 Yellow), 100 mesh (5 Green) - poly	$27.27	$30.00	B
CP23174-7-304SS	200 mesh - stainless steel	$34.54	$38.00	B

AA126ML FLUSH - OUT LINE STRAINERS

- Available in ¾" or 1"
- 14 Bar/210 psi maximum pressure rating
- BSPT female inlet/outlet, Polypropylene construction



AAB126ML-3**

30
50
80
100

CODE	DESCRIPTION	ELEMENT COLOUR	FLOW L/MIN	LIST EX	LIST INC	CAT
AAB126ML-3-30	¾" Filter Assembly with 30 mesh element	RED	87	$78.18	$86.00	B
AAB126ML-3-80	¾" Filter Assembly with 80 mesh element	YELLOW	87	$78.18	$86.00	B
AAB126ML-3-100	¾" Filter Assembly with 100 mesh	GREEN	87	$78.18	$86.00	B
AAB126ML-4-50	1" Filter Assembly with 50 mesh	BLUE	132	$90.91	$100.00	B
AAB126ML-4-80	1" Filter Assembly with 80 mesh	YELLOW	132	$90.91	$100.00	B

FILTER ELEMENTS
SUIT AAB126ML- ¾" or 1" FILTER ASSEMBLY

- ¾" Available in 30 mesh (3 Red), 80 mesh (5 Yellow), 100 mesh (6 Green)
- 1" Available in 50 mesh (4 Blue), 100 mesh (6 Green)
- To order: Replace the * in the code below with the number required
  For example: 100 mesh element is number (6 Green) use CP16903-6-SSPP



16903
35mm OD x 146mm L

30
50
80
100

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
CP16903-*-SSPP	Available in 16 mesh (1 Brown Red), 30 mesh (3 Red), 50 mesh (4 Blue), 80 mesh (5 Yellow) and 100 mesh (6 Green)	$43.64	$48.00	B

AA126ML FLUSH - OUT LINE STRAINERS

- Available in 1 ¼" or 1 ½"
- 14 Bar/210 psi maximum pressure rating
- BSPT female inlet/outlet, Polypropylene construction



AAB126ML-6-**

50
80
100

CODE	DESCRIPTION	ELEMENT COLOUR	FLOW L/MIN	LIST EX	LIST INC	CAT
AAB126ML-5-80	1 ¼" Filter Assembly with 80 mesh element	GREEN	223	$199.09	$219.00	B
AAB126ML-6-50	1 ½" Filter Assembly with 50 mesh element	BLUE	291	$199.09	$219.00	B
AAB126ML-6-80	1 ½" Filter Assembly with 80 mesh element	YELLOW	291	$199.09	$219.00	B
AAB126ML-6-100	1 ½" Filter Assembly with 100 mesh element	GREEN	291	$199.09	$219.00	B

FILTER ELEMENTS
SUIT AAB126ML - 1 ¼" or 1 ½" FILTER ASSEMBLY

- Available in 16 mesh (1 Brown Red), 30 mesh (2 Red), 50 mesh (3 Blue), 80 mesh (4 Yellow), 100 mesh (5 Green)
- To order: Replace the * in the code below with the number required.
  For example: 50 mesh element is number 3 (Blue) use CP15941-3-SSPP



CP15941-*-SSPP
57mm OD x 194mm L

16
30
50
80
100

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
CP15941-*-SSPP	Available in 16 mesh (1 Brown Red), 30 mesh (2 Red), 50 mesh (3 Blue), 80 mesh (4 Yellow) and 100 mesh (5 Green)	$60.00	$66.00	B

STAGE C FILTRATION PRESSURE LINE STRAINERS

Pressure line strainers are ideal for placing in hose lines between pump and spray lines for finer filtration. They remove fine particles preventing spray tip blockage or excessive wear. Polypropylene or brass construction, mesh element standard, twist-off bowl for easy cleaning. Some models feature a self-clean flushing tap. Pressures range from 1000 kPa (145 psi) to 5000 kPa (725 psi) maximum, flow from 70 to 150 L/min.



BRA-M147



G8135002



3242024



3242023

CODE	MAX PRESS KPA/PSI	FLOW L/MIN	PORT SIZE BSP	MOUNT. INSERTS	WIDTH	HEIGHT	MAT	MESH SIZE	LIST EX	LIST INC	CAT
BRA-M147	5000/725	70L Max	1/2" F	-	90mm	155mm	BRASS	70	$140.00	$154.00	B
G8135002	5000/725	150L Max	3/4" F	2	100mm	240mm	POLY	80	$182.73	$201.00	B
3242024	1000/145	100L Max	1/2" F	2	97mm	134mm	POLY	100	$47.27	$52.00	B
3242034	1000/145	100L Max	3/4" F	2	97mm	134mm	POLY	100	$47.27	$52.00	B
3242023	1000/145	100L Max	1/2" F	2	97mm	134mm	POLY	50	$47.27	$52.00	B

MESH ELEMENTS – PRESSURE LINE STRAINERS



GC00100001



GC00100003



GC00100033



GC00100035



GC00100005



GC00100007



GC00100015



GC00100016

CODE	FILTER TYPE	MESH SIZE	NEW COLOUR	OLD COLOUR	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
GC00100001	324	50	BLUE	BLUE	40mm	90mm	$37.27	$41.00	B
GC00100003	324	100	GREEN	RED	40mm	90mm	$37.27	$41.00	B
GC00100033	326	50	BLUE	BLUE	58mm	210mm	$70.00	$77.00	B
GC00100035	326	100	GREEN	RED	58mm	210mm	$70.00	$77.00	B
GC00100005	3244	50	BLUE	BLUE	38mm	125mm	$37.27	$41.00	B
GC00100007	3244	100	GREEN	RED	38mm	125mm	$37.27	$41.00	B
GC00100015	G8135	50	BLUE	BLUE	50mm	150mm	$46.36	$51.00	B
GC00100016	G8135	80	YELLOW	GREY	50mm	150mm	$46.36	$51.00	B

STAGE D FILTRATION

Nozzle or tip filters provide the final stage of filtration before the liquid is sprayed. They are available as standard or small cup type filters and fit most nozzle holders. Also available in anti-drip versions.

CUP STRAINERS

- Stainless steel construction
- Choice of 50 and 100 mesh screens



50 Mesh



100 Mesh



G8139001

10 PACK

4067 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-4067-SS-50	50	Stainless Steel	CUP	Stainless Steel	$51.82	$57.00	B
PKT-4067-SS-100	100	Stainless Steel	CUP	Stainless Steel	$51.82	$57.00	B
G8139001	50	Stainless Steel	CUP	Nylon	$3.64	$4.00	B

POLY TIP STRAINERS

Tip strainers protect the spray tip orifice from clogging and damage. Stainless steel screens available in 50 and 100 mesh individually



50 Mesh



100 Mesh

10 PACK

8079 SERIES

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
PKT-8079-PP-50	50	Stainless Steel	Standard	Polypropylene	$41.82	$46.00	B
PKT-8079-PP-100	100	Stainless Steel	Standard	Polypropylene	$41.82	$46.00	B

NON-DRIP TIP STRAINER WITH CHECK VALVE

Ideal for knapsacks and 12V sprayers by eliminating any excess drips. Fits all Silvan nozzle bodies.

- Check valve opens at 0.34 Bar
- Recommended for flow rates up to 3 L/min
- Available in 50 and 100 mesh screens

Note: Use of these check valves results in a pressure drop of 0.34 Bar



4193A-10-50SS

4193A SERIES

Note: Cut-away picture shown for illustrative purposes only

CODE	MESH SIZE	MESH SCREEN MATERIAL	TYPE	STRAINER BODY & CAP MATERIAL	LIST EX	LIST INC	CAT
4193A-10-50SS	50	Stainless Steel	Standard With Check Valve	Brass	$15.45	$17.00	B
4193A-PP-10-100SS	100	Stainless Steel	Standard With Check Valve	Polypropylene	$10.91	$12.00	B
4193A-PP-10-50SS	50	Stainless Steel	Standard With Check Valve	Polypropylene	$10.91	$12.00	B



BREATHER VALVES

1. Single breather valve with locking nut
2. Single labyrinth valve to suit Arag lids
3. Dual labriynth valve to suit Geoline lid


1


2


3

CODE	REF	TYPE	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
			INSIDE	OUTSIDE				
G8208000	1	Single	35mm	55mm	80mm	$20.91	$23.00	B
3522000	2	Single	110mm	140mm	80mm	$37.27	$41.00	B
G8140002	3	Dual	120mm	140mm	75mm	$37.27	$41.00	B

STAGE A TANK LIDS

Silvan "Smoothline" lid assemblies are used extensively throughout Australia. A wide range of sizes is available to suit many applications e.g. filling points, inspection hatches and man-holes used in agricultural water and chemical tanks.

Manufactured from high quality chemical resistant UV stabilised polypropylene for durability. Two start threads are convenient and larger screw type lids feature twist on/off centre cap, incorporating a double breather valve (single on smaller lids) for fast tank filling and quick emptying.

A. Male thread with breather


G8146002

B. Male thread with breather


G8158002

C. Female thread with breather


G8178001


D. Female thread no breather


354130

CODE		SIZE	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
			INSIDE	OUTSIDE				
A	G8146002	255mm	210mm	250mm	31mm	$45.45	$50.00	B
B	G8152002	355mm	313mm	355mm	29mm	$56.36	$62.00	B
B	G8158002	455mm	408mm	450mm	23mm	$70.00	$77.00	B
C	G8178001	170mm	150mm	170mm	56mm	$26.36	$29.00	B
D	354130	122mm	106mm	122mm	32mm	$22.73	$25.00	B
E	354130B	122mm (with breather)	106mm	122mm	64mm	$50.91	$56.00	B

LID RINGS

Two start threads for secure, positive fastening and sealing. Suits male threaded lids.





CODE	SIZE			HEIGHT	LIST EX	LIST INC	CAT
	A	B	C				
G8148000	255mm	218mm	192mm	38mm	$23.64	$26.00	B
G8154000	355mm	320mm	290mm	38mm	$26.36	$29.00	B
G8160000	455mm	415mm	382mm	35mm	$30.00	$33.00	B

HINGE TYPE

Twin threaded lid with sealing gasket, breather valve and threaded ring.

- Ball valve type



G8170015

CODE	SUITS LID	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
		INSIDE	OUTSIDE				
G8170015	455mm	415mm	457mm	22.5mm	$137.27	$151.00	B

LID STRAINERS

For prevention of large particles or debris entering tank





CODE	SUITS LID	MESH SIZE	DIAMETER		HEIGHT	LIST EX	LIST INC	CAT
			INSIDE	OUTSIDE				
G8147002	255mm	20	188mm	200mm	240mm	$56.36	$62.00	B
G8153001	355mm	20	286mm	300mm	254mm	$71.82	$79.00	B
G8159000	455mm	20	378mm	398mm	160mm	$89.09	$98.00	B



VALVES

Silvan offer a wide range of valves manufactured to high specifications with excellent resistance to agricultural chemicals with minimum flow restriction or pressure loss. They feature BSP connections and quick turn ON/OFF and are ideal for controlling boom lines, change of liquid directional flow, stop cocks or tank outlets.

BUTTERFLY VALVE – HIGH PRESSURE

Teflon seals, durable brass coating, 90˚ ON/OFF with female BSP connections



472-28B

CODE	SIZE FEM BSPT	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
472-22B	1/4"	50 Bar/725 psi	52mm	25mm	55mm	$41.82	**$46.00**	B
472-28B	1/2"	50 Bar/725 psi	52mm	32mm	60mm	$45.46	**$50.00**	B

INLINE TAP

Designed for low pressure applications.

- Ideal to adjust pressure and flow with a Smoothflo pump



320-TAP1

CODE	SUIT I.D. HOSE TAIL	MAX PRESSURE	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
320-TAP1	1/2"	7 Bar/100 psi	74mm	28mm	49mm	$10.00	**$11.00**	B
320-TAP2	10mm	7 Bar/100 psi	82mm	27mm	39mm	$14.55	**$16.00**	B

PRESSURE GAUGE

Both standard and dual pressure gauges for high and low pressure readings. Feature a nominal size 63mm gauge, clear lens, glycerine filled, 1/4" BSP male thread in either bottom or back entry models.



1 BAR = 14.5 PSI



CODE	ENTRY TYPE	PRESSURE LIMITS	OPTIMUM OPERATING PRESSURE	LIST EX	LIST INC	CAT
C99-247*	Back	0-60 Bar	30 Bar	$303.64	$334.00	B
C99-248-PK†	Bottom	0/5/25 Bar	1-5 Bar	$80.91	$89.00	B
C99-249-PK†	Back	0/5/25 Bar	1-5 Bar	$93.64	$103.00	B
C99-205/30B	Bottom	0-60 Bar	30 Bar	$64.55	$71.00	B
C99-204	Back	0-60 Bar	30 Bar	$64.55	$71.00	B
G8302058	Bottom	0-80 Bar	40 Bar	$60.91	$67.00	B
C99-210/50B	Bottom	0-100 Bar	50 Bar	$64.55	$71.00	B

*100mm gauge face model with 1/2" BSP connection †Dual Stage gauge model PK = Packaged

BRASS HOSE CONNECTORS

Manufactured from high quality brass and can be used in conjunction with any 1/2" BSP fittings.



1 2 3

CODE (2 PACK)		NO.	HOSE SIZE	LIST EX	LIST INC	CAT
NUT & TAIL	G8304004-PK	1	10mm	$19.09	$21.00	B
	G8304005-PK	2	12.5mm	$36.36	$40.00	B
NUT & ELBOW	G8304008	3	12.5mm	$14.55	$16.00	B

HOSE TAIL



CODE	THREAD SIZE BSP	TAIL SIZE	LIST EX	LIST INC	CAT
474-191	1/4"Male	10mm	$8.18	$9.00	B
474-200	1/4"Male	12.5mm	$9.09	$10.00	B
474-207	1/2"Male	12.5mm	$10.91	$12.00	B
474-209	1/2"Male	10mm	$13.64	$15.00	B

HOSE SNAP COUPLINGS


Ideal for quick disconnection of spray guns from hose reels featuring liquid shut-off. Manufactured from corrosion resistant materials.

- Brass - maximum pressure 3000kPa (435psi)



4 5

CODE	REF	COUPLING TYPE	MAT	CONNECT. SIZE	LIST EX	LIST INC	CAT
406-02-PK	4, 5	Complete Set	Brass	1/2"BSPT (M)	$148.18	$163.00	B
406-02M	4	Male	Brass	1/2"BSPT (M)	$28.18	$31.00	B
406-02F	5	Female	Brass	1/2"BSPT (M)	$113.64	$125.00	B



Maintaining a leak free and smooth liquid flow by using quality components and fittings is essential for maximum performance in all installations. Silvan's range of fittings are manufactured from high quality polypropylene and are compatible with fungicides, herbicides, chemical fertilisers etc. and will withstand temperatures of up to 100°C.

Standard BSP male and female threads can be used in conjunction with each other to construct assorted types and sizes of inlets, outlets, suction fittings and hose unions or they can be used with standard brass, galvanised and other fittings.

HOSE TAIL MALE THREAD



CODE	THREAD (BSP)	SUIT ID HOSE	LIST EX	LIST INC	CAT
G8001151	1/2"	13mm	$7.27	$8.00	B
G8001153	1/2"	19mm	$7.27	$8.00	B
G8001201	3/4"	13mm	$9.09	$10.00	B
G8001203	3/4"	19mm	$9.09	$10.00	B
G8001205	3/4"	25mm	$9.09	$10.00	B
G8001251	1"	19mm	$9.09	$10.00	B
G8001252	1"	25mm	$9.09	$10.00	B

HOSE TAIL ELBOW 90° MALE THREAD



CODE	THREAD (BSP)	SUIT ID HOSE	LIST EX	LIST INC	CAT
G8011101	3/8"	13mm	$9.09	$10.00	B
G8011151	1/2"	13mm	$9.09	$10.00	B
G8011152	1/2"	15mm	$9.09	$10.00	B
G8011153	1/2"	20mm	$10.00	$11.00	B
1132320	3/4"	19mm	$10.00	$11.00	B
G8011203	3/4"	25mm	$10.00	$11.00	B
G8011252	1"	30mm	$12.73	$14.00	B

HOSE TAIL ELBOW 90° FEMALE THREAD



CODE	THREAD (BSP)	SUIT I.D. HOSE	LIST EX	LIST INC	CAT
G8010201	3/4"	19mm	$9.09	$10.00	B
G8010203	3/4"	25mm	$10.00	$11.00	B

SINGLE PIECE 90° ELBOW WITH BACK NUT



CODE	THREAD (BSP)	SUIT ID HOSE	LIST EX	LIST INC	CAT
G8039151	1/2"	15mm	$13.64	$15.00	B
G8039201	3/4"	19mm	$13.64	$15.00	B
G8039251	1"	25mm	$17.27	$19.00	B

BARBED TEE PIECES



CODE	SUIT I.D. HOSE TAIL	LIST EX	LIST INC	CAT
320-T14	6mm	$2.73	$3.00	B
320-T38	10mm	$3.64	$4.00	B
320-T12	13mm	$4.55	$5.00	B
320-T34	19mm	$5.45	$6.00	B

REDUCING NIPPLE MALE/MALE



CODE	THREAD (BSP)	THREAD (BSP)	LIST EX	LIST INC	CAT
2402020	1/4"	1/2"	$9.09	$10.00	B
G8058151	1/2"	3/4"	$10.00	$11.00	B
G8058201	3/4"	1"	$10.00	$11.00	B

NIPPLES



CODE	SIZE (BSP)	OVERALL LENGTH	LIST EX	LIST INC	CAT
G8056151	1/2"	54mm	$4.55	$5.00	B
G8056152	1/2"	75mm	$9.09	$10.00	B
G8056201	3/4"	60mm	$9.09	$10.00	B
G8056251	1"	64mm	$11.82	$13.00	B
G8056252	1"	70mm	$11.82	$13.00	B
G8056301	1 1/4"	68mm	$16.36	$18.00	B
G8056351	1 1/2"	68mm	$19.09	$21.00	B

REDUCING NIPPLE MALE/FEMALE



CODE	THREAD M (BSP)	THREAD F (BSP)	LIST EX	LIST INC	CAT
G8059203	3/4"	1"	$10.00	$11.00	B
G8059204	3/4"	1 1/4"	$10.91	$12.00	B
G8059401	2"	1 1/2"	$12.73	$14.00	B

ELBOWS





CODE	THREAD SIZE (BSP)	THREAD SIZE (BSP)	LIST EX	LIST INC	CAT
G8021151	1/2" M	1/2" F	$5.45	$6.00	B
G8019201	3/4" F	3/4" F	$13.64	$15.00	B

TEE PIECE FEMALE



CODE	THREAD (BSP)	LIST EX	LIST INC	CAT
G8026151	1/2"	$11.82	$13.00	B
G8026201	3/4"	$11.82	$13.00	B

MALE PLUG



CODE	THREAD (BSP)	OVERALL LENGTH	LIST EX	LIST INC	CAT
G8046151	1/2"	15mm	$6.36	$7.00	B
G8046201	3/4"	17mm	$6.36	$7.00	B

BLANKING CAPS FEMALE THREAD



CODE	THREAD (BSP)	THREAD LENGTH	LIST EX	LIST INC	CAT
G8044151	1/2"	15mm	$5.45	$6.00	B
2102030	3/4"	13mm	$5.91	$6.50	B
G8044251	1"	21mm	$6.36	$7.00	B
G8044301	1 1/4"	18mm	$5.45	$6.00	B
G8044351	1 1/2"	19mm	$5.45	$6.00	B

TANK OUTLET



CODE	THREAD SIZE (BSP)	OVERALL LENGTH	LIST EX	LIST INC	CAT
G8050151	1/2"	43mm	$9.09	$10.00	B
G8050201	3/4"	43mm	$9.09	$10.00	B
G8050251	1"	50mm	$9.09	$10.00	B
G8050302	1 1/4"	48mm	$9.09	$10.00	B
G8050351	1 1/2"	48mm	$9.09	$10.00	B

BACK NUT FEMALE



CODE	THREAD (BSP)	THREAD LENGTH	LIST EX	LIST INC	CAT
G8042151	1/2"	13mm	$5.45	$6.00	B
G8042201	3/4"	13mm	$5.45	$6.00	B
G8042251	1"	13mm	$7.27	$8.00	B
G8042301	1 1/4"	15mm	$8.18	$9.00	B
G8042351	1 1/2"	15mm	$13.64	$15.00	B
G8042401	2"	17mm	$15.45	$17.00	B

FLAT GASKET



CODE	I.D.	O.D.	LIST EX	LIST INC	CAT
GG00002004	10mm	3/4"	$4.55	$5.00	B
GG00002012	1"	1 1/2"	$1.82	$2.00	B
GG00002010	3/4"	1 1/4"	$4.55	$5.00	B
GG00002006	1/2"	1"	$4.55	$5.00	B
GG00002014	1 1/4"	2"	$5.45	$6.00	B
GG00002016	1 1/2"		$6.36	$7.00	B
GG00002018	2"		$7.27	$8.00	B
GG00001014		1/2"	$0.91	$1.00	B

HOSE TAIL



CODE	SIZE	SUIT I.D. HOSE	LIST EX	LIST INC	CAT
G8002151	1/2"	13mm	$6.36	$7.00	B
G8002200	3/4"	13mm	$7.27	$8.00	B
G8002202	3/4"	19mm	$7.27	$8.00	B
G8002250	1"	13mm	$7.27	$8.00	B
G8002252	1"	19mm	$7.27	$8.00	B
G8002254	1"	25mm	$7.27	$8.00	B
G8002301	1 1/4"	25mm	$13.64	$15.00	B
G8002302	1 1/4"	30mm	$13.64	$15.00	B
G8002353	1 1/2"	35mm	$15.45	$17.00	B
G8002350	1 1/2"	25mm	$15.45	$17.00	B
G8002355	1 1/2"	40mm	$15.45	$17.00	B
G8002402	2"	50mm	$16.36	$18.00	B

ELBOWS



CODE	SIZE	SUIT I.D. HOSE	LIST EX	LIST INC	CAT
116210	1/2"	10mm	$8.18	$9.00	B
G8012200	3/4"	13mm	$8.18	$9.00	B
G8012203	3/4"	19mm	$9.09	$10.00	B
G8012251	1"	19mm	$10.91	$12.00	B
G8012252	1"	25mm	$10.91	$12.00	B
G8012301	1 1/4"	25mm	$10.91	$12.00	B
G8012350	1 1/2"	25mm	$10.91	$12.00	B
G8012353	1 1/2"	35mm	$10.91	$12.00	B
G8012355	1 1/2"	40mm	$10.91	$12.00	B
G8012400	2"	40mm	$13.64	$15.00	B
G8012402	2"	50mm	$24.55	$27.00	B

FLY NUT



CODE	THREAD SIZE (BSP) (F)	LIST EX	LIST INC	CAT
G8040151	1/2" Suit 10mm tails	$5.45	$6.00	B
G8040152	1/2" Suit 13mm tails	$6.36	$7.00	B
G8040202	3/4"	$7.27	$8.00	B
G8040251	1"	$7.27	$8.00	B
G8040301	1 1/4"	$7.27	$8.00	B
G8040351	1 1/2"	$7.27	$8.00	B
G8040401	2"	$7.27	$8.00	B

O-RING



CODE	O.D.	LIST EX	LIST INC	CAT
GG00001002	1/2"	$1.82	$2.00	B
GG00001012	3/4"	$1.82	$2.00	B
GG00001018	1"	$2.73	$3.00	B
GG00001022	1 1/4"	$3.64	$4.00	B
C1210-173	1 1/2"	$0.91	$1.00	B
G10071V	2"	$4.55	$5.00	B



HOSE CLAMPS

Feature continuous rolled thread with hex head for screwdriver or spanner tightening.

TO FIT HOSE I.D.SIZE				
HOSE CLAMP	8MM	10MM	12MM	20MM
CODE	187-MH04	187-MH05	187-HS06	187-HS12
LIST EX	$2.73	$2.73	$3.64	$4.55
LIST INC	$3.00	$3.00	$4.00	$5.00
CAT	B	B	B	B

Diesel Tanks & Accessories



DIESELPAK

DIESELPRO

DIESELCUBE

DIESELPOWER

Key Features



DIESEL CADDY - 100L

Portable diesel caddy on wheels
12V submersible pump, 15Lmin open flow
2m delivery hose – manual trigger



DIESELPOWER - 100L, 200L & 400L

40L/min 12V Selecta Power pump
Internal baffle to reduce surge when travelling (400L only)
Lockable filling lid & filling cap, 4m delivery hose – auto trigger



DIESELCUBE - 180L, 250L & 450L

50L/min 12V Selecta Power pump
Water filter & tank lever indicator
Lockable lid, 4m delivery hose – auto trigger



DIESELPRO - 200L, 400L & 600L

50L/min 12V Italian Piusi pump
Internal baffle to reduce surge when travelling (400L only)
Lockable filling lid & filling cap, 4m delivery hose – auto trigger



DIESELPAK - 800L & 1100L

50L/min 12V Italian Piusi pump
Internal baffle to reduce surge when travelling
5m delivery hose – auto trigger



DIESELPAK HI-FLOW - 1100L & 2200L

85L/min 12V Italian Piusi pump
Internal baffle to reduce surge when travelling (1100L only)
5m delivery hose, auto shut-off trigger




DIESELPRO TRAILED - 1100L

50L/min 12V Italian Piusi pump
Internal baffle to reduce surge when travelling
5m delivery hose, Auto shut-off trigger

SELECTA DIESEL

Safe & reliable diesel transfer solutions for refueling on the go!





SQDT100-1

100L DIESEL CADDY

The Diesel Caddy is a compact addition to the workshop for diesel top-ups to farm, construction equipment & transferring diesel to a watercraft.

- UV stabilsed Polytuff tank with screw on lid and breather
- 12V submersible pump, 15L/min open flow
- Flat free wheels (245mm diameter)
- 2m delivery hose with manual aluminum trigger
- 2.2m power cord with alligator clips to connect to a battery



SQDT100-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQDT100-1	100L Diesel Caddy	400mm	540mm	1050mm	19 kg	$581.82	**$640.00**	A



DIESELPOWER DIESEL TRANSFER TANKS
- 100L, 200L & 400L

The 12V DieselPower transfer units are available in 100L, 200L & 400L capacity. The tanks are made from a diesel grade polyethylene and are impact resistant and UV stabilised. Proven and reliable Selecta DieselPower pumps are the heart of this rugged product.

- 12V DieselPower pump, 40L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access (padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality auto shut-off trigger
- 4m x 19mm ID delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Low profile design for clear rear view from utility
- Baffled tank - 400L only
- Recesses in the tank for securing with ratchet straps


SQDN100-1


SQDN200-7


SQDN400-7

OPTIONS:


PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQDN100-1	100L DieselPower Unit	800mm	620mm	440mm	18 kg	$1,068.18	$1,175.00	A
SQDN200-7	200L DieselPower Unit	1100mm	640mm	610mm	24 kg	$1,240.91	$1,365.00	A
SQDN400-7	400L DieselPower Unit	1700mm	820mm	590mm	41 kg	$1,653.64	$1,819.00	A
06792504	Lockable Filler Cap to suit DieselPower 100L, 200L and 400L					$89.09	$98.00	B
PF26-X3*	Digital Litre Counter (customer fitment)					$363.64	$400.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*
**Note customer fitment.*



DIESELPRO DIESEL TRANSFER TANKS
- 200L, 400L & 600L

The 12V DieselPro range of transfer units are available in 200L, 400L & 600L capacities. Feature packed with world class components, including an Italian made Piusi pump. Longer hose and wiring harnesses than others on the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- 12V Italian Piusi pump, 50L/min open flow
- Strong double walled lockable pump cover protects the pump and tank breather from any unwanted access (padlock included)
- Internal suction filter
- Lockable filling cap (2 keys)
- High quality auto shut-off trigger
- 4m x 19mm ID delivery hose with swivel & crimped fittings
- 4m wiring harness with alligator clips
- Anti-static earth strap
- Low profile design for clear rear view from utility

400L & 600L DIESELPRO TRANSFER UNITS

- Baffled tanks to reduce surge when travelling
- 400L unit has Worksafe Victoria approval number 30315
- 600L tank bottom has 8mm brass inserts for bolt down mounting to a tray, skid or platform
- Recesses in the tank for securing with ratchet straps



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQDN200L-Z1	200L DieselPro Unit	1100mm	640mm	610mm	27 kg	$1,409.09	$1,550.00	A
SQDN400L-Z1	400L DieselPro Unit	1700mm	820mm	590mm	41 kg	$2,045.45	$2,250.00	A
SQDN600L-X1	600L DieselPro Unit	1664mm	840mm	810mm	50 kg	$2,545.45	$2,800.00	A
06792504	Lockable Filler Cap to suit DieselPro 200L and 400L					$89.09	$98.00	B
G8178013	Lockable Filler Cap to suit DieselPro 600L					$95.45	$105.00	B
PF26-X3*	Digital Litre Counter (customer fitment)					$363.64	$400.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*
**Note customer fitment.*



DIESELCUBE DIESEL TRANSFER TANKS
– 180L, 250L, 450L

Selecta DieselCubes are the next generation in design and strength with tanks that are thicker, stronger & more robust. Not only are they visually appealing, all DieselCubes have a water filter connected to the pump to assist in reducing damage to your diesel engine. Specifically designed for well body vehicles such as the Ram, Ford Ranger, Toyota Hilux, BT-50, Triton, Nissan Navara, Isuzi D-Max, and VW Amarok. The height of the DieselCubes make diesel transfer effortless in these vehicles.

- Impact resistant, UV stabilised heavy duty Polytuff tank
- Strong double walled pump cover that protects the pump and any unwanted access (padlock included)
- 12V DieselPower pump, 50L/min open flow
- Water filter to assist in reducing damage to your engine
- Tank level indicator
- 4m x 19mm delivery hose with crimped fittings and auto shut-off trigger
- Forklift pockets (use when tank is empty)
- Recesses in the tank for securing with ratchet straps
- Moulded carry handles


SQDC180-8


SQDC250-8


SQDC450-8

OPTIONS:


PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT	LIST EX	LIST INC	CAT
SQDC180-8	180L Diesel Cube	820mm	620mm	670mm	29 kg	$1,453.64	$1,599.00	A
SQDC250-8	250L Diesel Cube	930mm	750mm	770mm	34 kg	$1,590.91	$1,750.00	A
SQDC450-8	450L Diesel Cube	1130mm	820mm	830mm	47 kg	$2,263.64	$2,490.00	A
382-177	Replacement Water Filter to suit DieselCubes					$27.28	$30.00	B
PF26-X3*	Digital Litre Counter (customer fitment)					$363.64	$400.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*
**Note customer fitment.*



SQD1000-X1



UNIQUE TWIN BAFFLED TANK

SQD800-X1

24 MINUTES TRANSFER TIME



BAFFLED TANK

SQD1000-X1

DIESELPAK UNITS - 800L & 1100L

The 12V DieselPak larger capacity transfer units are available in 800L & 1100L and have an internal baffle to reduce surge when traveling. Feature packed with world class components including an Italian made Piusi pump, longer hose and wiring harnesses than others on the market. Made with diesel grade polyethylene that is UV stabilised to ensure a longer life.

- Baffled tanks to reduce surge when travelling and no spill breathers
- 800L has twin baffle, 1100L has single baffle
- 12V Italian Piusi pump, 50L/min open flow
- 5m x 19mm delivery hose with swivel & crimped fittings
- High quality auto shut-off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- Recesses in tank for securing with ratchet straps

OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQD800-X1	800L DieselPak Unit	1800mm	940mm	760mm	30kg	$2,453.64	$2,699.00	A
SQD1000-X1	1100L DieselPak Unit	1500mm	1180mm	1090mm	56kg	$2,722.73	$2,995.00	A
354130B	Replacement lid with breather to suit 800 & 1100L Dieselpak					$50.91	$56.00	B
PF26-X3*	Digital Litre Counter (customer fitment)					$363.64	$400.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions.*
**Note customer fitment.*



HI FLOW 85L/ Min PUMP

Approximately half the transfer time compared to a standard 40L/min DieselPak units, which halves the labour cost in refilling machines.

SQD2200-5

13 MINUTES TRANSFER TIME



BAFFLED TANK

SQD1000-5

26 MINUTES TRANSFER TIME



SQD2200-5

Pictured with optional inline litre counter

HI FLOW DIESELPAK UNITS - 1100L & 2200L

The HI FLOW 12V DieselPak larger capacity transfer units are available in 1100L and 2200L. The 1100L has an internal baffle to reduce surge when traveling. Feature packed with world class components including an Italian made Piusi pump, longer hose and wiring harnesses than others on the market. Made with diesel grade polyethelyne that is UV stabilised to ensure a longer life.

- 12V Italian Piusi pump, 85L/min open flow
- 4m x 25mm delivery hose with swivel & crimped fittings
- High quality auto shut-off trigger
- 4m wiring harness with alligator clips
- Internal suction filter
- **Baffled tank – 1100L only**
- Recesses in tank for securing with ratchet straps

OPTIONS:



PF26-X3

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SQD1000-5	1100L HI FLOW DieselPak Unit	1500mm	1180mm	1090mm	61 kg	$3,450.00	$3,795.00	A*
SQD2200-5	2200L HI FLOW DieselPak Unit	1900mm	1380mm	1150mm	103 kg	$4,544.55	$4,999.00	A*
PF26-X3*	Digital Litre Counter (customer fitment)					$363.64	$400.00	A

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions. Note customer fitment.*

* *Refer to Terms & Conditions on page 254 or more information*



STF1000D-1-1

1100L TRAILED DIESELPRO

The ultimate 1100L diesel tank trailer, designed for durability and efficiency with a hot-dipped galvanised finish and heavy-duty leaf spring suspension. Equipped with ADR-approved mechanical overrun disc brakes, LED tail lights, and an Italian Piusi 50L/min pump with a 10m retractable hose, this ROVER vehicle-compliant trailer ensures safe and reliable transport. Features like an internal baffle to reduce surge, a 50mm tow hitch, and a secure UV stabilised lockable storage box make it the top choice for heavy-duty liquid transport needs.

- 1100L UV stabilised polyethylene tank
- Internal BAFFLE to reduce surge when travelling
- Bottom suction with protection plate
- Hot-dipped galvanised finish with heavy duty leaf spring suspension
- 5 Stud Ford wheels and 235/15AT (all terrain) tyres
- Adjustable jockey wheel and 50mm tow hitch
- ADR approved mechanical overrun DISC brakes
- LED tail lights, indicators & registration plate light
- Anderson plug to operate the pump located at the front of the trailer & also from the pump storage box
- 7 pin electrical connection
- VIN plate attached for on road registration
- ROVER vehicle compliant & certified
  NOTE: The trailer is road registerable, which is the responsibility of the owner
- Secured in a UV stabilised lockable poly storage box
- Italian Piusi 50L/min pump
- Auto shut-off Trigger
- Italian Piusi retractable 10m 25mm hose reel



STF1000D-1-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
STF1000D-1-1	1100L Trailed Dieselpro	3800mm	1820mm	1530mm	440kg	$12,000.00	**13,200.00**	A*
FREIGHTADL/SYD	Melbourne to Adelaide/Sydney Silvan Warehouse					$1,150.00	**$1,265.00**	
FREIGHTBNE	Melbourne to Brisbane Silvan Warehouse					$1,550.00	**$1,705.00**	
FREIGHTTAS	Melbourne to Tasmania Silvan Warehouse					$2,500.00	**$2,750.00**	
FREIGHTPER	Melbourne to Perth Silvan Warehouse					$3,750.00	**$4,125.00**	

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions. Note customer fitment.*

* *Refer to Terms & Conditions on page 254 or more information*

Selecta DieselPower pumps have a reputation for high quality, reliability and great value. They are an ideal replacement pump for many poly or steel diesel tanks. Used in agricultural, construction and the marine industry for transferring diesel to tractors, excavators, skid steers and boats.

12V DIESELPOWER PUMP - 40L/MIN

- 40L/min open flow capacity (22 Amp)
- 3/4" female BSP ports
- 4m battery cable with alligator clips
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motor with permanent stator
- 30 min duty cycle
- Replacement pump for Diesel Power diesel tanks



382-009

12V DIESELPOWER PUMP - 50L/MIN

- 50L/min open flow capacity (22 Amp)
- 1" female BSP ports
- 4m battery cable with alligator clips
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motor with permanent stator
- 30 min duty cycle
- Replacement pump for the PF48 pump kit



382-074

12V PIUSI INLINE BP3000 DIESEL PUMP - 50L/MIN

- 50L/min open flow capacity (24 Amp)
- 3/4" female BSP ports
- 4m battery cable with alligator clips
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motor with permanent stator
- 30 min duty cycle
- Replacement pump for Diesel Pro diesel tanks



382-059

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
382-009	DieselPower Pump	40L/min	$290.00	$319.00	A
382-074	DieselPower Pump to suit PF48 kit	50L/min	$280.91	$309.00	A
382-059	12V BP3000 Inline Diesel Pump	50L/min	$644.55	$709.00	A

12V PIUSI BP3000 DIESEL PUMP - 50L/MIN

- 50L/min open flow capacity (24 Amp)
- Supplied with 2 x 19mm tails
- 4m battery cable with alligator clips
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motor with permanent stator
- 30 min duty cycle
- Replacement pump for Diesel Pro diesel tanks



F0022325A

12/24V PIUSI PANTHER DIESEL PUMP – 35/75L/MIN

- 12V 35L/min open flow (16 Amp)
- 24V 75L/min open flow (25 Amp)
- 1" Female BSP ports
- 4m battery cable with alligator clips
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motor with permanent stator



F00341160

12V PIUSI HI FLOW DIESEL PUMP - 85L/MIN

- 85L/min open flow (42 Amp)
- 1" Female BSP ports
- 4m battery cable with alligator clips
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motors with permanent stator
- 30 min duty cycle
- Replacement pump for 1100L/2200L HI Flow Diesel Paks



F0036302A

240V PIUSI PANTHER DIESEL PUMP - 56L/MIN

- 56L/min open flow capacity
- 1" Female BSP ports
- 2m battery cable with 3 pin plug
- Self-priming with internal bypass
- Cast iron pump head finished with anti-corrosion paint
- Steel rotor with acetal resin vanes
- Direct current brush motor with permanent stator
- Continuous duty



F0073022A

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
F0022325A	12V BP3000 Diesel Pump	50L/min	$604.55	$665.00	A
F00341160	12V/24V Panther Diesel Pump	12V - 35L/min, 24V - 75L/min	$900.00	$990.00	A
F0036302A	12V Hi Flow Diesel Pump	85L/min	$1,100.00	$1,210.00	A
F0073022A	240V AC Diesel Pump	56L/min	$681.82	$750.00	A

12V DIESELPOWER PUMP KIT - 50L/MIN


- 50L/min open flow capacity (22 Amp)
- 4m of 19mm ID delivery hose, hose tails, hose clamps & suction filter
- Auto shut-off gun & swivel
- 4m battery cable with alligator clips
- 30 min duty cycle
- Replacement pump code 382-074, Auto shut-off gun code PF01



PF48

12V PIUSI BP3000 DIESEL PUMP KIT - 50L/MIN

- 50L/min open flow capacity (24 Amp)
- 4m of 19mm ID delivery hose, hose tails, hose clamps & suction filter
- Auto shut-off gun & swivel
- 4m battery cable with alligator clips
- 30 min duty cycle
- Replacement pump code F0022325A, Auto shut-off gun code PF13



F0022511C

12V PIUSI HI FLOW DIESEL PUMP KIT - 85L/MIN

- 85L/min open flow capacity (42 Amp)
- 4m of 19mm ID delivery hose, hose tails, hose clamps & suction filter
- Auto shut-off gun & swivel
- 4m battery cable with alligator clips
- 30 min duty cycle
- Replacement pump code F0036302A, Auto shut-off gun code PF13



PF363260

12/24V PIUSI PANTHER DIESEL PUMP KIT – 35/75 L/MIN

- 12V 35L/min open flow (16 Amp)
- 24V 75L/min open flow (25 Amp)
- 4m of 19mm ID delivery hose, hose tails, hose clamps & suction filter
- Auto shut-off gun & swivel
- 4m battery cable with alligator clips
- 30 min duty cycle
- Replacement pump code F00341160, Auto shut-off gun code PF13



PF341090

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF48	12V DieselPower Pump kit	50L/min	$518.18	$570.00	A
F0022511C	12V BP3000 Diesel Pump kit	50L/min	$904.55	$995.00	A
PF363260	12V Hi Flow Diesel Pump kit	85L/min	$1,474.55	$1,622.00	A
PF341090	12/24V Panther Diesel Pump kit	12V 35L/min/24V 75L/min	$1,340.91	$1,475.00	A



12V SUBMERSIBLE DIESEL AND WATER TRANSFER PUMP

- 30L/min open flow, 15psi maximum pressure
- 3/4" (19mm) outlet
- 3m Lift
- 2.8m cable with alligator clips
- Stainless steel housing
- Integral inlet strainer
- 50mm diameter




PF49B

CODE	DESCRIPTION	OPEN FLOW	LIST EX	LIST INC	CAT
PF49B	12V Submersible Diesel & Water Transfer Pump	18L/min	$88.18	$97.00	B

WATER & DIESEL HEAVY DUTY HOSE REEL

Capable of handling water or diesel, this versatile hose reel is a great addition to diesel units or firefighters where extra hose is required.

- Inlet 3/4" BSP outlet tapered hose tail
- Maximum pressure 1700 Kpa / 247psi
- 30m of 19mm I.D. hose
- Manual rewind reel with hose guide rollers and stopper



JA-1402021

PIUSI 10m RETRACTABLE DIESEL HOSE REEL

Heavy duty spring rewind reel with simple hose guide.

- Supplied with 10m of 25mm delivery hose
- Adjustable arms for easy positioning as required
- Reduced pressure loss through the hydraulic system
- Latch mechanism prevents accidental contact with hands
- Complete with inlet hose swivel
- 1" BSP inlet and outlet



F00750030

CODE	HOSE I.D	MAX PRESSURE	HOSE LENGTH	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
JA-1402021	19mm	17 Bar/247psi	30m	660mm	490mm	680mm	44.5kg	$972.72	$1,070.00	A
F00750030	25mm	15 Bar/223psi	10m	550mm	260mm	540mm	25kg	$1,318.18	$1,450.00	A

DIESEL WATER FILTER

An easy to install and maintain filter for protecting your equipment. The filter catches water and additional material that can contaminate a diesel tank and prevents these materials from passing on to the tank of your vehicle or machine.

- Each filter includes housing bowl & element
- Inline diesel moisture filter
- 1" BSP Female ports
- Clear filter bowl with drain tap



PF21



PF21-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
PF21	Diesel Water Filter 10 micro meters	110mm	110mm	240mm	0.8kg	$182.73	$201.00	B
PF21-1	Replacement PF21 Diesel Water Filter					$59.09	$65.00	B
PF0225-39	Hose tail (to suit PF21) 19mm Tail (O.D) x 1" BSP Male Thread					$10.91	$12.00	B
PF0225-65	Hose tail (to suit PF21) 25mm Tail (O.D) x 1" BSP Male Thread					$34.55	$38.00	B

PIUSI OIL & DIESEL METER K400

- Flow rate 1-25 L/min
- Operating pressure 70 Bar /1015 psi (max)
- Batch readout (maximum) – 99999L
- Total Readout (max) 999999L (plus x10/x100)
- 1/2" BSP Female ports



F0047500A

SELECTA 4 DIGIT MECHANICAL DIESEL METER

- Flow rate 20-120 L/min
- Batch readout (maximum): 999L
- Total readout (max.): 9999999L
- 1" BSP Female ports
- Subtotal can be set to zero, total readouts cannot



PF12

PIUSI K24 DIGITAL DIESEL METER

- Easy to mount inline fuel meter
- Able to be calibrated and provides information as to the individual litre count or the total of litres counted
- Flow rate of 10 - 120L/min
- Compact and sturdy design H:55mm x W:75mm x D:100mm
- Max pressure 10 Bar or 145psi
- 1" BSP male inlet and male outlet
- NOT suitable for WATER - for water use code: **F00407090**



PF11

PIUSI

SELECTA DIGITAL DIESEL METER KIT

- This kit is supplied with additional fittings to allow the 1" BSP meter to be fitted to 3/4" BSP, or adapt a 25mm hose to a 3/4" nozzle and meter



PF26-X3

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
F0047500A	PIUSI Oil & Diesel Meter K400	$544.55	$599.00	A
PF12	Selecta 4 Digit Mechanical Diesel Meter	$335.45	$369.00	A
PF11	PIUSI K24 Digital Diesel Meter	$418.18	$460.00	A
PF26-X3	Selecta Digital Diesel Meter Kit	$363.64	$400.00	A

SELECTA AUTO SHUT-OFF GUN WITH ELECTRONIC METER

- Capacity to 60L/min
- Requires 50 kPa (7.5 psi) to open
- 24mm spout & 3/4" Female inlet
- Power supply 2 x AAA batteries
- Tigger lock
- Total & continual digital reading display
- Not suitable for gravity fed applications



PF61

PIUSI MANUAL SHUT-OFF GUN


- Aluminium construction
- Capacity up to 120 L/min
- 1" BSP Female inlet



PF0225-02

SELECTA AUTO SHUT-OFF GUN

- Capacity to 58 L/min
- Requires 50 kPa (7.5 psi) to open
- 3/4" BSP Female inlet
- Not suitable for gravity fed applications
- Optional swivels to suit (see below)



PF01

PIUSI HI FLOW AUTO SHUT-OFF GUN

- Capacity to 120 L/min
- Requires 30 kPa (4.4 psi) to open
- 1" BSP Female swivel inlet
- Not suitable for gravity fed applications



PF13

SELECTA HI FLOW AUTO SHUT-OFF GUN

- High flow auto shut-off dispensing nozzle
- 120 L/min max capacity
- 29mm dispensing spout
- Trigger lock
- 1" BSP Female port
- Weight 1.8 kg
- Not suitable for gravity fed applications
- Optional swivel to suit (PF01-SW3)



PF17

DIESEL SWIVEL ADAPTOR

- BSPT thread Male/Female adaptor
- Made from stainless steel/aluminium



PF01-SW



PF01-SW3

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
PF61	Selecta Auto Shut-off Gun with Electronic Meter	$344.55	$379.00	B
PF01	Selecta Auto Shut-off Gun	$180.91	$199.00	B
PF17	Selecta Hi Flow Auto Shut-off Gun	$226.36	$249.00	B
PF0225-02	Manual Shut-off Gun	$77.27	$85.00	B
PF13	Piusi Hi Flow Auto Shut-off Gun	$281.82	$310.00	B
PF01-SW	Diesel Swivel Adaptor ¾" M x ¾" F	$38.18	$42.00	B
PF01-SW2	Diesel Swivel Adaptor ¾" M x 1" F	$38.18	$42.00	B
PF01-SW3	Diesel Swivel Adaptor 1" M x 1" F	$77.27	$85.00	B

Selecta Blue

Selecta Blue products are designed to meet the requirements for storage and transfer of Diesel exhaust fluid (DEF)/AUS32 urea solution, commonly referred to by the trade names of Adblue®, NoNox® and Air1®.





TKA200-7

12V 200 LITRE SELECTA BLUE TRANSFER UNIT

- Designed for the storage and transfer of AUS32 solution
- UV stabilised Polytuff tank
- 35L/min open flow self priming pump
- 4m of 3/4" delivery hose with manual nozzle
- 3m long power cord with alligator clips



TKA200-7

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TKA200-7	200L Selecta Blue Transfer Unit	1030mm	580mm	530mm	21kg	$990.91	**$1,090.00**	A

12V SELECTA BLUE REPLACEMENT PUMP

- 35L/min open flow self priming pump
- 19mm hose tails supplied
- 2m long power cord with alligator clips
- 20 minute duty cycle - 20 min on/20 min off



382-103

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
382-103	Selecta Blue Transfer Pump	270mm	140mm	180mm	4kg	$326.36	**$359.00**	A

K24 METER

- Display can rotate to four positions
- 1" BSP M/M with 1" socket for M/F or M/M installation
- Working flow rate 6-100L/min
- Accuracy to +/- 1%
- Adjustable calibration
- Resolution to 0.1L
- Batch total to 99999L
- Complete total to 999999L
- View flow rate L/min
- Suitable for urea, water, windscreen washing liquid, basic ag chemicals



F00407090

CODE	DESCRIPTION	WEIGHT	LIST EX	LIST INC	CAT
F00407090	K24 Meter	0.4 kg	$540.91	**$595.00**	A

Lights





Terrabright is a range of high-quality lighting products, manufactured with the latest Lithium-Ion technology batteries, light weight and super bright, they have a metal case with excellent grip. Charging is simple with the USB magnetic cable. They are ideal for illuminating dark areas, short or long distances. Making them a critical tool for adventurers, farmers, inspecting livestock, fence lines, gates, storage sheds, machinery and more.

TERRABRIGHT RECHARGEABLE UTILITY LED FLASHLIGHT

A compact powerhouse. Featuring versatile modes, and USB charging with a hassle-free magnetic connection. Designed for effortless portability, this flashlight is never far from reach and always ready to perform.

- 1000 Lumens
- Lithium-Ion battery
- Cree XP-L LED
- Run Time: High 1.5hrs, Low 5.5hrs, Strobe 2hrs
- 800mm USB charging cable with magnetic connection



LIGHT-46

TERRABRIGHT RECHARGEABLE HIGH POWERED FLASHLIGHT

The perfect blend of durability and versatility. This high powered flashlight is the ideal companion for outdoor enthusiasts, emergency preparedness, or just simple tasks around the home.

- 2000 Lumens
- Lithium-Ion battery
- XHP50 Super bright LED
- Run Time: High 2.5hrs, Medium 4hrs, Low 6hrs
- 800mm USB charging cable with magnetic connection



LIGHT-47

CODE	DESCRIPTION	LENGTH	WIDTH	WEIGHT	LIST EX	LIST INC	CAT
LIGHT-46	Terrabright Rechargeable Utility Led Flashlight - 1000 Lumens	140mm	31mm	155g	$53.64	**$59.00**	B
LIGHT-47	Terrabright Rechargeable High Powered Flashlight - 2000 Lumens	165mm	40mm	216g	$68.18	**$75.00**	B



LIGHT-48

TERRABRIGHT RECHARGEABLE SPOTLIGHT

The ultimate companion for your outdoor adventures. Engineered to illuminate your path with unparalleled brightness and reliability, this powerful spotlight ensures you will never miss a detail even in the darkest of environments.

- 1100 Lumens, cree high powered 30W LED
- Strong light beam up to 200m
- 7200mAh Lithium-Ion battery Pack
- Push button high/low beam + strobe
- Running time: 5 hours on High, 8 hours on Low
- Charging time 5 to 7 Hours & USB-C charging cable
- 4 bar charge level indictor



LIGHT-48



CODE	DESCRIPTION	LENGTH	WEIGHT	HEIGHT	HEIGHT	LIST EX	LIST INC	CAT
LIGHT-48	Terrabright Rechargeable Spotlight	230mm	120mm	140mm	680g	$44.55	$49.00	B



LIGHT-44

RECHARGEABLE MOTION SENSOR LIGHT

- 2 settings: permanent or motion sensing at night
- USB charging & magnetic attachment
- Aluminium body
- 2 hours continuous run time
- Remains on for 25 seconds after triggered



LIGHT-44

ROD BASE 12V FLASHING BEACON

- 55 Watt heligon bulb
- Compliant for road use (ECE R65)
- Rotation speed 160 +/- 20RPM
- Transmission via a silicon strap
- Mounting via the soft magnetic base
- IP66 rated & 3m power lead with cigarette light connection



MADE IN EUROPE

GF35011

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
LIGHT-44	Rechargeable Motion Sensor Light	$26.36	$29.00	B
GF35011	12V Rod Base Flashing Beacon	$168.18	$185.00	B

Security Cameras





SECURE08

SOLAR POWERED REMOTE 4G SECURITY CAMERA

Selecta's 4G security camera is suitable for indoor or outdoor use, machinery sheds, diesel storage, property gates, driveways, water troughs, monitoring animals, stables, farms, mines, construction sites and other environments that are inconvenient to connect to electricity and wiring.

- Powered by a 20W solar panel that is mounted separately to the 4G camera by a 2.5m cable
- 24 hours full-time recording
- Built-in high-fidelity speaker and high-definition microphone, supports 2-way voice intercom, with echo cancellation function
- Equipped with high-power 850nm infrared lamp and white light lamp, the effective distance of night vision can reach 20 metres
- Built-in 2 MP, 3.6mm high-definition lens with a maximum viewing angle of 100 degrees
- Built-in six 18650 high-capacity lithium batteries
- Micro SD card slot, supplied with 128GB SD card
- No need for wire, solar power generation and built-in lithium battery power supply
- It can be used easily without network environment, built-in full Netcom 4G module to keep the device online at any time (must supply own 4G sim card)
- Built-in PIR detector, which can automatically turn on white light illumination according to human body induction at night
- Supports device online push, PIR detection push and manage push notifications
- Supports cloud recording, cloud on-demand, device sharing (unlimited friends)



SECURE08

SUPPLIED WITH SOLAR PANEL



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SECURE08	Solar Powered Remote 4G Security Camera	Carton 325mm	Carton 280mm	Carton 190mm	Carton 2.75 kg	$450.00	$495.00	B



SECURE120

MOTION ACTIVATED WIDE ANGLE SECURITY CAMERA

These popular cameras operate independently to covertly monitor indoor & outdoor areas. Ideal for securing surveillance of farm gates & driveways, fuel supplies, sheds, garages, workshops, livestock, foxes, wild dogs, machinery and tools.

- 12MP camera
- Records pictures and videos with date stamp
- Day and night use with No-Glow night vision
- Internal screen for image review and setup
- IP54 water and dust resistant for outdoor use
- Includes mounting strap
- Wide angle view 120° lens, ideal for close range targets in and around buildings
- Response time 0.85 seconds
- Operates with 6 or 12AA batteries
- 16GB SD card included can store up to 11300 images



SECURE120

SECURE SOLAR PANEL AND BATTERY

- Large 1500mAh battery
- 2W panel can charge by sun or use the wall adaptor to fast charge the internal battery
- Includes mounting bracket and strap
- Replaces the need for AA batteries
- Can operate the camera day & night
- 10V output suited to SECURE120





SEC-SOLAR2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
SECURE120	Wide Angle Security Camera	130mm	75mm	145mm	$408.18	$449.00	B
SEC-SOLAR2	Secure Solar Panel And Battery	140mm	30mm	155mm	$159.10	$175.00	B

Workshop & Maintenance





JS021





LED FLASHLIGHT



REVERSE POLARITY PROTECTION



RECHARGE VIA 240V OR CIGARETTE CHARGER



ROBUST CARRY CASE



MULTI CONNECTION ADAPTER

600AMP MULTI-PURPOSE JUMPSTART

Selecta's multi-purpose & compact 600 amp 12V jump start with the additional features of a powerbank and a wireless charging pad for smart phones. The jumpstart is ideal for side-by-sides, small compact tractors, ATVs, cars, boats and more.

- 10,000mAh Lithium-ion battery
- 600 Amps peak current jumpstart
- Supports wireless charging
- Power bank, 2 USB ports (USB1: 9V/2A, USB2: 5V/2.1A)
- Energy efficient LED flex-light with SOS strobe
- Boosting below 5.0L petrol engines and 3.0L diesel vehicles
- Convenient carry case
- The inline microprocessor offers modern protection by enabling and disabling power for the following: overload protection, reverse polarity protection, short circuit protection
- Time limited jump starting and under voltage protection protects the jump start from excessive drain to maintain battery condition for enhanced life of the battery
- 12V output with rubber covered EC5 connector for connect to jump start
- EC5 is a one-way type of plug preventing the clamps from being connected to battery pack with wrong polarity
- Multi-purpose charging cable for various phone and electronic devices
- 240V wall and 12V cigarette lighter charger

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
JS021	600amp Multi-purpose Jumpstart	70mm	45mm	180mm	1.06kg	$180.91	$199.00	B







LED FLASHLIGHT



REVERSE POLARITY PROTECTION



RECHARGE VIA 240V CHARGER



ROBUST CARRY CASE

850AMP MULTI-PURPOSE JUMPSTART

Selecta's new, powerful 12V jumpstart, enhanced with a powerbank, wireless charging pad and an advanced LCD display for precise electric quantity monitoring. Designed for automotive, side by sides, buggies, compact tractors, excavators, skid steers, ATVs, cars, boats, and more, it stands out with its 850-1000 Amps peak current and energy-efficient LED flex-light with flash SOS strobe.

- 12,000mAh/44.4Wh Lithium-ion battery
- 850 - 1000 Amps peak current jumpstart
- Supports wireless charging
- Digital display, equipped with LCD display shows 0-100% digitally, which can exactly show the electric quantity
- Power bank, 2 USB ports (USB1: 5V/2.1A, USB2: 5V/2.1A)
- Energy efficient LED flex - light with Flash S.O.S strobe
- Boosting below 6.0L petrol engines and 4.0L diesel vehicles
- Convenient carry case
- The inline microprocessor offers modern protection by enabling and disabling power for the following: Overload protection, Reverse Polarity protection, Short circuit protection
- Time limited jumpstarting and under voltage protection protects the jump start from excessive drain to maintain battery condition for enhanced life of the battery
- 12V output with rubber covered EC5 connector EC5 is a one-way type of plug preventing the clamps from being connected to battery pack with wrong polarity
- Multi-purpose charging cable for various devices
- 240V wall charger

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
JS025	850amp Multi-purpose Jumpstart	240mm	150mm	100mm	1.3kg	$271.82	**$299.00**	B



118-TY9W

MULTI-PURPOSE TYRE INFLATOR

Rechargeable cordless tyre inflator with power bank & LED light. Suitable for inflating tyres on cars, side-by-sides, ATVs, scooters, ride-on mowers, bicycles, sporting balls and more.

- 1500mAh Lithium-Ion battery, 90W power
- USB type C charging port 5V/1A
- LED light with RED light safety strobe
- Settable pressure with automatic stop
- 5 pressure operating modes: car, motorcycle, bicycle, balls
- Adjustable pressure settings, stops automatically
- Cordless and corded 12V dual use
- Inflation time approximately 6min for 195/55R15 tyre, number of inflations per charge approximately 2.5
- Charging via USB cable supplied
- 12V operating cable with cigarette plug
- A range of connectors for various applications







118-TY9W

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
118-TY9W	Multi-Purpose Tyre Inflator	180mm	45mm	70mm	550g	$90.00	$99.00	B



PF27

12V OIL CHANGE PUMP KIT

Ideal for quick and easy oil changes on lawn mowers, ATVs, cars, tractors and small engines.

- Supplied with pump & suction hoses
- 1.5 L/min maximum transfer rate



PF27

5W SOLAR TRICKLE CHARGER

- Ideal to keep batteries charged on tractors, ATVs, side-by-sides, ride-on mowers & more
- Suitable to trickle charge >20 Amp batteries
- 2.5 power cable including alligator battery clamp and cigarette connection
- Poly case with suction cups to mount the panel to a flat surface



SOLAR-5W

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
PF27	12V Oil Change Pump Kit				$63.64	$70.00	B
SOLAR-5W	5W Solar Trickle Charger	350mm	15mm	140mm	$86.36	$95.00	B



RPS1

SNAKE BLOCK SOLAR SNAKE REPELLER

Snake Block Solar Snake Repeller drives snakes away from your property safely and effectively. By transmitting sonic and vibration every 40 seconds or so, the solar snake repeller is effective for up to 30m. One day of sun powers up to 5 days.

- Supplied in a twin pack
- Materials: ABS Plastic
- Waterproof: IPX4
- Power Supply: Solar powered and 1*AA rechargeable battery (included)
- Solar Panel Power: 4.5V/45MA
- Solar Panel Dimension: 90X70MM
- Function: Sonic + Vibration, Frequency: 400-1000HZ
- Coverage: 30 metres (each)



RPS1

WEATHER STATION WITH BAROMETER

Multi-function weather station with full colour screen.

- Weather forecast with barometric data
- Minimum/maximum display for air humidity and temperature
- Real barometer sensor & reading/weather forecast/ moon phase/comfort indicator
- Clock/alarm/calendar/day of the week
- 12/24hr clock format with moon phase display
- Daily alarm function with automatic snooze
- Indoor/outdoor thermometer function and humidity

Requires 4 x AA batteries (not included), 2 for the sensor and 2 for the display.



118-484

CODE	DESCRIPTION	LIST EX	LIST INC	CAT
RPS1	Snake Block Solar Snake Repeller (Twin Pack)	$80.91	$89.00	B
118-484	Weather Station with Humidity	$86.36	$95.00	B



FC440

SELECTA EVAPORATIVE AIR COOLER - 440W

Ideal for farm sheds, workshops, work garages, patios, stables, outdoor events and marquees.

- 440W, 230V electric motor
- Max air flow 12,000m 3/hr
- Effective area 70-100m2


STABLES


MARQUEES


PATIOS


SHEDS



FC440

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WT (DRY)	LIST EX	LIST INC	CAT
FC440	Selecta Evaporative Cooler	925mm	580mm	1440mm	43 kg	$1,600.00	$1,760.00	A

**Due to seasonality this item may not be stocked at all times - please check availability.*

Enclosure can be installed in various shapes and sizes
(eg: 2400mm x 800mm rectangle and 1600mm x 1600mm square)



TC8009-4

Robust powder-coated steel with Hammertone finish

MULTI-PURPOSE PET ENCLOSURE

Easily stored and transported, ideal for a variety of animals including dogs, cats, chickens and more.

- Various shapes and sizes
  (e.g. 2400mm x 800mm rectangle
  and 1600mm x 1600mm square)
- Robust powder-coated steel
  with Hammertone finish

ANIMAL ENCLOSURE

Designed for small pets, the fully galvanised steel and chain link mesh construction is sturdy & reliable with some assembly required.

- Large size (m): 3.9 L x 2.2 W x 1.82 H
- Flat packed for easy delivery



TC8009-2

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TC8009-4	Multi-Purpose Pet Enclosure	Various sizes			24.5 kg	$180.91	**$199.00**	A
TC8009-2	Animal Enclosure	3900mm	2200mm	1820mm	72 kg	$496.36	**$546.00**	A




HEAVY DUTY LOCKABLE CARRYALL CAGE

2-door steel cage for secure transport of equipment and animals.

- Powder-coated finish
- Mounting points for ute trays
- Supplied flat packed





CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TC8009-5	Heavy Duty Lockable Carryall Cage	1400mm	700mm	840mm	39.75kg	$504.55	$555.00	A



ATV-11

HEAVY DUTY RAMPS


- 1800 kg capacity
- Ideal for mini dingo's, excavators and skid steers
- Compact design made from tough lightweight aluminium
- Single piece design with carry handle



ATV-11

QUAD BIKE RAMPS

- 450 kg capacity
- Tough, lightweight and compact design
- Folds in half for easy storage
- Safety strap and lip to avoid slippage
- Maximum height limit to ground 85cm



ATV-03

HILLSIDE FOLDING KNIFE

- Compact 3-blade folding pocket knife
- 33mm, 35mm & 55mm blades
- German stainless steel

Hillside
FOLDING KNIFE



JS-0001B

CODE	DESCRIPTION	LENGTH	WIDTH	WT (EACH)	LIST EX	LIST INC	CAT
ATV-11	Heavy Duty Ramps (Pair)	2450mm	370mm	32 kg	$1,038.18	$1,142.00	A
ATV-03	Quad Bike Ramps (Pair)	2260mm	280mm	16 kg	$280.00	$308.00	A
JS-0001B	Hillside Folding Knife				$22.73	$25.00	B

Property Maintenance





CRESCO SHOULDER SPREADER

The Cresco 5 shoulder mounted spreader is a convenient tool for distributing seed, fertiliser, and other materials.

- Built for smooth running and longevity
- 9kg capacity
- Spreads up to 6m
- Anti-corrosive spinner plate and bottom housing
- Weight bearing bag provides superior reliability and strength
- Quality Zipper
- Simple On/Off, spring action lever mechanism
- Adjustable lock in settings, 1-6 for a range of applications rates
- Stainless components and spring
- Adjustable shoulder strap
- Easy to clean



CS-CR005

10L GRANULAR SPREADER

Control the flow of granules by turning the volume adjuster from 0 -10.

- Approximately up to 5m spreading width
- Adjustable volume per rotation
- Suitable for granular fertiliser
- Variable direction control
- Suitable for a wide range of granule sizes
- Adjustable strap included



GS10-1

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CS-CR005	Cresco shoulder spreader	400mm	150mm	250mm	1.5 kg	$172.73	$190.00	A
GS10-1	10L Granular Spreader	480mm	325mm	255mm	2 kg	$118.18	$130.00	A



CRESCO PUSH ALONG SPREADER

Cresco are a world class manufacturer and have developed a superior quality product which is ideal for landscapers and small to medium acreage property owners. The Cresco spreader can spread different size seed or fertiliser evenly. Another feature is border control, which is achieved by pushing the border control slider across to shut-off one side of the spreader. This helps save patio paths and flower borders from the spread of material where it's not required.

- 30kg (maximum) capacity, poly UV stabilised hopper
- Pneumatic wheels that provide improved grip and superior handling and balance all year round
- Enhanced ground driven gearbox
- Cushioned T on/off handle with solid rod linkage
- Powder coated frame with parking stand
- Spreads products from seed or micro granular to pelleted materials
- Spreading width up to 4.5m depending on product
- 20 adjustable settings to assist with accurate application rates & border control
- Assembly & calibration instructions supplied
- Optional rain cover product code **CS-20SW-CR1050**



CS-20SW

OPTIONAL RAIN COVER



CS-20SW-CR1050
Pictured with CS-20SW

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CS-20SW	Cresco Push Along Spreader	900mm	510mm	850mm	7.5 kg	$450.00	$495.00	A
CS-20SW-CR1050	Optional Rain Cover					$68.18	$75.00	A



CS-20SWT

CRESCO TRAILED SPREADER - 30KG

Cresco trailed spreaders are ideal if you are regularly spreading seed or fertiliser. Whether you're a professional landscaper or a home owner with a large garden, the Cresco trailed spreaders offer a unique slide system that allows for a more uniform distribution of seed and granular materials. They are fitted with pneumatic wheels that provide improved grip in winter and superior handling and balance along with an enhanced gearbox for durability.

- 30kg capacity and travel speed of 6 km/hr (maximum), suitable for a ride on mower
- Pneumatic wheels that provide improved grip and superior handling and balance all year round
- Powder coated frame with tow hitch for a ride on mower
- Enhanced ground driven gearbox
- Cushioned T on/off handle with solid rod linkage
- Spreads products from seed or micro granular to pelleted materials (0.5mm to 5mm)
- Spreading width up to 4.5m depending on the product
- 20 adjustable settings to assist with accurate application rates & border control
- **IMPORTANT:** The maximum tow speed is 6 km/hr
  NEVER EXCEED the 6 km/hr speed as damage to the gearbox will occur
- Easy assembly & calibration instructions supplied
- Optional rain cover product code CS-20SW-CR1050



CS-20SWT



Slide System Technology



Border Control Lever



Solid Rod Linkage



Large Agitator



Composite Anti-Wear Gearbox

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	LIST EX	LIST INC	CAT
CS-20SWT	Cresco trailed spreader - 30kg	900mm	510mm	850mm	$450.00	$495.00	A
CS-20SW-CR1050	Optional Rain Cover				$68.18	$75.00	A



CRESCO TRAILED SPREADER - 45KG

- 45kg capacity and travel speed of 6 km/hr (maximum), suitable for a ride on mower
- Hub disengagement lock system to allow operators to travel without spinner operating
- Powder coated frame with tow hitch for a ride on mower
- Pneumatic wheels that provide improved grip and superior handling and balance all year round
- Enhanced ground driven gearbox.
- Cushioned T on/off handle with solid rod linkage
- Spreads products from seed or micro granular to pelleted materials (0.5mm to 5mm)
- Spreading width up to 4.5m depending on the product
- 20 adjustable settings to assist with accurate application rates & border control
- **IMPORTANT:** The maximum tow speed is 6 km/hr **NEVER EXCEED** the 6 km/hr speed as damage to the gearbox will occur
- Easy Assembly & calibration instructions supplied
- Optional rain cover product code CS-CR3050



CS-25SWT



Slide System Technology



Border Control Lever



Solid Rod Linkage



Large Agitator



Composite Anti-Wear Gearbox



Hub disengagement

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
CS-25SWT	Cresco Trailed Spreader - 45kg	900mm	510mm	850mm	7.5 kg	$726.36	$799.00	A
CS-CR3050	Optional Rain Cover					$135.45	$149.00	B



SP60-10

60L FERTILISER SPREADER

Ideal for sporting grounds and environments where a tractor is unavailable. Suitable to tow behind a ride on mower.

- UV Stabilised poly hopper, 60L capacity
- 12V Motor with On/Off switch that controls the spinner & 3.9m wiring harness
- Powder coated frame with tow hitch for a ride on mower
- Pneumatic wheels that provide improved grip and superior handling and balance all year round
- On/off handle with solid rod linkage
- Spreads products from seed or micro granular to pelleted materials
- Spreading width up to 10m depending on the product
- Simple DIY assembly



SP60-10

SP150 ECONOMY TRAILED SPREADER

- 6-12m throw
- Quality grease packed gearbox and two piece cast iron aluminium housing
- Constantly engaged ground drive, one driven wheel, one free wheel
- 4 adjustable spreading vanes each with 3 settings
- Simple, single lever rate control
- Mechanical spindle agitation
- Adjustable drawbar - 4 height positions



SP150

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SP60-10	ATV Fertiliser Spreader	995mm	690mm	750mm	18 kg	$562.73	**$619.00**	A
SP150	SP150 Economy Trailed Spreader	1400mm	850mm	1050mm	61 kg	$2,600.00	**$2,860.00**	A #

 # Refer to Terms & Conditions on page 254 or more information



345L POLY HOPPER LINKAGE SPREADER

Multi functional spreader with corrosion resistant poly hopper suited to a variety of product such as granular fertiliser and seed.

- 6 - 18m throw
- Stainless steel metering and spreading discs
- Grease packed single speed gearbox with cast aluminium housing
- PTO drive shaft with approved safety cover
- One manual control lever is calibrated for quantity of application and a second control lever offers three settings for spreading pattern, left, right and full.
- Optional accessories include one or two sided conveyor, agitator and hopper cover



PL-500



One Sided Conveyor

Code: 620102




Two Sided Conveyor

Code: 620106



Agitator

Code: 619012



Spreading Throw

Full or half width throw by adjusting spreader gates

CODE	DESCRIPTION	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
PL-500	345L Poly Hopper Spreader	1130mm	1000mm	63 kg	$1,550.00	$1,705.00	A #
OPTIONAL ACCESSORIES					LIST EX	LIST INC	CAT
619012	Agitator				$70.00	$77.00	A #
902003	Hopper Cover				$220.00	$242.00	A #
620102	One Sided Conveyor				$550.00	$605.00	A #
620106	Two Sided Conveyor				$750.00	$825.00	A #

WARNING: *Refer to vehicle or tractor manufacturer's instructions for appropriate load, towing limits and fitting positions. Note customer fitment.*

 # Refer to Terms & Conditions on page 254 or more information



338L GALVANISED LINKAGE SPREADER

- 338L capacity galvanised hopper
- 6 - 12m throw
- Spreading disc with 4 rotor blades able to be set in 5 positions
- CAT1 pins for tractor linkage
- Directional product spread: centre, left or right

OPTIONAL ACCESSORIES



Side throw conveyor (PAX26)



Articulated agitator (PAX20)

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
SX-500GALHOP	338L Galvanised Spreader	1180mm	1180mm	1180mm	67 kg	$1,650.00	$1,815.00	A #
CODE	**OPTIONS TO SUIT SX-SERIES SPREADER**					**LIST EX**	**LIST INC**	**CAT**
PAX26	Side Throw Conveyor					$1,250.00	$1,375.00	A #
PAX20	Articulated Agitator					$130.00	$143.00	A #

ALL-STEEL GALVANISED CARRYALL

- 4' size CAT 1 linkage
- Steel checker plate deck
- Replaceable bolt-on checker plate floor
- All round farm use for carrying various items such as fertiliser, fencing equipment, firewood, tools and spot sprayers etc.
- Maximum weight capacity: 400kg



CODE	DESCRIPTION	DECK	WEIGHT	LIST EX	LIST INC	CAT
155SF1G	4 Foot All-Steel Carryall - Galvanised	4' x 3'	62 kg	$660.00	$726.00	A #

**Capacity will vary according to the type of fertiliser used. ** Variable according to speed and type of fertiliser.*

 # Refer to Terms & Conditions on page 254 or more information



LAWN AERATOR - 900mm (36 INCH)

A heavy-duty steel tow behind lawn aerator, easy to set up and use, aerate your soil and grass quickly and effortlessly ensuring nutrients get down to the roots. Use with a range of vehicles from side-by-sides, ride-on mowers to ATVs, attaching easily with a pin-hitch arrangement.

- Working width 900mm (36inch)
- Helps nutrients get into the soil and down to the roots to a depth of 6.35cm
- Heavy duty puncture proof steel roller with durable powder coated finish
- Drum can be filled with water for additional weight
- DIY assembly required
- Maximum operating speed 8km



TA02

CODE	DESCRIPTION	DRUM LENGTH	DRUM WIDTH	DRUM HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TA02	Lawn Aerator	900mm	350mm	350mm	49 kg	$499.09	**$549.00**	A

LAWN SWEEPER - 1200mm (48 INCH)

For larger lawns and areas, the Selecta tow behind lawn sweeper effortlessly clears lawn debris in a short amount of time. Boasting a 120cm clearing width and a large hopper capacity, it attaches quickly and easily to any side-by-side, ride-on mower or ATV and includes adjustable 25cm brushes for varying applications.

- 120cm sweep width
- Large hopper capacity - ideal for picking up leaves, grass clippings, twigs and more
- Rust resistant powder coated finish
- Adjustable 25cm brushes to accommodate different types of debris
- Steel frame, nylon mesh & rubber tyres
- DIY Assembly required



TA03

CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
TA03	Lawn Sweeper	1580mm	1410mm	600mm	40 kg	$571.82	**$629.00**	A

**Due to seasonality this item may not be stocked at all times - please check availability.*



RP5



60L WATER ROLLER

- Maintain a smooth and level lawn with complete ease
- Galvanised tube handles with steel bearings to ensure a long life
- 60 Litre water filled plastic garden roller
- Light and easy to handle
- UV treated barrel
- Easy assembly



RP5

LOAD 100L WHEELBARROW

- Heavy duty trade quality wheelbarrow
- UV treated polyethylene tray for strength & durability
- Heavy duty 18mm poly base board
- Heavy duty timber handles
- Fully welded solid steel legs and front stays standard
- Wide 16" 4 ply pneumatic tyre on a steel rim with sealed bearings for stability with heavy loads
- **Supplied fully assembled**



BB68BF

CODE	DESCRIPTION	MAX SPEED	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
RP5	60L Water Roller	10km	-	775mm	370mm (Roller)	6kg (dry)	$162.73	$179.00	B
BB68BF	Load Bigfoot Wheelbarrow (Wide Wheel)						$271.82	$299.00	B



LOAD 60L FLAT-FREE POLY TRAY CART

- Durable 67L (Liquid capacity) Poly tray. Load capacity 150kg
- Standard 10"x 3.5" pneumatic wheels on steel rims
- Robust powder coated hammer tone steel frame & handle with soft grip
- Easy-Tip configuration
- Push/pull pivot for easy steer/turn and a high clearance design



GCP60P

**Supplied unassembled*

LOAD 67L POLY CART

- Durable 67L (Liquid capacity) Poly tray. Load capacity 150kg
- Standard 10"x 3.5" pneumatic wheels on steel rims
- Robust powder coated hammer tone steel frame & handle with soft grip
- Easy-Tip configuration
- Push/pull pivot for easy steer/turn and a high clearance design



GCP75

**Supplied unassembled*

LOAD 105L MESH GARDEN CART

- 105L (liquid capacity) steel mesh tray. Load capacity 200kg
- Standard 10"x 3." pneumatic wheels on steel rims
- Robust powder coated hammer tone steel frame & handle with soft grip
- Push/pull pivot for easy steer/turn and a high clearance design
- Removeable side panels for conversion to platform arrangement



GCP200S

**Supplied unassembled*

LARGE STEEL MESH CART

- Durable 200kg load capacity steel mesh tray
- Large 13" x 4" pneumatic wheels on steel rims
- Robust powder coated Hammer tone steel frame
- Easy convert powder coated steel handle for push or tow arrangement
- Removeable side panels for conversion to platform arrangement
- Tray: L 1150mm x W 590mm x H260mm



BBGC1010

**Supplied unassembled*

CODE	DESCRIPTION	MAX SPEED	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
GCP60P	LOAD 60L Flat-Free Poly Cart		1300mm	730mm	600mm	7 kg	$86.36	$95.00	A
GCP75	LOAD 67L Poly Cart	15km	920mm	510mm	1020mm	16 kg	$117.27	$129.00	A
GCP200S	LOAD 105L Mesh Garden Cart	15km	1120mm	520mm	970mm	22 kg	$153.64	$169.00	A
BBGC1010	Large Steel Mesh Cart	20km	1180mm	590mm	650mm	28 kg	$244.55	$269.00	B



Load dump carts are designed to be towed behind most ride-on mowers, ATVs and side-by-sides. They are ideal to make your property maintenance effortless where garden mulch, sand, feed and garden tools need to be transported around the property.

STEEL DUMP CART

- Large capacity tray with maximum load capacity of 300kg
- Powder coated steel frame with mesh base
- Solid steel 19mm axle & steel powder coated rims
- Wide track pneumatic floatation 4 ply tyres (16x6.5-8) that can assist in suspension
- Quick release tipper latch with 2" ball tongue hitch
- Easy assembly



DCS13368

POLY TRAY CART

- Drawbar & universal hitch pin for ride-on mower attachment
- Tray tilts for easy loading or unloading of contents
- Pneumatic wheels with steel rims
- Hammertone powder coated steel frame
- 235L tray capacity
- Easy assembly



TC3080PL

LARGE POLY DUMP CART

- Durable 350L Poly tray, max load capacity of 450kg
- All steel tubular frame with powder coated finish
- Quick release tipper latch to lift and unload
- Steel painted 8" diameter rims with sealed bearings
- Tyre diameter 400mm x width 170mm
- Easy assembly



DCP01

CODE	DESCRIPTION	MAX SPEED	LENGTH	WIDTH	HEIGHT	WEIGHT	LIST EX	LIST INC	CAT
DCS13368	Steel Dump Cart	20km	2200mm	1100mm	890mm	62kg	$526.36	$579.00	A
TC3080PL	Poly Tray Cart	25km	1170mm	940mm	740mm	42kg	$359.09	$395.00	B
DCP01	Poly Dump Cart	25km	2100mm	1280mm	700mm	48kg	$744.55	$819.00	A





STORE-IN-STORE DISPLAYS

Silvan's Store-in-Store concept has proven to increase sales in store by showcasing fast moving merchandise and spare parts in easily identifiable and neatly arranged displays.

These Store-in-Store displays consist of black gloss shelving in configurations to fit your store layout, with header cards, reorder cards, and matched with Silvan's well packaged products becomes a spraying and accessories store within your store.

TO QUALIFY FOR A FREE STORE-IN-STORE SHELVING DISPLAY:

A minimum stock order (value dependant on display size) is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on **1300 745 826.**

ORDER 5 SPRAYERS TO RECEIVE A FREE DISPLAY STAND

Your whole order fits neatly onto one pallet saving you freight costs





Silvan
The Spraying Specialists

SPOTPAK STAND CODE: 070-PAK1

SILVAN 25, 50, 55, 100 AND 200 LITRE SPOTPAK STAND

The Silvan Spotpak stands are an extremely popular 'silent salesman'. Designed to display 25L, 55L and 100L Redline sprayers and 50L, 100L and 200L Smoothflo Spotpak units on a tiered stand, the Spotpak display is ideal for any retail outlet.

To qualify for a FREE Spotpak stand:

A minimum stock order of 5 Spotpak or 5 Redline units is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on 1300 745 826.



ORDER 3 DIESEL TANKS TO RECEIVE A FREE DISPLAY STAND

Your whole order fits neatly onto one pallet saving you freight costs





DIESEL STAND CODE: 070-DIESELMK3

SELECTA DIESEL STAND

The diesel stand is ideal for showcasing various size diesel tanks in your showroom, without taking up alot of space.

To qualify for a FREE Diesel stand:

A minimum stock order of 3 Diesel Transfer Units is required to be placed in conjunction with the display stand order. For more information on this, contact your account manager or customer service on 1300 745 826.



Index

A

Accessory Fitment Chart 72
Adjustable Cannon 167
Adjustable Nozzle 104
Adjustable Nozzle Shut-off 70
Aerator 239
AG Delivery Hose 127
AG Runner 135
Agitator 237,238
Air Induction Nozzle 146-150
Air Assist Nozzle 153
Air Cooler 227
All-Steel Galvanised Carryall 238
Animal Enclosure 228
Antenna 93
Application Rate 78, 79, 84, 137, 150, 151, 152, 154, 161, 162
APS PTO Pump 121
Aquatec 108, 109, 110, 115
Aquatec High Pressure Pump 108
Aquatec Medium Capacity Pump 109,110
Aquatec Pump Fittings 115
Aquatec Pumps 108,109
Aquatec Smoothflo Pump 108
Aquatect High Capacity Pump 109,110
ARAG 151
ARAG Hollow Cone Nozzle 151
Atomiser Gun 50, 54-56, 58, 67-t69, 87, 90, 102
ATV Boomless Nozzle Kit 78, 161
ATV Fertiliser Spreader 236
Auto Shut-off Diesel Gun 198-204, 207, 211

B

Back Nut 192,193
Backpack Mister 23
Backpack Sprayer 13, 14, 20, 21, 25, 28
Barbed Tee Pieces 192
Bare Diaphragm 117
Bare DIY Firefighting Tank 178
Bare Economy Hose Reel 88
Barometer 226
Barrel Tank 61,129
Beacon Light 217
Blanking Cap 76, 78, 155, 161, 193
Boomjet Nozzle 163
Boomless Nozzle 32, 37, 39-40, 42-46, 49-51, 53-56 58-59, 63-64, 66, 72, 75-79, 83, 159-163
BP3000 Pump 205, 206, 207
BP3000 Pump Kit 207
BP PTO Pumps 120, 121, 123
Brass Adjustable Nozzle 117
Brass Boomless Nozzle 40, 42-45, 49-51, 53-56, 58-59 77, 79, 160, 162, 163
Brass Hose Connector 104, 191
Brass Hose Snap Coupling 104, 191
Brass Hose Tail 97, 104, 191
Brass Nozzle 18-20, 27, 28, 75, 77, 79, 104, 160, 162, 163
Brass Off-Centre Nozzle 150
Breather Valve 188, 189
Bucket 134
Butterfly Valve 190
Bypass Hose 126

C

Cab Electric Control 70
Caddy 198
Calibration 139
Cannon 167
Cart 241, 242
Ceramic Disc 153, 167
Ceramic Hollow Cone Nozzle 151, 152
Check Valve Kit 117
Chemical Gloves 133
Chemical Transfer Pump 135
ChemSaver® 155, 164, 165
Clamp 115, 165, 194
Compliant Nozzle 146, 148
Compressor 95
Control Kit 124
Control Valve 120, 122
Conveyor 237, 238
Coupling 104, 191
Cover 233, 234, 235, 237
Coveralls 133
Cresco 232, 233, 234, 235
Cresco Push Along Spreader 233
Cresco Shoulder Spreader 232
Cresco Trailed Spreader 234, 235
Cross-fold Boom 46, 49, 51, 53, 54, 58, 59, 65, 67, 68, 74, 80
Cup Strainer 158, 187
Curved Lance 103

D

Davey Pump 170, 171, 173, 174, 175, 176, 177
Davey 5155HV-0 ..... 174, 177
Davey 5265HV-0 175
Deflectip Nozzle 159
Delivery Hose 126, 127
Delivery Tubing 126
Delta T 134, 140
Delta T and Wind Meter 134, 140
Diaphragm 117, 125
Diaphragm, Comet 125
Diaphragm Kit 117
Diesel Caddy 198
Diesel Delivery Hose 126
Diesel Hose Reel 89, 180, 209
Diesel Meter 210
Diesel Swivel Adaptor 211
Diesel Tanks 131
Diesel Transfer Pump 208
Diesel Water Filter 209
DieselCube 201
DieselPak 202, 203
DieselPower 199
DieselPower Pump 198, 199, 201, 205, 207
DieselPower Pump Kit 207
DieselPro 200
Digital Litre Counter 199, 200, 201, 202, 203, 210, 213
Display Stand 22, 243, 244, 245
Disposable Coveralls 133
Double Sided Under Vine Shielded Boom 81
Drift Guard Spray Tips 145
Drip-free Shut-off 164
Drive Assembly Kit 117
Droplet Size 137, 138
Dry Boom Nozzle Holder 164
Dump Cart 242

E

EasyRoll 54, 56, 90
EasyRoll Motorised Sled Sprayer 54
Eco Hose Reel 51, 55, 58, 65, 67, 69, 87
Economy Hose Reel 59, 88
Elbow 104, 115, 191, 192, 193, 194
Electric Solenoid Valve 118
Electric Spray Control Kit 124
Essentials Sprayer 34
Evaporative Cooler 227
Extendable Lance Spray Gun 14, 15, 25, 26, 97
Extended Range Nozzle 144

F

Fast Fill Firefighter 170, 171, 177
Fast Filler 170, 171, 177
Fence Line Kit 84
Ferroni Nylon Roller Pump 121
Fertiliser Spreader 236
Field Booms 81
Filter Cartridge 133
Filter Element 183, 184, 185, 186
Filter, Kasco 134
Filtration 158, 182, 187
Firefighting Hose 89, 127
Firefighting Hose Reel 89, 180
Firefighting Nozzle 89, 178
Firefighting Skid 171, 176
Five(5)D Fitting 115
Flashing Beacon 217
Flashlight 215
Flat Fan Nozzle 13, 14, 25, 83, 105, 144, 155
Flat Gasket 194
Flip Over Nozzle Holder 167
Flush-Out Line Strainer 185
Foam Marker Concentrate 94, 95
Foam Marker Solenoid Valve 118
Foam Markers 94
Folding Knife 230
Freestanding Silmix 135
Freestanding Tank 130
Freight Charge 204, 252

G

Galvanised Boom 69, 70, 81
Galvanised Carryall 238
Galvanised Linkage Spreader 238
Galvanised Skid 60, 176
Galvanised Steel Fork Skids 49, 55, 56
Garden Wick Stick 82
Gasket 157, 194
GE057 Spray Gun 99
General Purpose Towbar Boom 42-46, 49-51, 53-56, 58-59, 72, 73
GLONASS 93
Gloves 133

Goyen 74, 118
GPS Guidance Systems 93
Granular Spreader 232
Gunjet 30 Spray Gun 103
Gunjet 31 Spray Gun 103
Gunjet 43 Spray Gun 103

H

Half Mask Respirator Kit 133
Hand Sprayer 12, 17, 18
Hardened Stainless Steel Disc 154
Head Assembly 117
Heavy Duty Hose Reel 89, 170-171, 173-176, 180, 209
Heavy Duty Locakable Cage 229
Heavy Duty Ramps 230
Hi Flow DieselPak Unit 203
High Flow Pak Pump 111
High Flow Regulator 114
High Flow Squatpak Sprayer 51
High Flow Towbar Boom 53-56, 58, 59, 72, 76
High Flow TrukPak Sprayer 46
High Pressure Motorised SquatPak Sprayer 59
High Pressure Smoothflo TrukPak Sprayer 47
High Pressure Solenoid 118
High Volume Filter 184
Hillside Folding Knife 230
Hinge Type, Lid 189
Hollow Cone Nozzles 151, 152
Honda 3.5HP GX 120 Unleaded Petrol 53-56, 58, 68-70, 123
Honda 5.5HP GX160 Unleaded Petrol 57, 59-61 123, 171, 173, 174, 176, 177
Honda 6.5HP GX200 175
Honda Davey Firefighter 170, 171, 173, 174, 175, 176, 177
Hopper Cover 237
Hose Clamp 115, 194
Hose Connector 104, 191
Hose Reel 44-47, 49, 50, 51, 53, 54-61, 65, 67-69, 86-91 170-177, 180, 209
Hose Snap Coupling 104, 191
Hose Swivel 104
Hose Tail 97, 104, 115, 178, 191, 192, 194, 209
Hypro Boomless Nozzle 159

I

Identify a nozzle 138
Inline Tap 190
Inline Diesel Filter 209
Inline Diesel Pump 205

J

JetPro Spray Gun 47, 49, 51, 59, 88, 100
Jolly Spray Gun 29, 40, 42, 43, 44, 45, 48, 65, 66, 98
Jug 134
Jumpstart 222, 223

K

K24 Meter 213
Kasco 134
Knife 230

L

Lance 103
Large Steel Mesh Cart 241
Large Volume Diesel Tank 131
Lawn Aerator 239
Lawn Sweeper 239
LED Flashlight 215
Lid 188, 189
Lid Ring 189
Lid Strainer 189
Lightfoot Trailed Sprayer 65, 66, 67, 68, 69, 70
Line Strainer 184, 185, 186
Linkage Spreader 237, 238
Litre Counter 199, 200, 201, 202, 203, 210, 213
Load Cart 241
Lockable Cap 199, 200
Lockable Carryall Cage 229
Lockable Filling Cap 199, 200
Lockable Pump Cover 198, 199, 200
Long Skid 130, 131
Low Flow Pak Pump 111
Low Flow Towbar Boom 75
Lurmark Nozzle 159

M

Manual Hose Reel 45-47, 49-51, 53, 55, 58, 59, 65, 67, 69, 87-89 170, 171, 172, 173, 174, 175, 176, 177, 180, 209
Manual Shut-off Gun 198, 211, 213
Matrix 430 93
Matrix Guidance Functions 93
Mechanic Diesel Meter 210
Mechanical Seal Kit 179

Medium Flow Towbar Boom....42, 44, 45, 50, 72, 75
Medium Flow Pak Pump....64, 111
Mesh Cart....241
Mesh Element....183, 184, 185, 186
Mesh Garden Cart....241
Measuring Bucket....134
Mesuring Jug....14, 25, 37, 39, 64, 134
Meter, K24....213
Motion Activated Camera....220
Motion Sensor Light....217
Motorised Skid Sprayer....57, 60, 61
Motorised Sled Sprayer....53, 54
Motorised SquatPak Sprayer....55, 56, 58, 59
Motorised Trailed Sprayer....68, 69, 70
Motorised Unit....123
Motorised Vine Sprayer....70
Multiple Nozzle Holder....155
Multi-purpose Jumpstart....222, 223
Multi-Purpose Pet Enclosure....228
Multi-Purpose Tyre Inflator....224

N

Nipple....193
Non-Drip Flip Over....167
Non-Drip Nozzle Holder....155, 164, 167
Non-Drip Vine Series....167
Nozzle Adaptor....165
Nozzle Application Rate....78, 84, 137, 142, 143, 161
Nozzle Cap....155, 156, 157
Nozzle Code Explanation....138
Nozzle Droplet Size....138
Nozzle Filtration....158, 187
Nozzle Holder....155, 164, 165, 166, 167
Nozzle Kit, Prograde....22
Nozzle Material....138
Nylon Roller Pump....121

O

O-ring....194
Off-centre nozzle....73, 84, 150, 163
Oil Change Pump Kit....225
On-road Trailed....177, 204
On-road Trailed DieselPro....204
On-road Trailed Firefighting Unit....177
Operating Information , Brass Nozzle....77, 160

P

PA Spray Gun....50, 88, 99
Pak Boom....72, 82
Pak Pump....64, 111
Pak Pump Fitting....115
Panther Diesel Pump....206, 207
Panther Diesel Pump Kit....207
Patch Antenna....93
Pest Control Tank....129
Pet Enclosure....228
Piusi....200, 202, 203, 204, 205, 206, 207, 209, 210, 211
Piusi Auto Shut-off Gun....211
Piusi Manual Shut-off Gun....211
Piusi Meter....210
Piusi Pump....200, 202, 203, 204, 205, 206, 207
Piusi Pump Kit....207
Piusi Retractable Hose Reel....209
Plug....193
Poly Adjustable Nozzle....104
Poly Cart....241
Poly Disc Nozzle....154
Poly Dump Cart....242
Poly Hopper Linkage Spreader....237
Poly Tip Strainer....158, 187
Poly Tray Cart....242
Portable Hand Sprayer....12
Power Bank....222, 223, 224
Pressure Gauge....114, 191
Pressure Line Strainer....186
Pressure Regulator....29, 43, 46, 48, 53-61, 65-70, 72, 108-110 112, 113, 114, 122, 123
Pressure Regulator Diaphragm, Comet....125
Pressure Regulator Kit....43, 109, 110, 113
Pressure Switch....116
Professional Delivery Hose....127
Prograde....17, 18, 19, 20, 21, 22, 27, 28
Prograde Shut-off Trigger....22
Seal, Comet....125
Pulsation Diaphragm, Comet....125
Pump Fitting....115
Pump Head Assembly....117
Pump Zero Sprayer....19, 27

Push Along Spreader 233
PVC Single Dip Gloves 133

Q

Quad Bike Ramps 230
Quad Bike Sprayer 40

R

Rain Cover 233, 234, 235
RakPak Plus 43
Ramps 230
Read a nozzle 138
Rechargeable Backpack Sprayer 14, 21, 25, 28
Rechargeable LED Flashlight 215
Rechargeable Motion Sensor Light 217
Rechargeable Spotlight 216
Rechargeable Sprayer 14, 15, 19, 21, 25-32, 36, 38, 63
Rechargeable Trolley Sprayer 15, 26, 29, 32
Red PVC Gloves 133
Redline Boomless Nozzle 83
Redline Spray Boom 83
Redline Sprayer 30, 31, 32, 35, 36, 37, 38, 39, 63, 64
Reel Turf Remote Reel 57, 60, 91
Regulator, 23120 Series 114
Regulator, 8460 Series 114
Remote 4G Security Camera 219
Remote Control Hose Reel 54, 56, 57, 60, 61, 90, 91
Replacement Battery 14, 21, 25, 28, 30, 31, 32, 36, 38
Respirator Kit 133
Retractable Hose Reel 44-47, 49, 50, 56, 68, 86, 90, 204, 209

S

Safety Spray Helmet 134
Seal Kit, Comet 125
Seat Gasket 157
Secure Solar Panel 220
Select a nozzle 137
Selecta Auto Shut-off Gun 211
Selecta Blue Transfer Pump 213
Selecta Blue Transfer Unit 213
Selecta Digital Diesel Meter Kit 210
Selecta Evaporative Air Cooler 227
Selecta Mechanic Diesel Meter 210
Selecta Power 6.5HP 172, 179
Selecta Power Firefighter 172
Selecta Wheelbarrow 240
Service Kit 13, 15, 22, 98, 99, 100, 101, 102, 103, 121, 122
Shurflo 112, 115, 135
Shurflo Ag Runner 135
Shurflo High Flow Pump 112
Shurflo Low Flow Pump 112
Shurflo Medium Flow Pumps 112
Shurflo Pump Fitting 115
Shurflo Pumps 112
Silmix 135
Silvamatic 124
Single Filter, Kasco 134
Single Flip Over 167
Single Piece Elbow 192
Skid Firefighting 171, 176
Skid Sprayer 49, 55, 56, 57, 60, 61
Sled Sprayer 53, 54
Smoothflo 43, 45, 47, 50
Smoothflo Pump 29, 42, 43, 44, 45, 50, 65, 108, 116
Smoothflo Pump Fitting 115
Smoothflo Sprayers 42, 45, 50
Smoothline Delivery Tubing 126
Snake Block Solar Repeller 226
Snake Repeller 226
Solar Panel 219, 220
Solar Powered Security Camera 219
Solar Trickle Charger 225
Solenoid 118
Spacing Clamp 165
SpotJet Spray Gun 29, 40, 42, 43, 44, 45, 48, 65, 66, 98
Spotlight 216
SpotPak Tank 129
Spray Control Kit 124
Spray Hose Swivel 104
Spray Shield 12-15, 18-22, 25-28, 30-32, 34-39, 63, 105
Sprayer Calibration 139
Sprayer Solenoid Valve 118
Spreader 232, 233, 234, 236, 237, 238
Squatpak Sprayer 49, 50, 51, 55, 56, 58, 59
SquatPak Tank 130
Stage of Filtration 182
Steel Dump Cart 242
Steel Frame Sprayer 48, 53, 54
Steel Mesh Cart 241
Store Display 22, 243, 244, 245
Straight Lance 103

Strainer 158, 184, 185, 186, 187, 189
StreamJet Nozzle 148
Submersible Pump 208
Submersible Diesel Pump 208
Submersible Water Pump 208
Suction Hose 126
Suction Line Filter 183
Sundstrom Respirator Kit 133
Sweeper 239
Swirl Plate 153
Swivel Nozzle Holder 165, 166

T

T-boom 12-15, 18-22, 25-28, 30-32, 34-39, 105
Tank Lid 188
Tank Outlet 193
Tank 129, 130, 131
Tee Piece 192, 193
TeeJet Multiple Nozzle Holder 155
TeeJet Nozzle Cap 156, 157, 166
Teejet Nozzle Holder 155, 164, 165, 166
Terrabright 215, 216
Three (3) Nozzle Spray Boom Kit 32, 37, 72, 83
Three (3) Point Linkage Boomless Nozzle 79, 162
Tip Strainer 158, 187
Towbar Boom 42-46, 49-51, 53-56, 58, 59, 72, 73-76
Trailed DieselPro 204
Trailed Firefighting 177
Trailed Sprayer 63, 64, 65, 66, 67, 68, 69, 70
Trailed Spreader 234, 235, 236
Trailer Kit 37, 38, 39, 63, 64
Tray Cart 242
Traylink Sprayer 48
Triam Spray Gun 101
Trigger Spray Gun 30, 31, 32, 34, 36, 38, 97
Trigjet Spray Gun 98
Trolley Sprayer 15, 26, 29, 32
TrukPak Sprayer 45, 46, 47
TrukPak Tank 129
TwinJet Nozzle 145, 148
Turbo 400 Spray Gun 54, 57, 60, 61, 91, 102
Turbo TeeJet Nozzle 145, 146
Turbomiser Nozzle 154
Twin Boomless Nozzle 43, 161
Twin Stage Pump 179
Typical Application Rates 142, 143
Tyre Inflator 224

U

Universal Application Rate Chart 137
Upper Housing 116
Upright Trolley Sprayer 29
UtePak Sprayer 44
UtePak Tank 129

V

Valve Assembly, Comet 125
Valve Kit 117
Valve Spring, Comet 125
Valves 190
Vari Spacing Clamp 165
Varijet Spray Gun 46, 65, 101
Versatile Motorised Sled Sprayer 53

W

Washer, Comet 125
Water Meter 213
Water Nozzle 89, 178
Water Roller 240
Water Sensitive Paper 133
Water Transfer Hose Kit 179
Water Transfer Pump 208
Weather Station 226
Wheelbarrow 240
Wick Applicator 82
Wide Angle Security Camera 220
Wind Meter 134, 140
Wind Speed and Spraying 140

RED text indicates product main page

RETURN AUTHORISATION FORM – FOR DEALER USE ONLY

Date: Customer account code:

Requested by: Customer name:

Contact name and number:

Silvan invoice number: Customer order number:

Silvan invoice date: Customer claim number:

Claim type: ☐ Return ☐ Pricing/Discount ☐ Other

Action Required: ☐ Credit ☐ Replace

NOTE: For warranty claims please refer to the Request for Warranty Assessment Form

Reason for Claim: _____

Part Number Claimed		Number of Units (Q)	Ex-GST Unit Credit (C)	Ex-GST Extended Value (Q) x (C)	Incl-GST Extended Value (Q) x (C) + 10%
Ancillary claim:	Freight/Other				
	Handling Fee %				
Attach extra pages if required			**TOTAL CREDIT REQUESTED**	**$**	

Internal Use Only: Approved By: Reason Code:

Claim Log: Opened by: Customer Service Mgr: Date:

Closed by: Department Mgr: Date:

Is item to be returned to stock?: ☐ Yes ☐ No Return Warehouse: Put Location:

Comments: _____

Adjustment Note Comments: _____

Adjustment Note Number: Processed by: Process date:

Is item to be re-charged?: ☐ Yes ☐ No Account No. Re-Invoice number:

Re-invoice comments: _____

Cause of error: _____

Action to prevent reoccurrence: _____

Completed by: Date:

SELECTA CUSTOMER SERVICE ON: 1300 745 826

EMAIL: INFO@SILVANAUST.COM

Internal use only: Claim #:

ALL WARRANTY ENQUIRIES MUST BE REFERRED TO AUTHORISED SILVAN DEALER/ RESELLER

Fax or post Form to:
Silvan Warranty Department
68 Atlantic Drive, Keysborough
Victoria, Australia, 3173
Phone: 1300 715 826

REQUEST FOR WARRANTY CLAIM

Please complete the following form or complete an online claim through Red Connect (refer pg 3)

Aust. Fax: 1800 745 826 **E-Mail: support@silvanaust.com**

A.B.N. 48-099-851-144

Dealer:	
Address:	
Phone OR Email	

Customer:	
Address:	
Phone OR Email	

Dealer Claim No:	
Silvan Invoice No: (From purchase of item)	**Customer Invoice No:**
Date of Sale: (IProvide Proof of Purchase)	
Date of Failure:	
Claim Value: (GST Exclusive)	**$**

Product:	**Quantity:**
Part/s Required:	

Detailed Nature of Fault & Cause:	**Labour at $50.00** / **Number of Hours:**
	Total Cost: $
Action taken to rectify problem - *Eg. Repaired or Replaced:*	**Sublet Cost** **$** **INCLUDE COPY OF SUBLET**

Action Requested? **Issue a Credit Note** ☐ **OR** **FOC Replacement** ☐	**Additonal Information**

R.C.T.I. Authorisation: In line with current GST legislation warranty claims must be processed as tax invoices from the Dealer to Silvan.

I hereby authorise Silvan Australia Pty. Ltd. to raise a recipient created tax invoice on my behalf for the assessed value of this claim.

Claimant's Name: (PLEASE PRINT) _____ **Dated:** _____

Signature: _____ _____

********** *Silvan Internal Use Only* **********

DATE:		**ACTIONED BY:**	
PTS:		**RA:**	
SUB:			
LAB:		**INVOICE/CREDIT:**	
PWA No:			

Terms & Conditions

AVAILABILITY

Products in the Silvan Spraying Equipment Product Guide are available through authorised Silvan dealers.

TERMS

The Silvan terms and conditions are set out in your individual trading terms and at www.silvan.com.au/terms.

PRICE

All Prices are suggested list Price in AU dollars. Price are subject to change without prior notice. For stocking incentive programmes refer to your individual trading terms, or contact customer services staff on 1300 745 826.

GST

All Price are shown both inclusive of GST and exclusive of GST. All invoices will include GST.

FREIGHT CHARGES

Freight and handling charges apply and will be added to the invoice amount. Check with Silvan Customer Service for freight charges into your area.

TITLE AND RISK

Silvan retains title to all goods until paid for in full in clear funds. Risk in respect of goods passes to you as soon as the goods leave the Silvan Distribution Centre.

PPSA

Silvan may register a security interest over the goods as security for any payment. You will need to provide Silvan with all information, documents and consents as Silvan requires to register and maintain this security interest.

MINIMUM ORDER VALUE

A $75 Minimum Order Value (Excl. GST) applies to all standard orders. Orders under the required minimum value will attract a $25 handling charge (Excl. GST). A $250 Minimum Order Value (Excl. GST) applies to hardware range orders.Urgent/breakdown orders don't have a required Minimum Order Value, and attract a $25 priority fee (Excl. GST).

WARRANTY

The only warranty provided by Silvan is set out on the forms accompanying the goods (for a copy please contact the Silvan Customer Service Centre). No other warranty or representation is made by Silvan. The terms of Silvan's warranties are subject to the operation of any law including the Australian Consumer Law.

CANCELLATIONS

1. Cancellations made on the day the order was placed:

a. If stock isn't dispatched, no handling fee applies

b. If stock has been dispatched a restocking fee applies

2. Cancellations made after the day the order was placed, a restocking fee will apply.

RETURNS POLICY

1. Before returning any product to Silvan, a Return Authorisation (RA) Number and approval form must be obtained from Silvan Customer Service. Goods WILL NOT be accepted without an RA number and form.
2. All returns must be requested within 14 days of the invoice date.
3. Goods will only be accepted for credit if they are stock items (i.e. excludes obsolete and indent only items), returned undamaged and in a saleable condition.
4. Return freight will be paid by the Customer if the goods are returned at the Customer's volition, unless authorised by the Company in writing prior to return of the goods.
5. Written claims must reference Silvan invoice numbers, and must be dated and state the reason for the claim.
6. A 20% restocking fee will be applied if the goods have been dispatched according to the order.
7. Return of products valued under $75 (Excl.GST) won't be accepted if dispatched according to the order.

CLAIMS

Pricing & Freight Claims need to be made within 14 days of the invoice date. Any claims after this for pricing discrepancies will not be accepted. Claims for Freight Damage need to be made within 14 days of the invoice date by notifying Silvan Customer Service. Claims received after this will not be accepted.

DISCOUNT CODES

Refer to 2025/26 Discount Schedule and Trading Terms for specific discounts.

* Stock order discounts do not apply to these items

\# Spraying or Farm Equipment products have different sales conditions – refer to 2025/26 Discount Schedule and Trading Terms for more information (stock order discounts do not apply to these items)

FOR A FULL LIST OF TERMS & CONDITIONS, PLEASE VISIT WWW.SILVAN.COM.AU/TERMS



CUSTOMER SERVICE

We are ready to take your call.

Your phone call to **1300 SILVAN (1300 745 826)** will direct you to our highly experienced Silvan Customer Service staff who will assist you with:

- Price and availability
- Return Authorisation
- Product enquiries
- Credit processing
- Back order advices
- Freight enquiries

If your enquiry is of a technical nature, our Customer Service team will transfer you to our Technical Services team for parts interpretation, parts sourcing or after sales service issues. Alternatively, they can be contacted directly on the number below.

Call: **1300 SILVAN (1300 745 826)**

Fax: **1800 SILVAN (1800 745 826)**

General Customer Service & Sales - **Press 1**
Products & Part Availablity - **Press 2**
Technical Support, Warranty & Parts Interpretation - **Press 3**

2025-26
Rural Lifestyle Guide

PRICES EFFECTIVE FROM 1st SEPTEMBER 2025



SILVAN AUSTRALIA Pty. Ltd.

ABN 48 099 851 144

Head Office:	68 Atlantic Drive, Keysborough, VIC, Australia 3173
QLD. Office:	Warehouse 2, 30 Gow Street, Moorooka, QLD 4105
W.A. Office:	12 Cressall Road, Balcatta, WA 6021
Freecall:	1300 745 826
Fax:	1800 745 826
Email:	info@silvanaust.com
Web:	silvan.com.au

All prices are recommended prices and exclude any dealer installation and/or freight charges. Prices may vary between individual Silvan dealers. Recommended prices are effective from 1st September 2025.

The company reserves the right to change recommended prices and specifications without notice. All items in this Price List have been included in good faith on the basis that the goods described were available at the time this book was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners. Copyright © Silvan Australia Pty. Ltd. 2025.

SELECTA Silvan

For more information call **1300 745 826** or visit: **silvan.com.au**

Reference No: 070-SEL-PL-25-26